#### TRAVEL TRAILERS

BUILT BY PALOMINO RV







< **185 X** MESA MAPLE INTERIOR



Solaire ultra light travel trailers are easy to tow, yet built to last with a sturdy aluminum framed superstructure for long lasting durability.



**260 FKBS** MESA MAPLE INTERIOR >







Solaire ultra light travel trailers equipped with the GT3 package are designed with luxury in mind. This option package elevates an already equipped unit to the next level of luxury.

< 320 TSBH GREYSTONE MAPLE INTERIOR













## Protective Coatings Built to Go the Distance

#### LINE-X Benefits:

- Protect your investment with reduced maintenance and repair costs
- Abrasion, impact, and scratch resistance for protection against rock or debris chips
- Rust, corrosion, and chemical protection
- Fade resistance with LINE-X ULTRA UV stable color formula

\*AVAILABLE WITH GT3 PACKAGE ONLY



Two available interior decor and wood grain options to accommodate all design preferences.







STONE PEBBLE MESA MAPLE GREYSTONE MAPLE



185 X WITH GRANITE INTERIOR AND MESA MAPLE CABINETS

## Hybrid Expandable. Best in Value.

Hybrid expandable bed ends create a comfortable and spacious interior design for that residential feel. They include many popular features to deliver the very best value to the market.



## 147 X

HITCH DRY WEIGHT	315	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	2720	TRAVEL LENGTH	18'6"
TOTAL DRY WEIGHT	3035	OPEN LENGTH	23'3"
GVWR	3815	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	3073	GRAY WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/ AC	10'1"	CARGO CARRYING CAPACITY	519



#### 163 X

HITCH DRY WEIGHT	400	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3195	TRAVEL LENGTH	20'2"
TOTAL DRY WEIGHT	3595	OPEN LENGTH	24'10"
GVWR	4996	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	3633	GRAY WATER CAPACITY	30
NTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/ AC	10'1"	CARGO CARRYING CAPACITY	1363



#### 185 X

HITCH DRY WEIGHT	444	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3652	TRAVEL LENGTH	25'11"
TOTAL DRY WEIGHT	4096	OPEN LENGTH	29'7"
GVWR	5630	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	4134	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/ AC	10'1"	CARGO CARRYING CAPACITY	1496





#### Standards that make a difference.


- · Power Awning w/LED Lights
- · Dexter Tor-Flex Torsion Axles
- · Furrion HDMI DVD/Bluetooth/HDMI Stereo
- · Power Tongue Jack
- · 13,500 BTU Ducted A/C
- · Tub Surround w/Skylight
- · Ball Bearing Drawer Guides
- · Microwave
- · Slam Latch Baggage Doors w/Magnets

- · Black Tank Flush
- · 8 Cu Ft Refrigerator
- · Solid surface counter tops
- Stainless Steel kitchen sink with roll cover
- · Aluminum wheels
- King Bed (N/A on 147/163/185/ 202/205/217)

**OPTIONAL GT3 PACKAGE** 

## The Next-level Luxury package.

OPTIONAL GT3 PACKAGE INCLUDES ALL THE FEATURES FROM THE ULTRA PLUS THE FOLLOWING:



- · Bedspread / Pillow Combo
- · Solid Surface Counter Tops Throughout
- · Bonded Frameless Windows
- · Power Stabilizer Jacks
- · Heated Holding Tanks
- · Roof ladder

- · Fireplace
- · Smart Arm Awning control
- Full front cap with Line X protection
- · WiFI Booster
- · 15,000 BTU AC



GT3 PACKAGE NOT AVAILABLE ON 202 / 205 / 217



HITCH DRY WEIGHT	536	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3239	TRAVEL LENGTH	23'5'
TOTAL DRY WEIGHT	3775	FRESH WATER CAPACITY	44
GVWR	5125	GRAY WATER CAPACITY	38
UNLOADED VEHICLE WEIGHT	3813	BLACK WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1312
EXTERIOR HEIGHT W/ AC	10'1"		



HITCH DRY WEIGHT	546	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3800	TRAVEL LENGTH	23'4"
TOTAL DRY WEIGHT	4347	FRESH WATER CAPACITY	44
GVWR	5400	GRAY WATER CAPACITY	38
UNLOADED VEHICLE WEIGHT	4385	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1245
EXTERIOR HEIGHT W/ AC	10'1"		



HITCH DRY WEIGHT	585	EXTERIOR WIDTH
DRY AXLE WEIGHT	4835	TRAVEL LENGTH
TOTAL DRY WEIGHT	5420	FRESH WATER CAPAC
GVWR	7248	GRAY WATER CAPACIT
UNLOADED VEHICLE WEIGHT	5458	BLACK WATER CAPAC
INTERIOR HEIGHT	6'8"	CARGO CARRYING CA
EXTERIOR HEIGHT W/ AC	11'1"	

EXTERIOR WIDTH	8'
TRAVEL LENGTH	27'10"
FRESH WATER CAPACITY	44
GRAY WATER CAPACITY	60
BLACK WATER CAPACITY	38
CARGO CARRYING CAPACITY	1790



#### 253 RLS

HITCH DRY WEIGHT	607	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	5315	TRAVEL LENGTH	30'8"
TOTAL DRY WEIGHT	5922	FRESH WATER CAPACITY	44
GVWR	7607	GRAY WATER CAPACITY	68
UNLOADED VEHICLE WEIGHT	5960	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1647
EXTERIOR HEIGHT W/ AC	11'1"		





#### **258 RBSS**

HITCH DRY WEIGHT	765	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	5595	TRAVEL LENGTH	32'8"
TOTAL DRY WEIGHT	6360	FRESH WATER CAPACITY	44
GVWR	7765	GRAY WATER CAPACITY	68
UNLOADED VEHICLE WEIGHT	6398	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1367
EXTERIOR HEIGHT W/ AC	11'1"		



HITCH DRY WEIGHT	850
DRY AXLE WEIGHT	5345
TOTAL DRY WEIGHT	6195
GVWR	7850
UNLOADED VEHICLE WEIGHT	6238
INTERIOR HEIGHT	6'8"
EXTERIOR HEIGHT W/ AC	11'1"

EXTERIOR WIDTH	8'
TRAVEL LENGTH	29'11"
FRESH WATER CAPACITY	44
GRAY WATER CAPACITY	60
BLACK WATER CAPACITY	30
CARGO CARRYING CAPACITY	1612



HITCH DRY WEIGHT	920	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6333	TRAVEL LENGTH	35'6"
TOTAL DRY WEIGHT	7253	FRESH WATER CAPACITY	44
GVWR	8920	GRAY WATER CAPACITY	106
UNLOADED VEHICLE WEI	GHT <b>7291</b>	BLACK WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1629
EXTERIOR HEIGHT W/ AC	11'1"		



ITCH DRY WEIGHT	929	EXTERIOR WIDTH	8'
RY AXLE WEIGHT	7239	TRAVEL LENGTH	35'6"
OTAL DRY WEIGHT	8168	FRESH WATER CAPACITY	44
VWR	9995	GRAY WATER CAPACITY	106
NLOADED VEHICLE WEIGHT	8206	BLACK WATER CAPACITY	38
NTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1789
XTERIOR HEIGHT W/ AC	11'1"		











# GT3 Not available REFER DISC. REFER DISC.

217 BH

HITCH DRY WEIGHT	655	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3860	TRAVEL LENGTH	26'0"
TOTAL DRY WEIGHT	4515	FRESH WATER CAPACITY	44
GVWR	6125	GRAY WATER CAPACITY	68
UNLOADED VEHICLE WEIGHT	4553	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1572
EXTERIOR HEIGHT W/ AC	10'1"		



		24
566	EXTERIOR WIDTH	

DRY AXLE WEIGHT	4606
TOTAL DRY WEIGHT	5172
GVWR	6710
UNLOADED VEHICLE WEIGHT	5210
INTERIOR HEIGHT	6'8"
EXTERIOR HEIGHT W/ AC	11'1"

HITCH DRY WEIGHT

EXTERIOR WIDTH	8'
TRAVEL LENGTH	27'10"
FRESH WATER CAPACITY	44
GRAY WATER CAPACITY	38
BLACK WATER CAPACITY	38
CARGO CARRYING CAPACITY	1500



HITCH DRY WEIGHT	671
DRY AXLE WEIGHT	5307
TOTAL DRY WEIGHT	5978
GVWR	7759
UNLOADED VEHICLE WEIGHT	6016
INTERIOR HEIGHT	6'8"
EXTERIOR HEIGHT W/ AC	11'1"

EXTERIOR WIDTH	8'
TRAVEL LENGTH	32'8"
FRESH WATER CAPACITY	44
GRAY WATER CAPACITY	76
BLACK WATER CAPACITY	38
CARGO CARRYING CAPACITY	1655







HITCH DRY WEIGHT	845
DRY AXLE WEIGHT	4971
TOTAL DRY WEIGHT	585
GVWR	784
UNLOADED VEHICLE WEIGHT	589
INTERIOR HEIGHT	6'8"
EXTERIOR HEIGHT W/ AC	11'1

EXTERIOR WIDTH	8'
TRAVEL LENGTH	33'4"
FRESH WATER CAPACITY	44
GRAY WATER CAPACITY	76
BLACK WATER CAPACITY	38
CARGO CARRYING CAPACITY	1952





#### 317 BHSK

HITCH DRY WEIGHT	705	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6445	TRAVEL LENGTH	35'1"
TOTAL DRY WEIGHT	7070	FRESH WATER CAPACITY	44
GVWR	8700	GRAY WATER CAPACITY	76
UNLOADED VEHICLE WEIGHT	7108	BLACK WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1592
EXTERIOR HEIGHT W/ AC	11'1"		



#### 320 TSBH \*

HITCH DRY WEIGHT	1085	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6835	TRAVEL LENGTH	36'3"
TOTAL DRY WEIGHT	7920	FRESH WATER CAPACITY	44
GVWR	9825	GRAY WATER CAPACITY	98
UNLOADED VEHICLE WEIGHT	7958	BLACK WATER CAPACITY	30
NTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1867
EXTERIOR HEIGHT W/ AC	11'1"		

## Palomino Premium Build Quality

#### **ROOF CONSTRUCTION**



Vacuum-bonded radius roof with vaulted ceiling providing top notch insulation and greater interior height



Built stronger to allow for periodic roof maintenance.



WALLSIKENGIN

Structurally engineered materials makes our vacuum-bonded walls some of the strongest in the industry.



## VACUUM-BONDED LAMINATED CONSTRUCTION

Palomino provides six sided aluminum framing. As well as vacuum bonded walls and roof to ensure a well-insulated, light weight and structurally sound trailer.

#### **KEY FEATURES**









- A Glued and screwed wood cabinetry
- B 5/8" tongue and groove plywood glued and screwed to aluminum framing.
- C Standard under belly to protect trailer components as well as increasing aerodynamics

#### D DEXTER TORFLEX AXLES:

- Independent wheel suspension and self-damping action
- Rubber cushioning eliminates metal-to-metal contact.
- Forged torsion arm for maximum strength

## **Available Options**

#### **SOLAIRE EXPANDABLES**

- Air conditioner upgrade -15,000 BTU
- · 24" LED TV
- · Create A Breeze Fan
- · Heated Holding Tanks
- · RVQ Bumper Mount Grill
- Off Road Package (147 X Only) (Includes 15"wheels, Off Road tires)

#### **SOLAIRE ULTRA LITE**

- · Air conditioner upgrade 15,000 BTU
- TV (size varies per floorplan)
- · 30 lb. LP tanks
- Counter top extension
- Create a breeze fan
- · Free standing table & chairs
- Power stabilizer jacks (N/A on 202/205/217)
- · RVQ bumper mount grill
- Residential refrigerator
   11 cu ft.
- II Cu It.
- · Roller night shades
- · 68" theater seating
- · Tri-fold sofa upgrade
- 50 AMP Service (Std in 304 / 316 / 320)
- Jack It® bike carrier
- Washer/Dryer (304 / 316 / 320 only)
- Fireplace (N/A on 202/205/217)
- · WiFi booster

#### **NORTHERN PACKAGE**

- Thermo foil barrier (floor and slideout)
- · 2-30 LB LP tanks
- · Heated Tank Pads

#### **GT3 PACKAGE**

## GT3 N/A ON EXPANDABLES 202/205/2017

- Roller Night Shades
- · Bedspread / Pillow Combo
- · Solid Surface Counter Tops Throughout
- Bonded Frameless
   Windows
- · Power Stabilizer Jacks
- · Heated Holding Tanks
- · Roof ladder
- Fireplace
- Smart Arm -Awning control
- Full front cap with Line X protection
- · WiFI Booster
- · 15,000 BTU AC

#### SOLAIRE

## **Dare To Compare Challenge**

	SOLAIRE	BRAND X
CONSTRUCTION:		
Aluminum cage laminated construction	1	
Vacuum bonded lamination: Roof, sidewalls, rear wall slide out box	<b>V</b>	
Barreled walk on roof – block foam insulation for the most rigid		
construction available	1	
Rack and pinion thru-frame flush floor slide out with manual override	<b>√</b>	
EXTERIOR:		
Fully enclosed underbelly	$\checkmark$	
Gel coated high gloss white exterior	$\overline{}$	
Slam latch exterior baggage doors with magnetic door catches		
Dexter TORFLEX Torsion axles – independent suspension, rubber		
cushioning eliminates metal-to-metal contact	$\checkmark$	
TV bracket and speakers	<b>-</b>	
Power awning with LED patio lights	$\overline{}$	
Powder coated exterior kitchen tops and base – designed for the		
exterior elements	$\checkmark$	
Alpha Superflex roofing	$\checkmark$	
INTERIOR:		
8 cubic foot Dometic refrigerator	$\checkmark$	
Glass top flush mount range cover	<b>-</b>	
LED interior lights	<b>1</b>	
Solid surface countertops	1	
Stainless steel kitchen sink with roll cover	1	
Skylight in every kitchen and includes a night shade	1	
Raised panel cabinet doors	1	
Porcelain foot flush Dometic Toilet	1	
USB charging station		



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

#### **CUSTOMER SATISFACTION**



www.ForestRiverBuvLocal.com



#### 24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



\*VALID FOR 1 YEAR FROM DATE OF PURCHASE

#### Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)\*- is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying apacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

## **Palomino Warranty**

Palomino will stand behind our products 100%. For complete details on our warranty program, please see your Palomino dealer.

- 1 2-year fiberglass warranty
- 2 10-year axle warranty
- 3 12-year Alpha Super Flex roof warranty
- 4 2-3 year warranty on appliances (See manual for details)
- 5 1 year bumper to bumper warranty



#### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



### PALOMINO

1047 East M-86 | Colon, MI 49040 P: 269.432.3271 | F: 269.432.2516 www.palominory.com

YOUR SOLAIRE DEALER

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1656 W: 2019.12.20