



2020 | TRUCK CAMPERS A REV GROUP BRAND



QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our 55-year journey is reflected in our current ultra-light Truck Camper line featuring our computer designed and cut automated manufacturing process with composite construction materials and an emphasis on green manufacturing.

We've put in the time... so you can spend quality time.









shown in Platinum



1172 shown in Roadster



1172 shown with standard graphics









shown in Mystic Shores





650 shown in Platinum



825 shown in Royal

DRIFTWOOD

650 | 825 | 865





865 shown in Java

MAPLE

850 | 855S | 975 | 995 1062 | 1172





975 shown in Passage



850 shown in Mystic Shores



995 shown in Roadster

DESIGN & CONSTRUCTION

- A. The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free use.
- **B.** The roof is made of energy-star rated Polyvinyl Chloride (PVC) material with vents that clamp into place eliminating screws and potential leaks. Integrated rain gutters and drip spouts keep the sides of your camper cleaner and prevent streaking.
- C. Interiors are constructed of Euro-Ply which Lance imports. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.
- D. With an aluminum-framed superstructure, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.
- **E.** All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.

- F. Lance uses more expensive Azdel™ in place of Luan wood virtually eliminating mold and mildew. It's also 50% lighter, formaldehyde free and has a better "R" value for superior insulation and sound absorption.
- **G.** Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.
- H. Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. Its slick surface makes it easier to clean.

3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.

Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



AWARDS















ECO-SMART RV CONSTRUCTION

Lance RVs are certified green based on an evaluation of our RV manufacturing facility, procedures and practices. Measured against criteria based on national consensus standards including resource efficiency, energy efficiency, water efficiency & indoor air quality.

CERTIFIEDGREENRVS.COM

SPECIFICATIONS, STANDARDS & OPTIONS

	SHORT BED				SB/LB		LON	G BED	
	650	825	865	855S	850	975	995	1062	1172
Floor Length	6' 10"	8' 6"	8' 7"	8' 11"	8' 11"	10' 4"	9' 11"	10' 11"	11' 11"
Overall Length	15' 6"	16' 3"	16' 5"	18'	17' 7"	19' 5"	19'	20'	20' 4"
Overall Length w/Opt. ultraDECK+ Bumper	N/A	N/A	N/A	N/A	N/A	19' 10"	19' 5"	20' 5"	N/A
Exterior Height (w/Opt. 10K A/C)	8' 1"	8' 0"	8' 0"	8' 9"	8' 6"	9' 0"	9' 0"	9' 0"	9' 0"
Width (Exterior)	86"	86"	86"	96"	96"	96"	96"	96"	96"
Height (Interior)	81"	77"	77"	81"	76"	79"	79"	79"	80"
Cabover Height	3' 2"	2' 9"	2' 9"	3' 5"	3' 2"	3' 5"	3' 5"	3' 5"	3' 8"
Dry Weight	1700	1837	2012	2997	2501	3499	3354	3613	4174
Wet Weight	1903	2155	2330	3331	2835	3962	3817	4073	4628
CG Front	21"	32"	34"	38"	34"	49"	45"	48"	60"
CG Rear	57"	46"	44"	40"	62"	47"	51"	48"	36"
Fresh Water, Gallons	22	30	30	30	30	45	45	45	42
Gray Water, Gallons	15	13	14	20	20	30	30	27	35
Black Water, Gallons	16	14	13	25	18	26	28	22	35
Propane Tank (#/Gal) (1 Gauge Only)	1/5	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/7
Sleeping Capacity, Min/Opt Max.	3/3	4/5	5/5	4/5	5/5	4/4	4/4	4/4	5/6
Convertible Dinette Bed	32" x 76"	36" x 70"	32" x 72"	44" x 72"	36" x 72"	44" x 78"	44" x 78"	44" x 78"	44" x 72"
Jack-Knife Sofa/Bed									36" x 59"



















KEY FEATURES



LanceLock[™] superstructures



Floor plans to fit most $\frac{1}{2}$ to 1-ton trucks



Wet and dry baths



Models with and without slide outs

SPECIFICATIONS, STANDARDS & OPTIONS

	:	SHOR	T BE	D	SB/LB		LONG	BED		
	0	ιū	ıΩ	3558	320 S	'n	D.	062	172	Weight
EXTERIOR	650	822	865	88	88	975	995	2	Ξ	(lbs.)
Laminated Fiberglass Bonded Exterior w/PWP Substrate	•	•	•	•	•	•	•	•	•	
Lamilux 1000 Fiberglass (Dull Gloss)	•	•	•							
Lamilux 4000 Fiberglass (High Gloss)				•	•	•	•	•	•	
One-Piece Formed TPO Cab-Over Front Cap	W	W	W	G	G	G	G	G	G	
Lance-Lok Trusses, Wings and Siderails									•	
Lance-Lok Lite-Ply Wings and Siderails	•	•	•	•	•					
Lance-Lok II Basement Truss, Wing and Siderails						•	•	•		
Acme Camper Jacks	•	•	•		•					
Electric Remote Camper Jacks	0	0	0	•	0	•	•	•	•	53
Swing-Out Jack Brackets				0	0	0	0	0	•	14
Aluminum Rear Bumper				•		•	•	•		
ultraDECKplus Bumper						0	0	0		140
ultraSTEPplus (Backlit)	0		0		0					
Deluxe Bumper Trim				•		•	•	•		
Fold-Over Step				•		•	•	•		
Double Step		0								
ultraSTEPglow									•	TBD
Radius "Full Torque" Frameless Tinted Insulated Dualpane Windows (Tempered)		•	•	•	•	•	٠	•	•	
Radius Acrylic Tinted Thermopane Euro Windows	•									
Ladder and Maggie Rack - Anodized		0	0	•	•	•	•	•	•	25
Exclusive Lance Load Roof Rack System		0	0	0	0	0	0	0	0	35
LED Tail, Back-Up and Running Lights	•	•	•	•	•	•	•	•	•	
LED License Plate Light w/Holder	•	•	•	•	•	•	•	•	•	
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•	•	
Keyed-Alike Entry and Storage Compartment Doors	•	•	•	•	•	•	•	•	•	
Radius Entry Door w/Window	•	•	•	•	•	•	•	•	•	
Keyless Entry	0	0	0	0	0	0	0	0	0	
Egress Window in Cab-Over	•	•	•	•	•	•	•	•	•	
Roof Vent in Cab-Over	•	•	•							
Exit Vent in Cab-Over					•					
Heki Skylight Vent in Cab-Over				•	0	•	•	•	•	9
Skylight - Dual Pane Over Galley				•	•	•	•	•	•	
Exterior Wash Station	•	•	•	•	•	•	•	•	•	
Exterior Propane Connection	0	0	0	0	0	0	0	0	0	1
Awning Rear Roll-Out	0	0	0	0	0					46
Electric Rear Awning 7'3" w/LED Lighting						0	0	0		60
Electric CS Awning 10'-4" w/LED Lighting	0	0	0		0			_		46
Electric CS Awning 12'-0" w/LED Lighting (RS 995)						0	0			48
Electric CS Awning 14'-0" w/LED Lighting									0	52
Awning Slide-Out Cover				0		0	0	0/2	0/2	15-35 ea.
Swing-Out Entry Assist Handle	0	0	0	0	0	0	0	0	0	1
Mountain Scene Graphics	0	0	0	0	0	0	0	0	0	
CONSTRUCTION/INSULATION										
One-Piece PVC Roof	•	•	•	•	•	•	•	•	•	
Laminated, Insulated Floor, Cab-Over Bed and Roof	•	•	•	•	•	•	•	•	•	
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	
Aluminum Framed Walls, Floor, Cab-Over Bed & Roof	•	•	•	•	•	•	•	•	•	
Azdel Interior Walls	•	•	•	•	•	•	•	•	•	

	,	SHOR	T BEI	D	SB/LB		LONG	BED			
	650 825 865 855S			8 20 SI	975	995	1062	1172	Weigh		
	99				-	-	-	-		(lbs.)	
All Weather Package		0	0	0	0	0	0	0	0	6	
-Insulated Battery and LP Compartments											
-Insulated Hatch Covers											
-Water Heater Bypas and Winterizing Valve											
-Insulated Bed Pad											
INTERIOR/DECOR											
Interior - Passage				0	0	0	0	0	0		
Interior - Roadster				0	0	0	0	0	0		
Interior - Mystic Shores				0	0	0	0	0	0		
Interior - Platinum	0	0	0								
Interior - Java	0	0	0								
Interior - Royal	0	0	0								
Surf-X Pseudo Solid Surface Lightweight Countertops and Tables	•	•	•	•	•	•	•	•	•		
Hardwood Framed Flat Panel Cabinet Doors (Shaker Styling)	•	•	•	•	•	•	•	•	•		
Fingertip Positive Catch Cabinet Hardware	•	•	•	•	•	•	•	•	•		
Euro-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•		
Valances w/Lambrequins			•	•	•	•	•	•	•		
Mini-Blinds in Galley		•	•	•	•	•	•	•	•		
Mini-Blinds in Cab-Over		•	•	•	•	•	•	•			
Day/Night Shades in Cab-Over w/Slow-Rise Feature									•		
Mini-Blinds in Dinette		•	•	•	•	•	•	•			
Day/Night Shades in Dinette w/Slow-Rise Feature									•	10	
Combo Screen/Shade on Windows	•										
Day/Nite Shades in Cab-Over and Dinette w/Slow-Rise Feature				0	0	0	0	0			
Entry Door Pull Shade	0	0	0	0	0	0	0	0	0	5	
Removable Carpet Kit	0	0	0	0	0	0	0	0	0	20	
Pull-Out Basement Storage Tray						•	•	•			
Hidden Trash Can Compartment						•	•	•			
Wall Clock	•	•	•	•	•	•	•	•	•		
Key Hanger	•	•	•	•	•	•	•	•	•		
Sofa Sleeper w/Kick Out Leg Rests & Pedestal Table	9								•		
GALLEY/APPLIANCES & EQ Stainless Steel 2-Burner Range	UII	PM •	EN	ΙT							
Stainless Steel 3-Burner High Output Range w/Oven - 17" Oven			0	•	•	•	•	•	•	44	
Stainless Steel Microwave Convection Oven									0	10	
Stainless Steel "Flat Bed" Microwave Oven	0	0	0	0	0	0	0	0	0	40	
Refrigerator (Cu Ft) 3-Way	3	3	3	5	5	6	6	6	6		
Upgraded Stainless Steel Refrigerator Door Panels						•	•	•	•		
Matte Black Refrigerator Door Panels	•	•	•								
Furnace BTU	18K	18K	18K	20K	20K	20K	20K	20K	20K		
Stainless Steel Range Hood w/Light and Fan		•	•	•	•	•	•		•		
Single Sink (Rectangular)	•	•									
Single Sink (Round)			•								
Double Sink (Rectangle)				•	•						
Residential "Undermount" Large Single Sink						•	•	•	•		
* *					-						

	SHORT BED			LONG BED						
	650	825	865	8555	820 8	975	995	1062	1172	Weight (lbs.)
Pantry w/Adjustable Shelves			•		•	•	•		•	
Slide-Out Pantry			0		0	0	0		0	8
High Spout Galley Faucet	•	•	•							
Pull-Out Sprayer Galley Faucet				•	•	•	•	•	•	
Silverware Organizer	•	•	•	•	•		•	•	•	
Sink Cover	0	0	0			•	•	•	•	1
Magazine and Spice Racks - Wood	0	0	0	0	0		0	0	0	3
FRESH & WASTE WATER S	YST	EI.	15							
Water Pump w/ln-Line Filter	•	•	•	•	•	•	•	•	•	
Water Heater - Tankless	•									
Water Heater Gas/Electric/DSI (6 gal.)		•	•	•	•	•	•	•	•	10
Enclosed, Insulated and Heated Holding Tanks		•	•	•	•	•	•	•	•	
BATHROOM										
Marine Toilet - Foot Pedal - Plastic	•	•	•	•	•	•	•	•	•	
Black Tank Flush	•	•	•	•	•	•	•	•	•	
Medicine Cabinet w/Mirror Door			•	•	•		•	•		
Storage Cabinet									•	
Mirror on Bath Door	•		•	•	•	•	•	•	•	
Sliding Bath Door		•	•	•	•					
Hinged Bath Door	•					•	•	•	•	
Towel Rod	•	•	•	•	•	•	•	•	•	
Skylight - Dual Pane	•	•	•	•	•	•	•	•	•	
Ducted Heat	•	•	•	•	•	•	•	•	•	
Removable Clothes Rod	0	0	0	0	0	0		0	0	1
Adjustable Slide Bar Shower Head						•			•	
DINETTE										
Convertible Dinette Bed	•	•	•	•	•	•	•	•	•	
Facing Dinette Slide-Out				•		•	•	•	•	
Roll-Out Storage Drawers in Dinette (2) w/Hardware Latches				•		•	•	•	•	
Locking Pull-Out Storage Drawers				•		•	•	•	•	
Overhead Cabinet Bunk - 26" x 69"		0	•		•					30
Bunk Bed w/Child Restraint* - 30" x 71" (200 lbs. lir	nit)			0					0	20
Child Restraint w/Bunk Pad		0	0		0					8
CABOVER										
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow	Тор			•	•	•	•	•	•	
60" x 80" Deluxe Queen Memory Foam Mattress	•	•	•							
Bedspread	•	•	•	•	•	•	•	•	•	
Headboard				•	•	•	•	•	•	
Exclusive Lance Bed-Maid System	0	0	0	0	0	0	0	0	0	14
LED Reading Lights	•	•	•	•	•	•	•	•	•	
Open Wire Side Overhead Shelves		•	•							
Privacy Curtain	•	•	•	•	•	•	•	•		
Folding Privacy Door									•	
Ducted Heat				•	•	•	•	•	•	
Carpeted Bed Base	•	•	•	•	•	•	•	•	•	

		SHORT BED			SB/LB		LONG	BED		
	650	825	865	8555	820	975	995	1062	1172	Weight (lbs.)
Front Corner Cabinets, Hamper,										
Storage Cabinets and O'Heads										
C/S Wardrobe Cabinet w/Window, Hamper and Ent. Cabinet				•			•	•		
C/S Wardrobe Cabinet w/Window, Hamper and Storage Cabinet						•				
C/S Mirrored Wardrobe Cabinet w/Window									•	
Emergency Exit Window in Cab-Over	•	•	•	•	•	•	•	•	•	
ELECTRICAL										
Systems Monitor Panel	•	•	•	•	•	•	•	•	•	
Battery Condition Indicator - LED	•	•	•	•	•	•	•	•	•	
45 Amp Converter/Loadcenter	•	•	•	•	•	•	•	•	•	
Single Battery Compartment	•	•	•	•	•					
Second Battery Compartment				0	0	•	•	•	•	5
Battery Disconnect	•	•	•	•	•	•	•	•	•	
Battery Separator	0	0	0	0	0	0	0	0	0	1
Lithium Battery (up to 2)	0	0	0	0	0	0	0	0	0	
EZ Charge Battery Charging Port	•	•	•	•	•					
LED Interior Lighting	•	•	•	•	•	•	•	•	•	
Wall Switched Lighting				•	•	•	•	•	•	
LED Wardrobe Light		•	•	•	•			•	•	
12V/USB Charging Port in Cab-Over	•	•	•	•	•	•	•	•	•	1
12V/USB Charging Port in Dinette	0	0	0	0	0	0	0	0	0	1
Pre-Wired for Roof A/C	•	•	•	•	•	•	•	•	•	
A/C - Dometic 10K Low Profile w/Wall Control	0	0	0	0	0	0	0	0	0	98
Pre-Wired for Wall Thermostat	•	•	•	•	•	•	•	•	•	
Pre-Wired for Fantastic Vent	•	•	•	•	•	•	•	•	•	
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0	5
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	
Pre-Wired for TV Ant/Sat Dish/Park Cable	•	•	•	•	•	•	•	•	•	
TV Antenna HD	•	•	•	•	•	•	•	•	•	
Satellite Dish Self Locating		0	0	0	0	0	0	0	0	9
HDMI LCD/Satellite Receiver Receptacle Wall Plate	•	•	•	•	•	•	•	•	•	
AM/FM/DVD/CD/USB Bluetooth Audio System										
w/App Control and Exterior Speakers	•	•	•	•	•	•	•	•	•	
TV 19" (12 Volt)	0	0	0		0					12
TV 28" (12 Volt)				0		0	0	0	0	16
Pre-Wired for Roof Mount Solar Panel	•	•	•	•	•	•	•	•	•	2
Roof Mounted 100W Solar Panel(s)	0	0	0	0	0	0	0	0	0	20
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•	1
LED Side Patio Lights	0	0	0	0	0	0	0	0	0	1
LED Docking Lights	0	0	0	0	0	0	0	0	0	1
Wireless Remote Slide-Out Control				•		•	•	•	•	
Exterior 110V Patio Outlet	•	•	•	•	•	•	•	•	•	
Generator Ready				•		•	•	•	•	
Automatic Transfer Switch (Generator)				•		•	•	•	•	
Generator 2500 Watt LPG (Onan)				0		0	0	0	0	120
Backup Camera w/Truck Cab Wireless Monitor	0	0	0	0	0	0	0	0	0	2
Option Weights – All weights are estimates and may va	ary.	•	= St	anda	rd O	otion	0	= Op	tiona	l Featur

*Not intended for children younger than 6 years old.

BOONDOCKING & OFF GRID CAMPING OPTIONS



2500w Generator- 855s, 975, 995, 1062, 1172



100w Solar Panels (up to 2)



Solar Panel Charge Monitor



Lithium Battery (1 or 2)

STANDARD FEATURES



Aerodynamic TPO front nose cap protects your camper from debris and leaks while reducing drag and increasing fuel economy.



Residential queen 60"x80" innerspring mattress allows for quality rest leading to more adventure. - 650, 825, 865 memory foam



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - 855s, 975, 995, 1062 & 1172



100% LED lighting brightens your camp and is easy on your power supply.



Keyed alike system simplifies your key ring and keeps your belongings safe



ultraSTEPglow provides sturdy selfilluminating steps for safe and secure entrance and exit. - 1172 only



Full view dual-pane tinted windows properly insulate your camper while looking good and crank out to let the breeze in. - N/A 650



Magnetic exterior latches stay in place for hands free access.



Mountain scene graphics provide a fresh and unique aesthetic evoking the bold spirit of truck camping.



Exclusive Lance Load Roof Rack system safely stores your canoe, kayak, paddle boards, storage box..etc. - N/A 650



Exclusive Lance Bed-Maid System w/removable sheets & summer/ winter sides provide a warm, laundry friendly bedding alternative.

Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.

Exclusive Lance cabover struts cut down on sway from wind. – Remove during off-road use



Keyless entry with fob provides secure one button operation of your entry door, just like you have on your truck.

OPTIONAL FEATURES



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Backup camera w/color display and sound makes backing up a safer, one-person job.



Remote control operated electric jacks take the haste out of loading and unloading your camper.



Heki dual-pane vent increases ventilation in the cabover and lets you look out at the stars. - N/A 650, 825 & 865



Lance exclusive ultraDECKplus offers extra storage and a spacious entry/exit platform. - 975, 995 & 1062



Automatic roof-mounted satellite TV antenna quickly finds the signal for you. - N/A 650



Exclusive Lance ultraSTEPplus gives you safe and secure steps while not impeding your ability to tow. - 650, 865 & 850

RAD RIGS & ADVENTURES

MORTONS ON THE MOVE

"Years ago, we gave up the stationary life for one where we are constantly on the move. This year, we have been taking a Lance 1172 Truck Camper up through Canada and Alaska to the Arctic Ocean. The wilderness continues to call to us, and the Lance truck camper takes us confidently. Lance Truck Campers are known as "Alaska Tested Tough." After testing it ourselves on some of the longest and notorious dirt roadways in North America, we can say with great certainty that this rig was built for this job!"

- Tom & Cait Morton















THE ALTIMETER

No matter your hobby or destination, a Lance truck camper is ready to take you there. With four season camping capabilities and unmatched versatility; a Lance truck camper can go more places, get there quicker, allow you to stay longer and tow the things you can't with other RVs. THE ALTIMETER is Lances latest project vehicle exemplifying the above statements. It features a custom designed graphics wrap on a short bed 2019 Ford F350 and stock 855s model camper along with a host of bolt on upgrades to optimize adventure.

4 SEASONS CERTIFIED ALL WEATHER PACKAGE (OPTIONAL)




KEY FEATURES



Ducted heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Insulated bed mat provides warmth, sound deadening and prevents moisture build-up underneath mattresses.



Insulated hatch covers add an additional layer of insulation to vents and sky lights.



Insulated battery & LP compartments keep your batteries protected and your tanks from freezing.



TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*

RECEIVER	TONGUE WEIGHT	PULL WEIGHT									
	TOW CAPACITIES (IN POUNDS) FOR THE LANCE MODEL REQUIRING ONLY A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH										
15K	1,500	15,000									
20K	2,000	20,000									
30K	3,000	30,000									

TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION

Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.

EXTENTION LENGTH	WEIGHT CARRYING TONGUE WEIGHT	WEIGHT DISTRIBUTION TONGUE WEIGHT
32 "	6,500 /650	12,000 /1200
42" or 48"	6,000 /600	12,000 /1200
60" extension	5,000 /500	10,000 /1000

^{*}Always observe your trucks' tow ratings.

Follow the advice of your Factory Authorized Lance Dealer.

TRUCK/CAMPER COMPATIBILITY GUIDE

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing – how much optional equipment is added to the camper – what you tow – and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it, Lance makes no warranties or representation – express or implied – as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/camper rigs.

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

5'+ short beds Lance **650**

6'+ short beds Lance **825** Lance **865**

LIGHT-DUTY F-150/1500 SERIES

5'+ short beds Lance **650**

6'+ short beds Lance **825**

Lance 865



HEAVY-DUTY F-350/3500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance **850** Lance **975**

Lance **995**



HEAVY-DUTY F-250/2500 SERIES

6'+ short beds Lance **825** Lance **865** Lance **855S**

Lance 850

HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance 850 Lance 975 Lance 995 Lance 1062 Lance 1172



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance 850



DEALER INSTALLED SUPPORT EQUIPMENT

- Receiver hitch extension increases your trucks towing capacities and extends your receiver past the camper.
- Wireless Rear-View Camera/ Microphone and In-Cab LCD Monitor lets you see – and hear – what's behind you.
- **3. Front & Rear Turnbuckles** are mounted to the frame to safely and securely attach and anchor the camper to your truck.
- **4. Air Bags / Air springs** provide better handling and control under heavily loaded conditions.
- **5. Upgraded Shocks** can greatly improve ride in all weather and road conditions.
- **6. Onboard air compressor w/remote** allows you to adjust air spring (air bag) pressure on the go.
- Lance Custom Designed Cab-Over Struts reduce bucking from irregular roads and sway from wind.
- 8. Rear-Mounted Centering Guides assist in positioning your camper within the truck bed, and are available for most truck models.
- **9. Sway bars** reduce body roll providing better vehicle control.





STRUCTURAL LIMITED WARRANTY

12YEAR ROOF LIMITED WARRANTY

> Please see lancecamper.com/ warranty for details.

2020 LANCE TRUCK CAMPER BROCHURE @2019 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPplus, ultraSTEPplus, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models shown in promotion materials and/or on its websites. All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Overall length Is measured from tip of the front cap to the rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20K, 9/19, Rev. 1.5.

The information provided in this brochure applies to all product manufactured after September 2019.