

## Super Lite Fifth Wheels

## SO YOU DIDN'T THINK YOU COULD PULL A FIFTH WHEEL? THINK AGAIN.

The Flagstaff Super Lite Fifth Wheel models provide light weight alternatives with a variety of floor plans, features and options for owners of 1/2 ton pick up trucks. Equipped with a standard LCI Turning Point hitch, you can tow with almost any size truck bed. Take a close look and you will see that our Super Lite fifth wheels have been custom designed with the best in styling and amenities while keeping your towing needs in mind.

AMERICAN MAPLE / OPAL

MODEL NO.

**529MBS** 



Standard Champagne Exterior

Optional White Exterior






























<b>524LWS</b> 7630	526RWS	526RK	527BHS	528RKS							
7630	0000		0=/-110	JZOKNO	<b>528RWS</b>	528CKWS	<b>5281KWS</b>	529BH	<b>529RBS</b>	<b>529MBS</b>	529RLKS
	8229	7909	8472	8433	9338	8950	8966	8987	9672	9428	9402
1295	1335	1230	1280	1356	1371	1460	1437	1428	1554	1566	1456
6276	6835	6620	7133	7018	7908	7431	7470	7500	8059	7803	7887
2065	1606	1921	1608	1723	2033	2510	2471	2441	1882	2138	2054
28'5"	29'10"	29'10"	32′ 5″	32' 5"	32' 5"	32' 5"	32′ 5″	36'	36'	36'	36'
96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
157"	157"	157"	157"	157"	158"	157"	158"	157"	157"	157"	157"
60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal	60 gal
40 gal	80 gal	80 gal	80 gal	80 gal	70 gal	70 gal	80 gal	80 gal	80 gal	80 gal	80 gal
40 gal	40 gal	40 gal	40 gal	40 gal	40 gal	40 gal	40 gal	40 gal	80 gal	40 gal	40 gal
	1295 6276 2065 28′5″ 96″ 157″ 60 gal 40 gal	1295 1335 6276 6835 2065 1606 28′5″ 29′10″ 96″ 96″ 157″ 157″ 60 gal 60 gal 40 gal 80 gal	1295         1335         1230           6276         6835         6620           2065         1606         1921           28'5"         29'10"         29'10"           96"         96"         96"           157"         157"         157"           60 gal         60 gal         60 gal           40 gal         80 gal         80 gal	1295         1335         1230         1280           6276         6835         6620         7133           2065         1606         1921         1608           28'5"         29'10"         29'10"         32'5"           96"         96"         96"         96"           157"         157"         157"         157"           60 gal         60 gal         60 gal         60 gal           40 gal         80 gal         80 gal         80 gal	1295     1335     1230     1280     1356       6276     6835     6620     7133     7018       2065     1606     1921     1608     1723       28' 5"     29'10"     29'10"     32' 5"     32' 5"       96"     96"     96"     96"       157"     157"     157"     157"     157"       60 gal     60 gal     60 gal     60 gal     60 gal       40 gal     80 gal     80 gal     80 gal     80 gal	1295         1335         1230         1280         1356         1371           6276         6835         6620         7133         7018         7908           2065         1606         1921         1608         1723         2033           28'5"         29'10"         29'10"         32'5"         32'5"         32'5"           96"         96"         96"         96"         96"           157"         157"         157"         158"           60 gal         60 gal         60 gal         60 gal         60 gal           40 gal         80 gal         80 gal         80 gal         80 gal         80 gal	1295     1335     1230     1280     1356     1371     1460       6276     6835     6620     7133     7018     7908     7431       2065     1606     1921     1608     1723     2033     2510       28'5"     29'10"     29'10"     32'5"     32'5"     32'5"     32'5"       96"     96"     96"     96"     96"     96"       157"     157"     157"     157"     157"       60 gal     60 gal     60 gal     60 gal     60 gal     60 gal       40 gal     80 gal     80 gal     80 gal     80 gal     70 gal	1295     1335     1230     1280     1356     1371     1460     1437       6276     6835     6620     7133     7018     7908     7431     7470       2065     1606     1921     1608     1723     2033     2510     2471       28'5"     29'10"     29'10"     32'5"     32'5"     32'5"     32'5"     32'5"       96"     96"     96"     96"     96"     96"     96"       157"     157"     157"     158"     157"     158"       60 gal       40 gal     80 gal     80 gal     80 gal     80 gal     70 gal     70 gal     80 gal	1295     1335     1230     1280     1356     1371     1460     1437     1428       6276     6835     6620     7133     7018     7908     7431     7470     7500       2065     1606     1921     1608     1723     2033     2510     2471     2441       28'5"     29'10"     29'10"     32'5"     32'5"     32'5"     32'5"     32'5"     36'       96"     96"     96"     96"     96"     96"     96"       157"     157"     157"     157"     158"     157"     158"     157"       60 gal       40 gal     80 gal	1295     1335     1230     1280     1356     1371     1460     1437     1428     1554       6276     6835     6620     7133     7018     7908     7431     7470     7500     8059       2065     1606     1921     1608     1723     2033     2510     2471     2441     1882       28'5"     29'10"     29'10"     32'5"     32'5"     32'5"     32'5"     36'     36'       96"     96"     96"     96"     96"     96"     96"     96"       157"     157"     157"     158"     157"     158"     157"     157"     157"       60 gal       40 gal     80 gal	1295     1335     1230     1280     1356     1371     1460     1437     1428     1554     1566       6276     6835     6620     7133     7018     7908     7431     7470     7500     8059     7803       2065     1606     1921     1608     1723     2033     2510     2471     2441     1882     2138       28'5"     29'10"     29'10"     32'5"     32'5"     32'5"     32'5"     36'     36'       96"     96"     96"     96"     96"     96"     96"     96"     96"       157"     157"     157"     157"     158"     157"     157"     157"     157"       60 gal       40 gal     80 gal



The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. \* See back cover for further specification definitions.

# Classic

### PROVIDING THE COMFORTS OF HOME

while on the road. Flagstaff takes pride in ensuring that each floorplan is able to suit the needs of your active family. Quality craftsmanship and attention to detail have been put into our Classic fifth wheels which gives you the flexibility you won't find in comparable products. Our fully equipped kitchens with modern conveniences and spacious bedrooms featuring residential queen bedslideouts will make you feel like you never left home.

MODEL NO.

### 8529IKSB



Optional White Exterior



Standard Champagne Exterior











SLATEWOOD / DIAMOND














MODEL NUMBER	8529CSB	8529IKSB	8529RKSB	8529RLS
UNLOADED VEHICLE WEIGHT*	9940	10028	9998	10321
BASE DRY HITCH WEIGHT	1555	1699	1520	1560
BASE DRY AXLE WEIGHT	8326	8270	8419	8702
CARGO CAPACITY	2415	2471	2322	2039
LENGTH (HITCH TO BUMPER)	35′ 5″	35' 11"	36' 7"	36' 7"
WIDTH	96"	96"	96"	96"
HEIGHT (W/ AC)	158"	158"	158"	158"
FRESH WATER CAPACITY	60 gal	60 gal	60 gal	60 gal
GRAY WATER CAPACITY	80 gal	80 gal	80 gal	70 gal
BLACK WATER CAPACITY	40 gal	40 gal	40 gal	40 gal

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. \* See back cover for further specification definitions.

# Popular Features

**FEATURES THAT MAKE YOUR TRIPS FEEL LIKE HOME.** Flagstaff takes careful consideration to each feature added into each product produced. Every detail is considered ranging from extra sleeping room, storage, comfort and convenience. Take time to review the features listed below and match them with the competition's products. We're confident you'll discover Flagstaff is the superior choice.



- A Power Awning with adjustable rain dump and LED lighting (Std.)
- **B** Large LCD TV and entertaiment center with "Bluetooth" technology.
- Radius glass door shower (N/A Models with tub bases)
- **D** Solid surface counter top with under mount sink
- **E** Water Filtration System (Std. Opt.)
- F Nautilus Water Management System (Std.)
- **G** Deluxe hide-a-bed sleeper sofa w/ comfortable, easy set-up bed (Per floorplan)





















- Rear camera prep. (Std. all models) The Furrion observation camera system with digital wireless technology is sold separately.
- 2" Accessory Hitch Receiver (std.) 300 LB capacity
- WIFI Sky 4 WIFI Booster with LTE Internet connectivity. (Std.)
- The LCI Turning Point pin box provides: 1) Full 90 degree worry free turning, 2) Eliminates the need for a slider hitch 3) Greatly enhances maneuverability (Std.)
- Tire Pressure Monitoring System [Std.]
- Solar panel prep (Std. All Models) The Zamp 40 amp. portable solar panel shown is sold separately.
- Hide-a-bed sofa. Fabric matched to decor.
- **H** Swivel Rocker Recliner where applicable, Fabric to match, (Per floorplan)
- La-Z-Boy swivel recliner where applicable. Fabric to match decor. (.tq0)
- 67" Heated theatre seating per plan where available. Fabric matched to decor. (Per floorplan)

### DIAMOND

OPAL

CURTAINS (TYPHOON PEBBLE)

ACCENTS (TYPHOON PEBBLE) SOFA, CHAIRS, DINETTE CUSHIONS (LEATHER APPEARANCE) (LEVI CHOCOLATE)

CURTAINS (DELORES GRAPHITE)



SLATEWOOD STANDARD



AMERICAN MAPLE OPTIONAL



STANDARD FLOOR COVERING



ACCENTS (OMBRE SEAL)

ACCENTS (OZZI MICA)

OPTIONAL FLOOR COVERING



CARPET

# Quality Construction

THE DETAILS ARE WHAT MAKE ALL THE DIFFERENCE. Flagstaff takes pride in constructing the very best products possible in each price point. From our entry level units to our top of the line products, no short cuts are taken to achieve excellence. From the all-steel I-beams to the residential interior amenities to the vacuum-bonded exteriors, Flagstaff products are quality built from the ground-up.















- **A** Glued and screwed wood cabinetry
- **B** Aluminum dinette frames for added strength and weight savings
- **c** 5/8" tongue and groove plywood glued and screwed to aluminum framing.
- D Extra large dinette storage drawers and full extension metal drawer guides in the kitchen
- **E** Dexter Torflex Axles:
- · Independent wheel suspension and self-damping action
- Rubber cushioning eliminates metal-to-metal contact.
- Forged torsion arm for maximum strength

Models are also equipped with E-Z Lube® System and Nev-R-Adjust® Brakes.

- F Standard under belly to protect trailer components as well as increasing aerodynamics
- **G** Aluminum Frame Construction with high gloss fiberglass exterior and deluxe graphics

### **ROOF CONSTRUCTION**



4" thick vacuum-bonded radius roof with built in insulated A/C ducts and vaulted ceiling providing superior insulation and more interior height.

### INSPECTION



Rigorous aesthetic and full functional testing performed on every trailer produced

## VACUUM-BONDED LAMINATED CONSTRUCTION



Flagstaff is one of only a few manufacturers with six sided aluminum framing. Vacuum bonded walls and roof to ensure a well-insulated, light weight, strong structural trailer.

### **CLIMATE PROTECTION**



Heated holding tanks, enclosed underbelly's, 35K BTU furnaces and a radiant foil barrier in the underbelly, front cap and slide-out floors lead to a more comfortable coach year-round.



# Super Lite & Classic Fifth Wheels

**STANDARDS & OPTIONS** 

MODELS	SL	С	
STANDARD PACKAGES INCLUDE:	PKG. A		
6 Sided Aluminum Cage Construction	S	S	
Vacuum Laminated 1 Piece Roof and Walls	S	S	
5/8" Plywood Tongue and Groove Sub Floor	S	S	
Aluminum Bed and Dinette Base	S	S	
Fiberglass Exterior with High Gloss Finish	S	S	
High Gloss Front Cap	S	S	
Enclosed Underbelly	S	S	
Thermostatically Controlled Heated Holding Tanks	S	S	
Tinted Bonded Frameless Windows	S	S	
Power Awning w/ Adjustable Rain Dump and LED Light Strip	S	S	
LCI *Turning Point Pin Box Hitch	S	S	
Power Landing Legs & Stabilizer Jacks	S	S	
13,500 BTU Ducted A/C with 50 Amp Service and Prepped for 2nd A/C	S	S	
Upgraded 22" Gas Oven	S	S	
Microwave Oven	S	S	
Recessed Cooktop and Oven w/ Flush Mount Cover	S	S	
Hidden Hinge Cabinet Doors		S	
Residential Full Extension Metal Soft Close Drawer Guides		S	
Extra Large Double Door 2 Way Refrigerator	S	S*	
Solid Surface Kitchen Countertops	S	S	
Kitchen Backsplash	S	S	
Flush Mount Stainless Steel Sinks With "High Rise" Faucet Lift-Off	S	S	
6 Gallon Quick Recovery Auto Ignition Gas/Electric Water Heater	S	S	
Shower Miser Water Saver System	S	S	

MODELS	SL	С
360 Siphon Black Water Venting	S	S
Residential Serta Mattress	S	S
Outside Speakers	S	S
LCD TV With Upgraded Sound Bar Speaker System and		
Multi-directional Antenna	S	S
Multi Zone Stereo w/ DVD/CD/Blu Ray/ AM&FM, Plus		
Bluetooth Control and MP3 Player Hook up (Blu Ray N/A on SL)		S
Touch Button Control Pad w/ Bluetooth App Control		S
WIFI Ranger Sky 4 (LTE ready to create your own WIFI when WIFI		
is not available. SIM Card and LTE module are sold separately]	S	S
Torsion Axle, Rubber-Ryde Suspension	S	S
Polished Alloy Wheels	S	S
Spare Tire Carrier & Cover	S	S
Nitro Filled Tires	S	S
Slam Latch Baggage Doors and Magnetic Door Holds	S	S
Rear Observation Camera Prep w/ Molded Mounting Plate	S	S
Solar Panel Prep	S	S
Rear Ladder	S	S
Black Tank Flush	S	S
MORryde Strut Assist Fold-Out Steps	S	S
INTERIOR FEATURES		
Slatewood Interior	S	S
American Maple Interior	0	0
Decorative Slide Out Fascia	S	S

MODELS	SL	С
Decortive Cove Trim Along Ceiling and Overhead Cabinets	S	S
Screwed and Glued Cabinetry	S	S
Solid Wood Cabinet Doors and Drawers	S	S
Upgraded Cabinetry Hardware	S	S
Engineered Mold and Mildew Resistant Floor Covering	S	S
Bedroom Carpet	S	S
Step Mount Vacuum Cleaner		S
35,000 BTU Floor Ducted Furnace	S	S
15,000 BTU Ducted Roof Air	0	0
2nd Roof A/C w/ Chill Chaser Heat Strip in Bedroom with		
50 Amp Service and Digital Dual Thermostat	0	0
50 Amp Service with 2nd A/C prep	S	S
Fireplace, Where Available	S	S
110V Ceiling Fan	0	0
Carbon Monoxide Detector	S	S
12 Volt Power Plug With USB Charging Port	S	S
CSA (Canadian Standards)	0	0
Battery Disconnect Switch	S	S
55 Amp Converter With Charger	S	S
Flush Mount Ceiling LED 12 Volt Interior Lighting w/		
Multiple Switches	S	S
Interior Floor Light by Entrance Door	S	S
Deluxe Tri-Fold Sleeper Sofa	\$*	S*
Push Back Swivel Rocker Recliner (Std. 528IKWS, 8529IKSB)	S*	S*
Lazy Boy Swivel Rocker Recliner (8529IKSB Only)		0*

STANDARDS & OPTIONS ARE SUBJECT TO CHANGE.





MODELS	SL	С
Theatre Seating	0*	S*
Theater Seat ILO Sofa	0*	0*
Deluxe Interior Window Treatment	S	S
Day/Night Pull Shade	S	S
Day/Night Roller Shades		0
Stainless Steel Appliances	0*	0*
9 Cubic Ft. Gas / Electric Refrigerator		S*
12 Cubic Foot Auto Gas/Electric Refrigerator W/		
Stainless Steel Panels (8529IKSB)		S*
8 Cubic Foot Gas/Electric Refrigerator	S	
22 Cubic Foot Residential Refrigerator w/ Invertor	0*	0*
12 Cubic Foot Residential Refrigerator w/ Invertor	0*	0*
Decorative Wood Refrigerator Panels	0*	0*
Three Burner High Output Gas Range with Glass Top Cover	S	S
Water-Pur Filtration System	S	S
Counter Top Extension (Per floorplan)	S	S*
Trash Can in Kitchen [Most Models]		S
Bathroom Skylight	S	S
Interior Gas and Electric Switches	S	S
Water Heater By-Pass Kit	S	S
Residential Style Porcelain Bowl Foot Flush Toilet		S
Maxxair® Ventilation Fan and Vent Cover	S	S
Extra Maxxair® Ventilation and Vent Cover	0	0
King Bed Slide		0

MODELS	SL	С
Washer/Dryer Prep [528RKS, 529BH, 8529CSB, 8529IKSB,		
8529RKBS Only]	S*	S*
Larger 76" Entry Doors	S	S
EXTERIOR FEATURES		
Fully Aluminum Frame (Floor, Sidewall, & Roof)	S	S
Insulation Factors R-7 Side Wall, R-12 Floor and R-14 Roof	S	S
Radius Roof With Vaulted Interior Ceilings	S	S
One Piece Seamless Roofing Membrane	S	S
TV Antenna w/ Cable & Satellite Hook-Up	S	S
Bike Rack Ladder Attachment	0	0
Rear Bike Deck [200 lbs. Max Load]	0	0
Laminated Champagne Color Fiberglass Sidewalls	S	S
Laminated White Fiberglass Sidewalls	0	0
Electric Slide-Out(s)	S	S
Decorative Frame Skirting	S	S
Distinctive Black Exterior Trim	S	S
Power Awning With Adjustable Rain Dump and LED Lighting	S	S
Shielded Awning Covers		0
Awning Slide Topper	0	0
30" Primary Entrance Door	S	S
Friction Hinge Entrance Door	S	S
Lighted Entry Step	S	S
Large Grab Handles	S	S
Tinted Bonded Frameless Windows	S	S

MODELS	SL	С	
Thermo Pane Window Upgrade	0	0	
Outside RVQ Grill w/ LP Hookup and Work Table	S	S	
Outside Shower	S	S	
Front Outside "Trunk" Storage Separated From Heated Pass Thru			
Storage Compartment	S	S	
Outside Antifreeze Inlet for Convenient Winterizing	S	S	
Slam Latches on Most Exterior Storage Doors	S	S	
Magnetic Storage Door Latches	S	S	
Two 30 lb Gas Bottles	S	S	
Enclosed Gas Bottles w/ Storage Door Access	S	S	
Surface Coated Steel I-Beam Frame	S	S	
Power Front Jack	S	S	
4.0 Auto Leveling Jacks	0	0	
Easy Lube Axles & Never Adjust Brakes	S	S	
16" E Rated Tires	S	S	
Nautilus Water Management System	S	S	
Roof Mount Solar Prep	0	0	
2" Hitch Receiver	S	S	
Tire Pressure Monitoring System (TPMS)	S	S	
Radiant Foil Insulated Underbelly, Fronts and Slide-out Floors	S	S	

SL = SUPER LITE FIFTH WHEELS, C = CLASSIC FIFTH WHEELS, S = STANDARD, O = OPTIONAL, -- NOT AVAILABLE, \* = SELECTED MODELS

### Look for our other popular lines of Flagstaff camping trailers.



FLAGSTAFF TENT CAMPERS



FLAGSTAFF E-PRO



FLAGSTAFF TRAVEL TRAILERS





#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



### 24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



**\*VALID FOR 1 YEAR FROM DATE OF PURCHASE** 

### SPECIFICATION DEFINITIONS

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all flid (argo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)\*-is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to 60WR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

## Flagstaff Warranty. Our Promise.

FOR DETAILS ON FLAGSTAFF'S COMPLETE WARRANTY PROGRAM, SEE YOUR FLAGSTAFF DEALER. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Flagstaff. Flagstaff offers the following additional limited warranties to the original purchasers. Consult written warranty for details.

1. Twelve-year vinyl roof warranty. 2. Two-year fiberglass warranty. 3. Ten-year Torflex axle warranty. 4. One-year bumper to bumper warranty.



### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.





201 WEST ELM MILLERSBURG, IN 46543 WWW.FORESTRIVERINC.COM/FLAGSTAFF 574.642.2640

### **CUSTOMER SATISFACTION**

FOREST RIVER encourages you to BUY LOCAL LINE LOCAL LINE OF THE PROPERTY OF TH

YOUR FLAGSTAFF DEALER

### www.ForestRiverBuyLocal.com

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure.

Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or coerifications that are material to your querhave decision. Litho, U.S.A. FOR 1711 PRW: 7019.10.16