

CAMPING TRAILERS

Camping Made Easy

VIKING

VIKING

VIKING



VIKING

VIKING

A Berkshire Hathaway company.

VIKING EXPRESS

CAMPING TRAILERS

THE EASIEST WAY TO GET UP & GO

Viking tent-style, pop-up hybrids feel much bigger inside, with a rear entry for easy access. Unlatch, and the struts automatically lift the roof into position. Durable, lami-plast exterior walls and roof skin maintain structural integrity and can withstand the test of time.

Express delivers a lot of comfort features including a 5,000 BTU air conditioner and a 20,000 BTU furnace plus, unlike traditional teardrop models, you can stand upright and walk around in the living space. These models are lightweight, and easy to tow by most cars, crossovers, and small SUVs.



EXPRESS 9.0 UNDER 800 LBS.



EXPRESS 9.0TD V-PKG. OPTION - UNDER 1,250 LBS.



EXPRESS 12.0TD RUGGED, OFF-ROAD OPTION - UNDER 2,100 LBS.



EXPRESS 9.0



EXPRESS 9.0TD DELUXE







EXPRESS 9.0TD V-PKG.



EXPRESS 9.0TD V-PKG.



Express 9.0 TD Deluxe



EXPRESS 12.0TD XL



EXPRESS 12.0TD XL OFF ROAD





| EXPRESS | 9.0 | 9.0 TD | 12.0 TD |
|-----------------------|-----------|-----------|-------------|
| Interior Box Size | 8' 9" | 9' | 12′ |
| Travel Length | 12' 10" | 13′ | 16′ 9″ |
| Travel Width | 6' 7" | 6′ 7″ | 7' 2" |
| Travel Height | 50-1/2" | 69" | 88″ |
| Exterior Open Length | 8' 2" | 13′ | 13′ 11″ |
| Interior Open Height | 6' 6" | 7′ 2″ | 7′ 2″ |
| Sleeping Capacity | 2 | 2 | 3 |
| Front Sleeping Area | 54″ x 74″ | 54" x 74" | 56" x 74" |
| Gaucho | N/A | N/A | STD |
| Radial Tire Size | ST145R12 | ST145R13 | ST205/75R14 |
| Tire Load Range | E | D | D |
| Hitch Weight (lbs.) | 77 | 122 | 250 |
| Axle Weight (lbs.) | 590 | 970 | 1707 |
| UVW (lbs.) | 761 | 1080 | 1964 |
| Cargo Capacity (lbs.) | 516 | 1042 | 1786 |
| GVWR (lbs.) | 1277 | 2122 | 3750 |
| Coupler Size | 2″ | 2" | 2-5/16" |

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.

| and the second second second | - | Call. | n.l | | • = STANDARI | O FEATURES |
|--|-----|--------|--------|--------|--------------|------------|
| VIKING EXPRESS | | BASIC | DELUXE | V-PKG. | DELUXE | OFF ROAD |
| EXTERIOR | 9.0 | 9.0 TD | 9.0 TD | 9.0 TD | 12.0 TD XL | 12.0 TD XL |
| E -Coated Tubular Steel Frame | • | ٠ | • | • | • | • |
| Tire Sizes | 12″ | 13″ | 13″ | 15″ | 14″ | 15″ |
| Heavy-Duty Tongue Jack w/Wheel | • | ٠ | • | • | • | • |
| Wide Trac Ultra Lube Spring Axle | • | ٠ | • | • | • | • |
| Electric Brakes | • | ٠ | • | • | • | • |
| Chrome Caps & Lugs | | | | • | • | • |
| Radial Tires | • | • | • | • | • | • |
| Spare Tire & Carrier | OPT | OPT | OPT | OPT | OPT | • |
| Aluminum Rims | | • | • | | | |
| (4) Heavy Duty Scissor Style Jacks | • | • | • | • | • | • |
| Laminated (Lami-Plast) Walls- Roof | | ٠ | • | • | • | • |
| Laminated Aluminum Skin Walls | • | | | | | |
| LED Exterior Lights | • | • | • | • | • | • |
| One-Piece Screen Door | | | | | • | • |
| Aqua-Shield Tenting Material | • | • | • | • | • | • |
| Exterior Wall Mount LP Grill | | • | • | • | • | • |
| 16 Gallon Fresh Water Tank | | | | • | | |
| 27 Gallon Fresh Water Tank | | | | | • | • |
| 25 Amp Converter – Trickle Charger | | | | | • | • |
| 12 Amp Converter – Trickle Charger | | | • | • | | |
| 120V GFI Recept | | | • | • | • | • |
| Flex Rod Tech Add A Room | OPT | OPT | OPT | OPT | • | • |
| "Jack It" Bike Rack | OPT | OPT | OPT | OPT | OPT | OPT |
| "Toylok" Cargo Security System | OPT | OPT | OPT | OPT | OPT | OPT |
| Patio Light | | 011 | • | • | • | • |
| INTERIOR | 9.0 | 9.0 TD | 9.0 TD | 9.0 TD | 12.0 TD XL | 12.0 TD XI |
| LED Interior Courtesy Lights (Floor) | 7.0 | 7.015 | • | • | • | • |
| 100% Adhesion Residential Grade Linoleum | • | • | • | • | • | • |
| Dark Ash Cabinetry | • | • | • | • | • | • |
| Residential Laminated Countertops | • | • | • | • | • | • |
| Ultra Comfort 4" High Density Cushions | | - | - | | • | • |
| Deep Bowl Acrylic Sink | | | | • | • | • |
| 2-Burner High Output Range | | | | | • | • |
| 12V On Demand Water Pump | | | | • | • | • |
| DSI 6-Gallon Water Heater | | | | • | • | • |
| 20,000 BTU Furnace | | | • | • | • | • |
| 12V LED Interior Lights | • | • | • | • | • | • |
| Retractable Clothes Bar | | | | | • | • |
| Jensen Bluetooth Stereo | | | • | • | • | • |
| 3-Way 1.9 Cu. Ft. Refrigerator | | | | • | • | • |
| 1.6 Cu. Ft. Electric Refrigerator | | | • | • | • | • |
| Thetford Porta Potti | | OPT | OPT | • | • | • |
| 5000 BTU Air Conditioner | ODT | - | 0P1 | • | • | • |
| SUDU DIU AIR CONDITIONER | OPT | OPT | • | • | • | • |

Express 12.0 TD XL

VIKING **CAMPING TRAILERS** Camping Made Easy



VIKING LS





VIKING LS



1706XLS **NEW LARGER BUNK**

GAUCHO FULL SIZE BUNK QUEEN SIZE BUNK SEATING STORAGE SEATING /STORAGE TABLE 2107LS NEW GAUCHO





VIKING EPIC

VIKING EPIC







| 240331 | |
|--------|--|
|--------|--|

JACK KNIFE SOFA

YKNS

| | LS MODEL | | EPIC | | | LEGEND | |
|-----------------------|-----------|-----------|-------------|------------|-------------|-------------|-------------|
| | 1706XLS | 2107LS | 2308LS | 1760QS | 2108ST | 2405ST | 2485SST |
| Interior Box Size | 8' 6" | 10′ | 12′ | 8' 6" | 10′ | 12′ | 12′ |
| Travel Length | 12' 11" | 13′ 2″ | 17′ 9″ | 12' 2" | 16' 10" | 17' 9" | 19' |
| Travel Width | 7′ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ | 7′ 1″ |
| Travel Height | 56″ | 58″ | 58″ | 56″ | 58″ | 58″ | 55″ |
| Exterior Open Length | 17' 11" | 20' 5" | 23′ 5″ | 13′ 6″ | 20' 9" | 23′ 5″ | 23′ 5″ |
| Interior Open Height | 6' 10" | 6' 10" | 6' 10" | 6′ 10″ | 6' 10" | 6' 10" | 6′ 10″ |
| Sleeping Capacity | 6 | 7 | 8 | 4 | 7 | 8 | 6 |
| Front Sleeping Area | 54" x 80" | 58" x 80" | 70" x 80" | 58" x 80" | 58" x 80" | 70" x 80" | 70" x 80" |
| Rear Sleeping Area | 48" x 80" | 54" x 80" | 58" x 80" | N/A | 58" x 80" | 58" x 80" | 58" x 80" |
| Dinette Area | 38" x 64" | 38" x 70" | 38" x 64" | N/A | 38" x 70" | 38" x 70" | 41" x 74" |
| "U" Dinette | N/A | N/A | 42" x 80" | 38" x 102" | N/A | N/A | N/A |
| Lounge Area | N/A | 80″ | N/A | N/A | 24" x 70" | N/A | 24" x 70" |
| Sofa Bed | N/A | N/A | N/A | N/A | 34″ x 76″ | 40" x 72" | N/A |
| Radial Tire Size | ST145R12 | ST145R12 | ST185/80R13 | ST145R12 | ST185/80R13 | ST185/80R13 | ST185/80R13 |
| Tire Load Range | E | E | D | E | D | D | D |
| Hitch Weight (lbs.) | 167 | 208 | 223 | 203 | 187 | 241 | 296 |
| Axle Weight (lbs.) | 1338 | 1576 | 1962 | 1355 | 1667 | 2083 | 2403 |
| UVW (lbs.) | 1642 | 1801 | 2221 | 1577 | 1863 | 2396 | 2840 |
| Cargo Capacity (lbs.) | 1255 | 1137 | 1002 | 1365 | 824 | 845 | 456 |
| GVWR (lbs.) | 2897 | 2938 | 3223 | 2942 | 2687 | 3241 | 3296 |
| Coupler Size | 2″ | 2″ | 2″ | 2″ | 2″ | 2″ | 2″ |

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.

1706XLS





EPIC 2405ST



The E-Z one hand swing level galley (2485SST)





Viking's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (2485SST).



Modular Cassette Potti/ Shower Combo

EASY TO TOW . SET UP IN 10 MINUTES!

Value-added, Viking Ultra Light Camping Trailers are easy to tow and maneuver at 1,500 - 2,500 lbs. These technologically advanced camping trailers are an easy way to experience the RV lifestyle. With exclusive cable supported structured platform bed systems, and the J-track metal door hook system, they're designed to make set up a breeze. It's easy to keep things fresh with Velcro attached valances and removable curtains.

| EXTERIOR | LS | EPIC | LEGEND |
|--|---------|--------|--------|
| E -Coated Tubular Steel Frame | • | ٠ | • |
| Dual Drive Winch | ٠ | • | • |
| Heavy Duty Tongue Jack - w/Wheel | • | • | • |
| Wide Trac Ultra Lube Spring Axle | ٠ | • | • |
| Electric Brakes | • | ٠ | • |
| Chrome Caps & Lugs | • | • | |
| Radial Tires | • | ٠ | • |
| Spare Tire & Carrier | • | • | • |
| Aluminum Rims | | | • |
| (4) Heavy Duty Scissor Style Jacks | ٠ | • | • |
| Goshen Lift System | • | ٠ | • |
| 4-Layer Laminated Seamless Roof | • | • | • |
| "Zero Exposure" Bunk Technology | | ٠ | • |
| Laminated Insulated Bed Platforms | • | • | • |
| Laminated Aluminum Skin Walls | • | 1760QS | |
| Laminated Fiberglass Walls | | ٠ | • |
| LED Exterior Lights | • | • | • |
| Diamond Plate Front & Rear Walls | | ٠ | • |
| E-Z Swing Stepper Door | | ٠ | • |
| One-piece Screen Door | • | • | • |
| Prebraced for A/C | • | ٠ | • |
| Exterior Wall Mount LP Grill w/Quick Connect | OPT | • | • |
| VRX Sectionalized Tent | • | ٠ | ٠ |
| Non Heated 4" Mats | • | | |
| 16 Gallon Fresh Water Tank | 1706XLS | 1760QS | |
| 23 Gallon Fresh Water Tank | ٠ | ٠ | • |
| 25 Amp Converter – Trickle Charger | | ٠ | • |
| 12 Amp Converter – Trickle Charger | 1706XLS | 1760QS | |
| Patio Light (N/A 1706XLS) | | ٠ | • |
| Super Sliding Storage | | | • |
| New Style Storage Lid & Shroud | ٠ | ٠ | • |
| Create-A-Breeze Power Roof Vent | | ٠ | • |
| Flex Rod Tech Add-A-Room Upgrade | 1706XLS | 1760QS | |
| Awning | • | • | • |



CASSETTE POTTI/SHOWER COMBO

VIKING LEGEND

| INTERIOR | LS | EPIC | LEGEN |
|--|--------|------|-------|
| LED Interior Courtesy Lights (Floor) | • | ٠ | ٠ |
| 100% Adhesion Residential Grade Linoleum | • | ٠ | ٠ |
| Dark Ash Cabinetry | • | ٠ | ٠ |
| Residential Laminated Countertops | • | ٠ | ٠ |
| Ultra Comfort 4" Heated Mattress | | ٠ | ٠ |
| Ultra Comfort 4" High Density Cushions | • | ٠ | ٠ |
| Glide-N-Lock Cable Supported Beds | • | ٠ | • |
| Privacy Drapes | | ٠ | ٠ |
| E-Z Swing Galley With Drawer | | | ٠ |
| Deep Bowl Acrylic Sink | • | ٠ | ٠ |
| 2-Burner High Output Range | • | ٠ | ٠ |
| Bathroom Package (Opt. 2405ST) | | | ٠ |
| 12 Volt On Demand Water Pump | • | ٠ | ٠ |
| Modular Cassette Potti (Opt. 2108ST, 2405ST) | | | ٠ |
| DSI 6-Gallon Water Heater w/Outside Shower (2108ST, 2405ST) Outside Spray-away w/Quick Connect (2485SST) | | • | |
| 20,000 BTU Furnace | • | • | • |
| 3-Way Dometic Refrigerator 1.9 Cu. Ft. | • | • | • |
| 12 Volt LED Interior Lights | • | ٠ | ٠ |
| LED Bunk Fan Lights | • | • | • |
| Retractable Clothes Bar | | | • |
| Bunk Storage Nets | | ٠ | • |
| Jensen Bluetooth Stereo (Std. 2485SST) | | | • |
| 120 Volt GFI Recept | • | ٠ | • |
| ESSENTIALS PACKAGE | | | |
| 3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furna Awning, Electric Brakes, Spare Tire & Carrier | ice, • | • | ٠ |
| POPULAR OPTIONS | | | |
| 13,500 BTU Air Conditioner | | | |
| 40 Watt Zamp Portable Solar Panel | | | |
| 80 Watt Zamp Portable Solar Panel | | | |
| "Jack It" Bike Rack | | | |
| "Toylok" Cargo Security System | | | |
| Stor-N-More Under Bunk Storage System | | | |
| Thetford Porta Potti | | | |
| Screen Room w/Privacy Flaps | | | |

5





LIMITED WARRANTY

• Lift System – Lifetime • Dexter® E-Z Lube® Axle – 5 Years • Vinyl Tent – 5 Years • Refrigerator – 3 Years • Roll-out System – 5 Years

• Plumbing System – 10/25 Years • Roof Assembly – 5 Years • Electronic Converter – 2 Years • Roof Exterior – 2 Years

| EXTERIOR | V-TREC | | V-TREC | | V-TREC | |
|--|--------|--|--------|---|-------------|--|
| E -Coated Tubular Steel Frame | • | 23 Gallon Fresh Water Tank | • | 3-Way 1.9 Cu. Ft. Refrigerator | • | |
| Dual Drive Winch | • | 25 Amp Converter – Trickle Charger | • | 20,000 BTU Furnace | • | |
| Heavy Duty Tongue Jack - W/Wheel | • | 120 Volt GFI Recept | • | 12 Volt LED Interior Lights | | |
| Wide Trac Ultra Lube Torsion Axle | • | Patio Light | • | LED Bunk Fan Lights | | |
| Electric Brakes | • | Create A Breeze Power Roof Vent | • | Jensen Bluetooth Stereo (V-3 Only) | | |
| 15" Radial Tires | • | Awning | • | ESSENTIALS PACKAGE | | |
| Spare Tire & Carrier | • | INTERIOR | | 3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU | | |
| Aluminum Rims | • | LED Interior Courtesy Lights (Floor) | • | Furnace, Awning, Electric Brakes, Spare Tire & Carrier | | |
| (4) Heavy Duty Scissor Style Jacks | • | 100% Adhesion Residential Grade Linoleum | • | POPULAR OPTIONS | | |
| Goshen Lift System | • | Dark Ash Cabinetry | • | 13,500 BTU Air Conditioner | | |
| 4 Layer Laminated Seamless Roof | • | Residential Laminated Countertops | • | 40 Watt Zamp Portable Solar Panel | | |
| "Zero Exposure" Bunk Technology | • | Glide-N-Lock Cable Supported Beds | • | 80 Watt Zamp Portable Solar Panel | | |
| Laminated Insulated Bed Platforms | • | Ultra Comfort 4" Heated Mattress | • | Thetford Modular Cassette Potti | | |
| Laminated Fiberglass Walls | • | Ultra Comfort 4" High Density Cushions | • | w/Electric Flush (Opt. V1, V2) | | |
| LED Exterior Lights | • | Vented Privacy Drapes | • | Thetford Porta Potti | | |
| Diamond Plate Front & Rear Walls | • | E-Z Swing Galley With Drawer | • | SST – Super Sliding Storage Trunk (V1, V2) | | |
| One-piece Screen Door | • | Deep Bowl Acrylic Sink | • | "Jack It" Bike Rack | | |
| Prebraced For A/C | • | 2-Burner High Output Range | • | "Toylok" Cargo Security System | | |
| Outside Spray-away | • | 12 Volt On-Demand Water Pump | • | Stor-N-More Under Bunk Storage System | | |
| Exterior Wall Mount LP Grill w/Quick Connect | • | Bathroom Package (Std. V3, Opt. V2) | • | • = STANDAR | RD FEATURES | |
| VRX Sectionalized Tent | • | DSI 6-Gallon Water Heater | • | | | |

LET THE GOOD TIMES ROLL!



| V-TREC | V1 | V2 | V3 | | |
|-----------------------|-------------|-----------------------------|-----------|--|--|
| Interior Box Size | 10′ | 12′ | 12′ | | |
| Travel Length | 17' 2" | 18′ 3″ | 21' 8" | | |
| Travel Width | 7′ 1″ | 7′ 1″ | 7′ 1″ | | |
| Travel Height | 65″ | 65″ | 65″ | | |
| Exterior Open Length | 20' 5" | 22′ 5″ | 23′ 5″ | | |
| Interior Open Height | 6′ 10″ | 6' 10" | 6' 10" | | |
| Sleeping Capacity | 6 | 6 | 6 | | |
| Front Sleeping Area | 58" x 80" | 70" x 80" | 70" x 80" | | |
| Rear Sleeping Area | 58" x 80" | 58" x 80" | 58" x 80" | | |
| Dinette Area | 38" x 70" | 36" x 70" | 41" x 74" | | |
| Lounge Area | 24" x 70" | 24" x 70" | 24" x 70" | | |
| Radial Tire Size | ST235/75R15 | 75R15 ST235/75R15 ST235/75R | | | |
| Tire Load Range | С | С | С | | |
| Hitch Weight (lbs.) | 274 | 290 | 427 | | |
| Axle Weight (lbs.) | 2120 | 2291 | 2790 | | |
| UVW (lbs.) | 2394 | 2581 | 3217 | | |
| Cargo Capacity (lbs.) | 1380 | 1209 | 1210 | | |
| GVWR (lbs.) | 3774 | 3790 | 4427 | | |
| Coupler Size | 2-5/16" | 2-5/16" | 2-5/16" | | |

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.



The easy-to-use dual drive winch and drill bit, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and the provided drill bit.











click and it's locked into place.

Bed step



Charging station

LED floor liaht



Exterior grill with Quick Connect (Opt. LS models)







X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



1-1/4" Laminated Insulated Bunkends

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth





Competitors



Viking's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.





Black tire rim



LED bunk end fan lights



The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



Viking's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.



Powerful Fantastic power roof vent moves air like no other. (N/A LS models)



Reversible Gaucho Cushion

The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers. (Standard on Classic and V-Trec models)



Viking's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.















VIKING

EXCLUSIVE FEATURES





Easy Set Up Video Here





Dexter^{*} E-Z Lube^{*} Axles

VIKING RV

580 West Burr Oak Street • P.O. Box 549 • Centreville, MI 49032 • 269-467-6321. To learn more about Viking RV and our products and see how Viking is making camping easier visit **www.vikingrv.com**.

Interactive Mobile Manuals

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!



YOUR VIKING CAMPING TRAILER DEALER

ULTRA LIGHT CAMPING TRAILERS

Four Layer Insulated Roof Braced for Air Conditioning.

1. One Piece Seamless Fiberglass Skin 2. Lauan Plywood Underlayment

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

3. Foam Insulated Roof Structure

4. Vinyl Coated Ceiling Easy to clean and minimizes interior condensation

• Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection

Camping Made Easy



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state of the art facility gives immediate daily feedback to production for quality assurance in every unit built.









www.ForestRiverBuyLocal.com



of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment. CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity

**Estimated average based on standard build optional equipment All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2020 Viking Recreational Vehicles, a Division of Forest River, Inc., A Berkshire Hathaway company. All Rights Reserved. 2/20





