

THE BEST WAY TO TRAVEL













2851SLE shown with Vermont Oak cabinetry and Fieldstone Decor.

FOREST ER

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Forester comfortable and loads of fun. Forester's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Foresters are "Certified Green" by TRA Certification.

LE TOP FEATURES

- Crowned fiberglass roof
- Two cab-over windows
- Heated enclosed tanks (N/A 2251SLE, 2551DSLE)
- Enclosed dump station
- 40" 12V LED TV
- Integrated step
- Two large storage drawers in dinette
- Black-out roller shades
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- 10.7 Cu. Ft. 12V refrigerator
- Side view and back-up cameras
- Maxx Air multi-speed power fan with cover
- High pressure oxygen infused shower head
- Optional solar powered 12V charging system (Additional panels can be easily added)







3251DSLE kid's zone with fold-down bunk, sofa sleeper, seat belts and an entertainment center, included on all LE models. Black Diamond Walnut cabinetry and Marble decor shown.

LE PREMIER PACKAGE

Every LE model includes this package.

- Back-up camera/side view cameras with monitor
- Fiberglass front cap
- Pioneer in-dash premium sound system
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator




EXPERIENCE MORE

| FORD / CHEVY | 2151SLE | 2251SLE | 2351LE | 2551DSLE | 2851SLE | 3251DSLE |
|------------------------------|----------------|------------------|----------------|--------------------|----------|----------|
| Wheelbase | 158" • 159" | 158" • 159" | 158" • 159" | 190" • 191" | 220" | 220" |
| GVWR | 14500 • 14200 | 14500 • 14200 | 14500 • 14200 | 14500 • 14200 | 14500 | 14500 |
| GAWRR | 9600 • 9600 | 9600 • 9600 | 9600 • 9600 | 9600 • 9600 | 9600 | 9600 |
| GAWRF | 5000 • 4600 | 5000 • 4600 | 5000 • 4600 | 5000 • 4600 | 5000 | 5000 |
| UVW | 10624 • 10452 | 10550 • 10590 | 10100 • 10130 | 11443 • 11456 | 11742 | 12580 |
| GCWR | 22000 • 20000 | 22000 • 20000 | 22000 • 20000 | 22000 • 20000 | 22000 | 22000 |
| CCC | 3876 • 3748 | 3950 • 3610 | 4400 • 4070 | 3057 • 2744 | 2758 | 1920 |
| Fuel Capacity (Gal) | 55 • 57 | 55 ● 57 | 55 • 57 | 55 • 57 | 55 | 55 |
| Hitch Rating/Tongue Weight | 7500/500 | 7500/500 | 7500/500 | 7500/500 | 7500/500 | 7500/500 |
| | 5000/500 | 5000/500 | 5000/500 | 5000/500 | | |
| Length - Bumper To Bumper | 24'-6" • 25' | 23'-10" • 24'-4" | 24'-6" • 25' | 29'-4" • 29' - 10' | 31′-5″ | 32′-3″ |
| Exterior Height With A/C | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ |
| Exterior Width | 101" | 101" | 101" | 101" | 101" | 101" |
| Interior Width | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" |
| Interior Height Front/Rear | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" |
| Fresh/Grey/Black Water (Gal) | 44/39/39 | 35/32/27 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 |
| L.P. Capacity (Gal) | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 |
| Awning Length | 15′-6″ | 14′ | 15′-6″ | 18′ | 15′-6″ | 11′ |
| Water Heater (Gal) | 6 | 6 | 6 | 6 | 6 | 6 |
| Exterior Storage (Cu. Ft.) | 61 | 32 | 61 | 45 | 102 | 80 |











2861DS shown with Black Diamond Walnut cabinetry and Marble decor.

CLASSIC TOP FEATURES

- Lane detection warning system
- 7' Ceiling height
- Crowned fiberglass roof
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- ONEControl® smart phone remote and monitor system
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- FR upgraded premium suspension system includes Bilstein shocks, Firestone Ride-Rite™ air springs and Hellwig sway bar
- Heated enclosed tanks
- Water filtration system
- Electric awning with LED lights
- Valve extensions for rear tires
- 7,500 Lb. tow rating (Ford only)

- Integrated entry step
- Two cab-over windows (Bunk area)
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- Solid surface kitchen countertops
- 10.7 Cu. Ft. 12V refrigerator
- 40" 12V LED TV
- Standard side view and back-up cameras
- Slide out awning toppers
- Front cab magnetic black-out shades enhance privacy
- Surround sound with exterior speakers
- CarPlay/Android Play stereo
- Maxx Air multi-speed power fan with cover
- Solar prep
- Optional solar powered 12V charging system (Additional panels can be easily added)



CLASSIC PREMIUM CAMPING PACKAGE

Every Classic model includes this package.

- FR Premium Suspension Package (N/A Chevy)
- Lane detection monitoring system
- Smart phone in-coach remote system
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator
- Heated remote exterior mirrors
- Back-up camera/side view cameras with monitor

- In-dash CarPlay/Android Play stereo
- In-house entertainment center with outside speakers
- 12V bedroom TV
- Slide room toppers
- Privacy front cab magnetic black out shades
- Ultra leather driver/passenger seating (N/A Chevy)
- Solid surface kitchen countertops
- Fiberglass running boards
- LP Quick connect



ENJOY MORE

3051S the optional Trekker cap includes a storage-friendly entertainment center. Shown in Vermont Oak with Putty decor.



SSIC

Classic shown with Ocean Blue full body paint and the low profile, seamless Trekker cap for aerodynamic styling and improved fuel economy.



SAFE, COMFORTABLE DRIVING FEATURES

LANE DETECTION WARNING SYSTEM

(N/A on LE and Transit models)

- NEW Voyager® VBSD1 Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged

FR UPGRADED PREMIUM SUSPENSION SYSTEM

Includes Bilstein® Shocks, Hellwig RV Sway Bars and Firestone Ride-Rite Air Springs Available on Classic models, built on Ford E-450

(N/A on MBS, Transit, LE and Chevy)





Bilstein® Shock Advantages

- Monotube gas pressure shock absorbers virtually eliminate excessive sway and bounce
- Tested and tuned for your specific motorhome, for a safe and enjoyable ride
- Improved handling and consistent performance
- 228% Larger piston creates greater sensitivity and tighter vehicle control
- Lifetime warranty



Hellwig RV Sway Bar Advantages

- Increase driving stability at highway speeds and reduce the effects of crosswind
- Improve traction and cornering abilities for safer driving
- No more white knuckle driving
- Most effective handling upgrade available for RVs
- Lifetime warranty

Firestone Ride-Rite Advantages


 Adjustable air springs provide an improved ride, and a better way to balance loads





2861DS shown with Black Diamond Walnut cabinetry and Marble decor.






OPTIONS





12V POWER THEATER SEATING

















32" OPT. OUTSIDE TV 3271S

2861DS Shown with outside kitchen, including an electric induction cooktop.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the fact (or.) It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GWWR, GAWR and GCWR as well as a dequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

PAINT OPTIONS

STANDARD Exterior graphics

OCEAN BLUE Full body paint

SADDLE Full body paint



| FORD / CHEVY CLASSIC | 2441DS | 2501TS | 2861DS | 3011DS | 3041DS | 3051S | 3271S |
|-------------------------------|----------|---------------------|---------------------|----------|----------|----------|----------|
| Wheelbase | 182" | 182" • 183" | 202" • 203" | 220" | 220" | 220" | 220" |
| GVWR | 14500 | 14500 • 14200 | 14500 • 14200 | 14500 | 14500 | 14500 | 14500 |
| GAWRR | 9600 | 9600 • 9600 | 9600 • 9600 | 9600 | 9600 | 9600 | 9600 |
| GAWRF | 5000 | 5000 • 4600 | 5000 • 4600 | 5000 | 5000 | 5000 | 5000 |
| UVW | 11690 | 11873 • 11910 | 12500 • 12550 | 12780 | 12930 | 12910 | 12917 |
| GCWR | 22000 | 22000 • 20000 | 22000 • 20000 | 22000 | 22000 | 22000 | 22000 |
| CCC | 2810 | 2627 • 2290 | 2000 • 1650 | 1720 | 1570 | 1590 | 1583 |
| Fuel Capacity (Gal.) | 55 | 55 • 57 | 55 • 57 | 55 | 55 | 55 | 55 |
| Hitch Rating/Tongue Weight | 7500/500 | 7500/500 • 5000/500 | 7500/500 • 5000/500 | 7500/500 | 7500/500 | 7500/500 | 7500/500 |
| Length - Bumper To Bumper | 27' - 1" | 27'-1" • 27'-7" | 30′-9″•31′-3″ | 32'-3" | 32'-3" | 31′-11″ | 31′-11″ |
| Exterior Height With A/C | 11' - 3" | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ |
| Exterior Width | 101" | 101" | 101" | 101" | 101" | 101" | 101" |
| Interior Width | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" |
| Interior Height Front/Rear | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" |
| Fresh/Grey/Black Water (Gal.) | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 |
| L.P. Capacity (Gal.) | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 |
| Awning Length | 18′ | 18′ | 14′ | 15′-6″ | 16′ | 18′ | 16′ |
| Water Heater (Gal.) | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Exterior Storage (Cu. Ft.) | 50 | 50 | 62.5 | 101.7 | 78 | 81.8 | 81.8 |

CABINETRY

VERMONT OAK

BLACK DIAMOND WALNUT

DECOR

PUTTY





MARBLE



FIELDSTONE



ENHANCE YOUR COOL

OPTIONAL DUAL AIR CONDITIONING SYSTEM

(Available on 2861DS, 3011DS, 3041DS, 3051S, 3271S)

• Power shedding system allows smooth operation on a 30 AMP service







ONEControl® SMART PHONE REMOTE MONITOR SYSTEM



Forester is equipped with ONEControl®, an app based user interface that provides comfort and convenience to control and monitor your RV's functions from an LED touch screen or a smart phone.

Download the free app to get started

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google Inc.

PREWIRED FOR SOLAR ON THE SIDE*





POWERFUL SOLAR CHARGING KIT

- Freedom to explore off-grid locations
- High-efficiency monocrystalline solar panel
- Expandable up to 500 watts
- Low-profile panel, invisible from the road

DIGITAL SOLAR CONTROLLER

- Produces more charging power
- Displays solar charge and battery capacity

SOLAR ON THE SIDE PORT

- Pre-wired for a portable solar kit. Simply plug in an 80 or 120-watt portable solar kit!
- Optional SOLAR ON BOARD roof-mounted 12V charging station upgrade is available



SOLAR ON THE SIDETM Solar connection



Extends battery life by 50%



No generator required to run



QUIET Alternative to generators



RENEWABLE And safe power source



Large panoramic windows with black-out shades for plenty of fresh air and natural light.



12V 4-Port USB charging station (Living room/bedroom, N/A LE)



Cordless charging plate



10.7 Cu. Ft. 12V Refrigerator



LED lights generate almost no heat compared to incandescent lights and use substantially less power.



Winterizing tube provides easy access for quick maintenance includes bypass valve.



Forester is equipped with a residential mattress for a good night's sleep.



Outside speakers

This compact unit filters water for the entire coach, eliminating unwanted contaminants and odors, ensuring safe drinking water for you and your family. (N/A LE)



Optional exterior entertainment center (NA LE and Transit)



Forester is appointed with rich residential style hardwood cabinetry with ball bearing



Two batteries in a single housing for easy access. (One battery LE and Transit)



This Winegard HD digitally amplified antenna enhances reception.



High pressure, oxygen infused shower head conserves water, energy and tank life.



Optional 12V power theater seating with adjustable foot rests (Classic only).



Durable, easy to clean (R-18) crowned fiberglass roof sheds water and doesn't cause black streaks like a rubber roof.



Forester's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



Maxx Air multi-speed power fan recirculates air throughout the entire coach.



ATWOOD WATER HEATER

TRADITIONAL WATER HEATER

Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.

Progressive Dynamics patented 4-stage Charge Wizard® converter system has been shown to increase battery life by 2 to 3 times or more.

It constantly monitors battery usage and voltage. then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.



Heated/enclosed holding tanks use warm air from the furnace to protect tanks and valves. (N/A 2251SLE, 2551DSLE, MBS and Transit)



Comfortable sofa with a drink tray converts to a convenient sleeping area.





The Sony touch screen in-dash stereo system pairs up with your smart phone for access to Apple CarPlay/Android Play GPS and other applications. (N/A LE, MBS and Transit)



(Ford E450)



All models include Atwood ducts for high performance air flow throughout the coach and front cabover.




Extend and retract the power awning with LED lights at just the push of a button. Both arms are adjustable to get just the right angle.



This multimedia entertainment system features AM/FM/, Bluetooth, plus outside speaker control.



This holding tank vent cap eliminates odors and gases from the holding tanks and exhausts them out the roof, without the use of costly chemicals.



- Luan Decking
- Block Foam Insulation
- **Tubular Aluminum Framing**
- **6.** Interior Ceiling Material

Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- **9.** EGS Metal Backers
- **10.** Block Foam Insulation
- **11.** Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- **13.** Gelcoat Fiberglass Exterior

Vacuum-Bond Laminated Floor System

- **14.** Fiberglass Bottom Board
- **15.** Block Foam Insulation
- **16.** Seamless Floor Decking
- **Throughout**
- **18.** Aluminum Framing

17. Resilient Shaw Floors

INTERACTIVE MOBILE MANUALS

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forester product. Ranging from "How-To" videos,

pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!

FORESTER VS. THE COMPETITION



and SuperLite (R-10)

7Shaw



SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



MBS TOP FEATURES

- Lane detection warning system
- ONEControl® smart phone remote and monitor system
- Front cab magnetic black-out shades enhance privacy
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- Swivel driver and passenger seats with removable table
- Adjustable, electric awning with LED light strip
- Crowned fiberglass roof
- Standard side view and back-up camera
- Water filtration system
- CarPlay/Android Play stereo
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- 10.7 Cu. ft. 12V refrigerator
- Optional solar powered 12V charging system
- Gel coat sidewalls with "Superlight" composite
- Standard rear stabilizer jacks
- Optional diesel generator
- Slide out awning toppers



Mercedes-Benz



MERCEDES-BENZ® SERIES

The quality you've come to expect, paired with a fuel efficient diesel platform.

BLUETEC DIESEL ENGINE

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.0l V-6 engine boasts 188 hp and 325 lb-ft of rated torque.





2401Q shown with standard

power leather swivel seats

and booster cushions with

cabinetry and Putty decor.

Black Diamond Walnut

24010

2401B

Both MBS and Transit models are available with standard

graphics and a choice of two full body paint schemes.



STANDARD Exterior graphics shown on Classic

OBSIDIAN Full body paint shown on MBS



MBS PREMIUM CAMPING PACKAGE

Every MBS model includes this package.

- Smart phone in-coach remote system
- Lane detection monitoring system
- Back-up camera/side view cameras with monitor
- In-dash Car/Android Play stereo
- In-house entertainment center with outside speakers
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator
- 12V bedroom TV
- Slide room toppers
- Rear stabilizer jacks
- Privacy front cab magnetic black out shades
- Power leather driver/passenger swivel seating with boosters
- Solid surface kitchen countertops
- Fiberglass running boards
- LP Quick connect





TRANSIT SERIES


The ultra-light Forester TS is engineered for fuel efficiency with eco-friendly building materials.

SLATE DECOR





TS2381 shown in Black Diamond Walnut cabinetry with Slate decor.



SHOWER

TS2381 (diesel and gasoline engine available)



PEWTER Full body paint shown on Transit

TRANSIT TOP FEATURES

- Engineered for fuel efficiency
- Ultra-light, eco-friendly building materials
- Frameless, fully opening windows with built-in screen and window shade
- Class-leading pass-through storage
- Residential style cabinetry
- 12V LED TV
- Gas and diesel engines available
- 5.3 Cu. ft. Eurostyle refrigerator operates on 12V/110/LP

- All enclosed bathrooms with privacy door (No wet baths)
- Passenger swivel seat
- Back-up and side view cameras
- Power awning with LED light strip
- Interior surround sound entertainment system
- Exterior speakers
- Truma Combi electric heat and high efficiency water heater
- TS2371 includes power twin beds that convert into a queen size bed

| FORESTER TS | TS2371 | TS2381 |
|------------------------------|----------|----------|
| Wheelbase | 178 | 178 |
| GVWR | 10360 | 10360 |
| GAWRR | 7275 | 7275 |
| GAWRF | 4130 | 4130 |
| UVW | 8714 | 8145 |
| GCWR | 13500 | 13500 |
| CCC | 1646 | 2215 |
| Fuel Capacity (Gal) | 25 | 25 |
| Length - Bumper To Bumper | 26'-1" | 25'-6" |
| Exterior Height With A/C | 10'-5" | 10'-5" |
| Exterior Width | 87" | 87" |
| Interior Width | 84" | 84" |
| Interior Height Front/Rear | 78" | 78" |
| Fresh/Grey/Black Water (Gal) | 35/30/28 | 35/30/30 |
| L.P. Capacity (Gal) | 9.8 | 9.8 |
| Awning Length | 15′ | 15" |
| Water Heater (Gal) | 2.5 | 2.5 |
| Exterior Storage (Cu. Ft.) | 30.5 | 29 |

STANDARD FEATURES & OPTIONS

| | LE | CL | MBS | TS |
|---|--|--|---|---|
| 12 Months/12,000 mile basic limited warranty | S | S | S | S |
| Chassis warranty (see owners manual) | | | | |
| SYSTEMS | LE | CL | MBS | TS |
| Battery disconnect | S | S | S | S |
| Water heater bypass | S | S | S | S |
| (2) Deep cycle coach batteries (1 battery in LE and Transit) | S | S | S | S |
| "Easy Access" battery in step-well | S | S | S | S |
| 30 Amp service with power cord | S | S | S | S |
| 60 Amp Progressive Dynamics converter | S | S | S | S |
| 6 Gallon DSI gas/electric water heater | S | S | S | _ |
| 30,000 BTU furnace | S | S | S | _ |
| Truma Combi water heater/furnace | 3 | 3 | _ | |
| | | - | | S |
| Emergency start switch | S | S | - | S |
| Satellite/cable connection | S | S | S | S |
| 13,500 BTU ceiling ducted roof air | S | S | S | S |
| Optional dual A/C with power shedding system | - | 0 | - | _ |
| 4.0 KW Onan Microquiet generator | S | S | - | _ |
| 3.6 KW Onan LP generator (diesel generator option available) | - | _ | S | - |
| 2.5 KW Onan LP generator (only available on diesel model) | - | - | - | S |
| 2.8 KW Onan Gas generator (only available on gasoline model) | - | - | - | S |
| Automatic generator transfer switch | - | S | S | S |
| FR Upgraded suspension system | - | S | - | - |
| Water filtration system | _ | S | S | S |
| Heated, enclosed holding tanks and valves (N/A 2251SLE, 2551DSLE) | S | S | _ | _ |
| Arctic Package (12V tank heaters) | 0 | 0 | S | 0 |
| 15K BTU A/C with heat pump | 0 | 0 | 0 | _ |
| CO ₂ , LP and smoke detector | S | S | S | S |
| Winegard digital antenna | S | S | S | S |
| | | S | S | _ |
| ONEControl smart phone remote monitor system | | 0 | 0 | _ |
| Solar powered 12V charging system | 0 | | | |
| | | | - | |
| EXTERIOR | LE | CL | MBS | TS |
| 2" Aluminum framed laminated sidewalls | LE S | | MBS | - |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls | S - | CL S | MBS - S | _ |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate | | CL | MBS | - |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls | S - | CL S | MBS - S | - S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate | S - S | CL S - | MBS - S | - S - |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass | S - S S | CL S - S S | MBS - S S | - S - S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation | S - S S S | CL S S S | MBS - S S S | - S - S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip | S - S S S | CL S S S S S S | MBS - S S S S S S | - S - S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof | S - S S S | CL S S S S S S S | MBS - S S S S S S S S | - S - S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap | S - S S S - S | CL S - S S S S S S S S | MBS - S S S S S S S S S | - S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights | \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners | \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners | \$ | S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments | S - S S S S S S S S S S S S S S S S S S | CL | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light | S - S S S S S S S S S S S S S S S S S S | CL | MBS S S S S S S S S S S S S S S S S S | - S S S S S S S - S S - S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S - S S - S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | - S S S S S S S S S S S S S S S S S S S | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | - S S S S S S S S S S S S S S S S S S S | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | MBS S S S S S S S S S S S S S S S S S | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |
| 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector | S S S S S S S S S S S S S S S S S S S | CL S S S S S S S S S S S S S S S S S S S | MBS | - S S S S S S S S S S S S S S S S S S S |

| O: OPTION • S: STANDARD • -: NOT APPLICAB | | | | |
|--|----|-----|-----|----------|
| EXTERIOR | LE | CL | MBS | TS |
| Automatic leveling system (4-point) (N/A on Chevy 2501TS only) | 0 | 0 | - | - |
| Stabilizer jacks (2-point) | - | - | S | - |
| LP quick connect | _ | S | S | S |
| Full body paint | - | 0 | 0 | 0 |
| Outside shower | - | S | S | S |
| Outside 12V LED TV (See floorplans) | _ | 0 | 0 | _ |
| Black tank flush | S | S | S | S |
| CAB AREA | LE | CL | MBS | TS |
| 7" Touch screen radio with USB and Bluetooth | S | S | S | - |
| Cab area privacy curtain | S | S | - | S |
| Magnetic privacy shades | _ | - | S | - |
| Ultra leather driver and passenger seats (N/A Chevy) | _ | S | - | S |
| Power leather swivel driver and passenger seats | - | - | S | - |
| Power windows and door locks | S | S | S | S |
| Keyless entry (N/A Chevy) | S | S | S | S |
| Color back-up camera with rear view monitor | S | S | S | S |
| Side view cameras | S | S | S | S |
| Wood grain dash | _ | S | S | _ |
| Removable cab mat | _ | _ | S | _ |
| Swivel driver seat (N/A Chevy, Power) | _ | 0 | S | _ |
| Power driver seat (N/A Chevy) | _ | 0 | S | _ |
| Swivel passenger seat (N/A Chevy) | _ | 0 | S | _ |
| KITCHEN | LE | CL | MBS | TS |
| Recessed 3-burner range with flush glass cover | S | S | S | - |
| Stainless steel appliances | _ | S | S | _ |
| Range hood with fan and light | S | S | S | _ |
| Convection microwave | S | S | S | S |
| 10.7 Cu. ft. 12V refrigerator | S | S | S | _ |
| Sink covers | | S | S | S |
| 5.3 Cu. ft. lightweight LP/Electric 110V Refrigerator | _ | _ | - | S |
| Full extension ball bearing drawer guides | S | S | S | S |
| Flip-up countertop extension | S | S | S | _ |
| Solid surface galley | _ | S | S | _ |
| BATHROOM | LE | CL | MBS | TS |
| Lightweight composite toilet | S | S | S | S |
| Glass shower door | | S | _ | _ |
| Lightweight Arcadia shower door | S | _ | S | _ |
| Towel bar, tissue, toothbrush and soap holder | _ | S | S | S |
| Electric roof fan | S | S | S | S |
| Shower head with flexible extension | S | S | S | S |
| Motion sensor light | S | S | S | <u> </u> |
| Shower skylight | S | S | S | S |
| BEDROOM | LE | CL | MBS | TS |
| Upgraded memory foam mattress | S | S | S | S |
| Bedspread (N/ATS2371) | S | S | S | S |
| Black-out roller shades | S | S | S | _ |
| 12V Bedroom TV | _ | S | S | S |
| Cedar lined closet | _ | S | S | _ |
| LIVING ROOM | CL | MBS | LE | TS |
| Dream dinette (N/A with U-shape dinettes) | - | S | S | - |
| Black out roller shades | S | S | S | _ |
| 12V LED flat panel adjustable side TV | S | S | S | S |
| Child seat head tethers in dinette | S | S | S | _ |
| Maxx Air multi-speed power fan with cover | S | S | S | S |
| LED floor lighting | | S | S | _ |
| 12V USB charging station | _ | S | S | S |
| | | 3 | , | 3 |



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT **SERVICE**

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**





A Berkshire Hathaway company.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.



www.ForestRiverBuyLocal.com

©2019 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 1/2020







Visit: www.forestriverinc.com/forester 914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825

Your Local Forester Dealer