FOREST RIVER | Continue of the continue of th

WHERE AFFORDABILITY AND LUXURY MEET











26DBUD



27RE



27RKS



27TDSS



28RLSS



300BSS

UPPER BUNK	U-DINETTE	OHC SOFA	PASS TIRROUGH STORAGE
OPTIONAL SOFA UPPER BUNK	MADO SO PANTHY	RIFER SHEET	WARD RY QUEEN BED WARD
OUTSIDE KITCHEN			PASS THROUGH

32BHDS

						συψυσο				
	26DBUD	27RE	27RKS	27TDSS	28RLSS	30QBSS	32BHDS			
HITCH WEIGHT (LBS.)	866	877	836	806	844	817	931			
GROSS VEHICLE WEIGHT RATING (LBS.)	9999	9999	9999	9980	9999	9985	9999			
UNLOADED VEHICLE WEIGHT (LBS.)	7258	7965	7154	6662	7048	7145	8403			
CARGO CARRYING CAPACITY (LBS.)	2741	1996	2845	3318	2913	2840	1596			
EXTERIOR LENGTH (FT.)	33' I"	34′ 1″	33′ 6″	32′	34′ 9″	33' 10"	36′ 4″			
EXTERIOR HEIGHT (FT.)	II' 3"	II' 3"	II' 2"	II′ 2″	II' 3"	II' 3"	II' 3"			
FRESH WATER (GAL.)	56	56	56	56	56	56	56			
GREY WATER (GAL.)	75	60	65	75	80	60	58			
BLACK WATER (GAL.)	40	30	28	40	35	30	30			
TIRE SIZE (IN.)	15	15	15	15	15	15	15			

Standards & Options

CONSTRUCTION AND EXTERIOR

- 5/8 TONGUE AND GROOVE FLOOR DECKING
- FULL WALK ON SEAMLESS PVC ROOF WITH A 15 YEAR
 MANUFACTURER DEFECT WARRANTY
- EXTRA-LARGE FULL PASS THROUGH STORAGE (PER FP)
- MILDEW RESISTANT VINYL PATIO AWNING
- SAFETY GLASS WINDOWS
- POWDER COATED I-BEAM FRAME
- CAMBERED CHASSIS
- GAS/ELECTRIC QUICK RECOVERY DSI WATER HEATER
- WATER HEATER BYPASS
- 2" WALL CONSTRUCTION, 16" (OR LESS) ON CENTER
- TRIPLE SEAL SLIDE OUT SYSTEM
- FLUSH FLOOR ELECTRIC SLIDE OUT
- SWING ARM ENTRY ASSIST HANDLE
- TWO MARINE GRADE EXTERIOR SPEAKERS
- AERODYNAMIC FRONT RADIUS PROFILE
- SMOOTH 40 MIL ALUMINUM FRONT WRAP
- EASY LUBE AXLES W/ SELF ADJUSTING BRAKES
- ONE PIECE SLIP RESISTANT VINYL FLOOR
- R-7 FIBERGLASS INSULATION THROUGHOUT
- TEXTURED ROCKGAURD
- HURRICANE STRAPS
- LP OUICK DISCONNECT
- 11/4" RECEIVER
- 7 WAY CORD HOLSTER

KITCHEN

- NEW SHAKER STYLE CABINET DOORS
- HIDDEN HINGES THROUGHOUT
- DOUBLE DOOR REFER (2YR WARRANTY)
- HIGH RISE SPRING FAUCET
- RESIDENTIAL STYLE UNDER MOUNT KITCHEN SINK
- 3-BURNER, HIGH OUTPUT RANGE WITH OVEN (2YR WARRANTY)
- FULL EXTENSION BALL BEARING DRAWER GUIDES
- SHELVING IN OVERHEAD CABINETS IN THE KITCHEN
- LARGE POTS AND PANS STORAGE UNDER DINETTE (PER FP)
- HIGH DEFINITION COUNTERTOPS

LIVING ROOM

- 80" INTERIOR HEIGHT
- DUCTED 15 K A/C ROOF AIR CONDITIONER
- HUGE STORAGE DRAWER UNDER JIFFY SOFA
- LARGE DINETTE PICTURE WINDOW
- DIGITAL ANTENNA WITH BOOSTER
- BLUETOOTH FM STEREO
- 30K BTU SUBURBAN FORCED AIR DSI FURNACE W/ DIGITAL THERMOSTAT (2 YR WARRANTY)
- IN-FLOOR DUCTED HEAT
- CABLE TV HOOKUP LIVING ROOM AND BEDROOM

BEDROOM

- NEW UPGRADED MATTRESS WITH PILLOW TOP IN MASTER BED
- STRUT LIFTED STORAGE AREA UNDER BED
- BEDSIDE IIO-VOLT POWER OUTLETS (2)
- BEDSIDE USB CHARGERS (2)
- SOLID BEDROOM PRIVACY DOOR (PER FP)
- BEDSIDE HAMPER ACCESS (PER FP)


BATHROOM

- 12-VOLT POWER BATH ROOF EXHAUST FAN
- FOOT FLUSH TOILET
- HIGH DEFINITION COUNTERTOPS

SECURITY AND SAFETY

- LP LEAK DETECTOR
- SMOKE DETECTOR
- CARBON MONOXIDE DETECTOR
- FIRE EXTINGUISHER
- WELDED HEAVY DUTY SAFETY CHAINS
- ELECTRIC FULL SELF-ADJUSTING BRAKES
- GFI RECEPTACLES
- ANSI II9.2 CERTIFIED
- MEETS ALL NATIONAL HIGHWAY ADMINISTRATION SPECS
- RVIA APPROVED PRODUCT





190RBXL




201BHXL




202RDXL




212RBXL




221BHXL



23IRKXL



241BHXL




24IRLXL



254RLXL



261BHXL



263BHXL



271BHXL




273QBXL




282QBXL






191**SSXL**



211SSXL



251SSXL



STANDARD FEATURES

- NEW ADJUSTABLE HIDDEN HINGES
- LARGER ENTERTAINMENT CENTER WHICH ALLOWS FOR A LARGER TV (PER FP)
- AERODYNAMIC FRONT PROFILE
- SHAKER STYLE CABINET DOORS
- 3 BURNER COOKTOP
- · I3.5 A/C (NON-DUCTED)
- LP OUICK DISCONNECT
- DIGITAL TV ANTENNA WITH BOOSTER
- CABLE/SATELLITE READY
- BLUETOOTH STEREO WITH REMOTE
- "TEDDY BEAR" BUNK MATTRESS
- 2 GAS STRUTS UNDER MAIN BED
- LARGER TABLES AT U-DINETTE
- 2 EXTERIOR SPEAKERS
- 2-20LB LP BOTTLES WITH HARD COVER
- EXTRA-LARGE KITCHEN OVERHEAD CABINETS
- STAINLESS STEEL MICROWAVE WITH CAROUSEL
- BALL BEARING DRAWER GUIDES
- 6 GAL GAS DSI WATER HEATER
- PASS THROUGH STORAGE (PER FP)
- HIGH DEFINITION COUNTERTOPS
- 78" INTERIOR HEIGHT
- EASY LUBE AXLES WITH SELF ADJUSTING BRAKES
- 30K BTU SUBURBAN FURNACE
- DOUBLE DOOR REFER

POPULAR OPTIONS


- RANGE WITH OVEN IPO OF COOKTOP
- SPARE TIRE AND CARRIER
- DUCTED A/C (PER FP)
- OUTSIDE CAMP AND OUTDOOR KITCHENS (PER FP)
- POWER STABILIZER JACKS
- SINK COVERS

	190RBXL	201BHXL	202RDXL	212RBXL	221BHXL	23IRKXL	24IBHXL	24IRLXL	254RLXL	261BHXL	263BHXL	27IBHXL	273QBXL	282QBXL	1918SXL	211SSXL	25ISSXL
HITCH WEIGHT (LBS.)	570	465	552	610	665	585	595	680	685	495	635	775	760	705	710	890	835
GROSS VEHICLE WEIGHT RATING (LBS.)	7570	7465	7552	7610	7665	7585	7595	7680	7685	7495	7635	7775	7760	7705	8710	8890	8835
UNLOADED VEHICLE WEIGHT (LBS.)	4558	4173	4484	4988	5203	5329	5203	5478	6063	4715	5893	6353	6118	6457	5188	5284	5721
CARGO CARRYING CAPACITY (LBS.)	3012	3292	3068	2622	2462	2256	2392	2202	1622	2780	1742	1422	1642	1248	3522	3606	3114
EXTERIOR LENGTH (FT.)	22′ 8″	23′ 8″	25' 10"	24′ 4″	26′ 2″	27′ 4″	28′ 3″	28′ 8″	30′ II″	28' 4"	31' 8"	32′10″	33′ I″	32′10″	25′ 9″	27′ 5″	29′ 5″
EXTERIOR HEIGHT (FT.)	10' I"	10′ 4″	10' 4"	10'10"	10'10"	10'10"	10'10"	10'10"	10'10"	10' 4"	10' 10"	10' 10"	10'10"	10' 10"	11' 10"	11' 10"	11'10"
FRESH WATER (GAL.)	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
GREY WATER (GAL.)	30	30	22	35	35	30	35	35	30	28	65	65	28	30	40	35	35
BLACK WATER (GAL.)	30	30	30	30	30	30	30	30	28	30	30	30	30	28	30	30	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15





177BQ




177FQ




178DB




19788



207BH



208RD



228RK

Standards & Options

STANDARD FEATURES

- NEW 6-WAY ADJUSTABLE HIDDEN HINGES
- STAINLESS STEEL SINGLE POLE FAUCET
- AERODYNAMIC FRONT PROFILE
- SHAKER STYLE CABINET DOORS
- NEW 3 BURNER COOK TOP
- 13.5K A/C
- TEXTURED ROCK GUARD
- NEW LP QUICK CONNECT
- NEW DOUBLE DOOR GAS & ELECTRIC REFER
- NEW RESIDENTIAL SINGLE BOWL SINK
- MICROWAVE WITH CAROUSEL
- AWNING
- 6 GAL GAS DSI WATER HEATER
- 1-20LB LP BOTTLE
- AUTO IGNITION 20K BTU FURNACE
- NEW EXTERIOR TV HOOK UP
- MINI-BLINDS THROUGHOUT
- NEW TEDDY BEAR BUNK MATS (PER F/P)
- WATER HEATER BY-PASS
- FULL WALK ON SEAMLESS ROOF WITH A
 15 YEAR MANUFACTURER DEFECT WARRANTY
- KITCHEN DRAWER W/BALL BEARING GUIDES
- HIGH DEFINITION COUNTERTOPS
- 78" INTERIOR HEIGHT
- E-Z LUBE AXLES W/SELF-ADJUSTING BRAKES

POPULAR OPTIONS

- POWER AWNING W/ ADJUSTABLE LEGS
- BLUETOOTH STEREO WITH REMOTE
- BACKUP CAMERA PREP
- SOLAR PREP
- NEW USB PORTS
- SPARE TIRE AND CARRIER
- SKYLIGHT OVER TUB
- POWER TONGUE JACK
- STABILIZER JACKS (2 OR 4)

	1//υψ	1//Ι Ψ	טטט/וו	13/00	20/DII	ZUUND	LLUNN	20/00	ZUUDII
HITCH WEIGHT (LBS.)	445	430	485	495	470	565	550	655	545
GROSS VEHICLE WEIGHT RATING (LBS.)	4845	4830	5585	5595	4870	7565	7550	8455	7545
UNLOADED VEHICLE WEIGHT (LBS.)	3374	3334	4033	4113	3728	4235	4708	5280	4559
CARGO CARRYING CAPACITY (LBS.)	1471	1496	1552	1482	1142	3292	2842	3175	2986
EXTERIOR LENGTH (FT.)	22' 8"	22' 8"	24'	24' 2'"	22' II"	25' 10"	26' 3"	31'	28' 8"
EXTERIOR HEIGHT (FT.)	10' 3"	10' 3"	10' 3"	10' 5"	10' 5"	10' 5"	10' 5"	10' 9"	10' 5"
FRESH WATER (GAL.)	48	48	48	48	48	48	48	48	48
GREY WATER (GAL.)	22	22	28	22	22	30	52	28	28
BLACK WATER (GAL.)	22	22	30	22	22	30	28	22	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15





1975S 2078H 208RD 228RK 267SS

267SS 268BH





SELECT





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 | (909) 873-3777 WWW.FORESTRIVERINC.COM/SALEM | WWW.FORESTRIVERACCESSORIES.COM EFFECTIVE FOR UNITS PRODUCED STARTING SEPTEMBER IST. 2019

YOUR SALEM DEALER

CUSTOMER SATISFACTION

FOREST RIVER encourages you to

BUY LOCAL

LINE OF THE PROPERTY OF THE PROPERT

www.ForestRiverBuyLocal.com

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - iS the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)**- is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. **Estimated average based on standard buildoptional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1420 P/W: 2019.3.1