

SANIBE



SANIBE

MORE LUXURY, MORE VALUE





SANIBEL LIVING. ROOM.



Prime Time Manufacturing is proud to offer Sanibel — a wide body fifth wheel built to stand unequivocally on its own with a level of intelligence that far exceeds the status quo.

From its well-designed, spacious interior to its modern amenities and extra creature comforts, the Sanibel is your home away from home. The interior is crafted around comfort, beauty, and convenience.


Modern cabinetry, residential appointments, and rich textures create a sophisticated space of warmth and elegance. Fabrics are specially treated to provide the softest touch and breathability for comfort in heat or cold.

In short, every element of Sanibel creates a personal connection focused on enjoyment and satisfaction!






CONSTRUCTION. Intelligent Construction **Roof Construction (R-52)***




- 2. Heavy Duty TPO Roof with 12 Year Warranty
- 3. Walk-on Roof with 3/8" Decking
- 4. Radiant Shield Technology (R-38)
- 5. Two Layers of Fiberglass Insulation (R-14)
- 6. 5" Snow Load Approved Rafters on 16" Centers
- **7.** 1/8" Plywood
- 8. Stain Resistant Vinvl Ceiling





Intelligently designed and placed attic vents are installed on your roof to help eliminate condensation and moisture.




Sidewall Construction (R-14)

- » 1. "Dura Gloss" Gel Coated Fiberglass
- » 2. First Layer of 1/8" Plywood
- » 3. Second Layer of 1/8" Plywood
- » 4. Hi Density EPS Foam
- » 5. Heavy Gauge Aluminum Framing
- » 6. Interior Layer of 1/8" Plywood Decor Board
- » 7. Strategically Placed Sheet Metal Backing Strips
- » 8. Aluminum Framed Window, Door, and Baggage Cut-Outs
- » 9. Radius Corner Blocks



Floor Construction (R-52)*

- 1. 12" | Beam Powder Coated Frame
- 2. Enclosed Underbelly
- 3. Floor Vapor and Moisture Barrier Wrap
- 4. Radiant Shield Technology (R-38)
- **5.** 1/8" Plywood
- 6. 3" Heavy Gauge Aluminum Floor Joists
- 7. 3" Hi-Density EPS Foam (R-14)
- 8. 1/8" Plywood
- 9. 5/8" One-Piece Floor Decking
- **10.** Residential Grade Carpet Pad
- **11.** Deep Pile Residential Grade Carpeting
- **12.** Enclosed and Heated Gallev Water Lines
- 13. In-Floor Straight Line Heat Ducting



ETERNABOND[®] Construction


Sanibel is built with Prime Time's ETERNABOND® Construction Technology. Every wall, floor and slide-out roof is made up of welded aluminum framework that is then laminated together in order to build a stronger, longer lasting Recreational Vehicle!





optional equipment.

* R-Values calculated at 80° Ambient Temperature



SANIBEL - FLOORPLANS






UVW (Unloaded Vehicle Weight)* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories, CCC is equal to GVWR minus UVW, Available CCC should accommodate fresh potable water (8.3 lbs per gallon), Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build

SPECIFICATIONS	3102 RSWB	3402 WB	3702 WB	3802 WB
LENGTH	35' 11"	38' 2"	40' 7"	41' 1"
HEIGHT	13' 1"	13' 1"	13' 1"	13' 1"
HITCH WEIGHT	1,817 lb.	2,190 lb.	2,298 lb.	2,487 lb.
UNLOADED VEHICLE WEIGHT (UVW)	11,058 lb.	11,432 lb.	11,859 lb.	12,841 lb.
CARGO CARRYING CAPACITY (CCC)	2,760 lb.	2,758 lb.	2,439 lb.	2,659 lb.
FRESH WATER	60 gal.	60 gal.	60 gal.	60 gal.
GRAY WATER	73 gal.	84 gal.	73 gal.	78 gal.
BLACK WATER	39 gal.	39 gal.	39 gal.	78 gal.

VALUE ADDED FEATURES



Rear Wall and Roofs Welded Construction

CONSTRUCTION

5" Truss Rafters, 16" On Center 3/8" Walk-On Roof Decking One-Piece TPO Roof with 12- Year Warranty Powder Coated I-Beam Frames **Oversized Pass-Thru Storage** "SUPER TURN" Aerodynamic Fiberglass Front Cap Upgraded Oetiker Clamp Ring Water Line Fittings

EXTERIOR STANDARDS

50 AMP (110) Power Detachable Power Cord Swing-Out Grab Handle Doggy D-Ring Extended Drip Spouts Solar Prep Bottle Opener 16" Aluminum Wheels 8 Lug Wheels E-Range Tires (Select Models) G-Range Tires (Select Models) 7.000 Pound Axles

Exterior Speakers Coax TV Connection 110 V Electrical Outlet

INTERIOR STANDARDS

Roller Shades Throughout Legless Dinette Table (4) Dinette Chairs with Hidden Storage "Atrium" Dinette Windows High Arch Kitchen Faucet with Spraver

SANIBEL - STANDARDS AND OPTIONS

ETERNABOND CONSTRUCTION

2" Laminated Aluminum Framed Sidewalls and

2" Laminated Aluminum Framed Main Floor Laminated Aluminum Framed Slide Room Walls

100% Glue Coverage on all Laminated Parts EGS Backers In Walls and Floors

High Gloss Fiberglass Sidewalls Smart Arm Electric Awning with LED Lights Slam Latch Baggage Doors with "Dura Gloss" Finish Magnetic Baggage Door Catches

DOT Approved Deep Tint Safety Glass Easy Access Fresh Water Drain Valve

"E-Z FLEX" Rubberized Suspension

"E-Z LUBE" Greasable Axle Hubs

EXTERIOR ENTERTAINMENT CENTER

USB Charging Ports in Basement Storage

Stainless Steel Kitchen Sink with Extra Deep Bowl Pots and Pans Drawer Full Extension Drawer Guides Large Easy-To-Pull Cabinet Pull Handles Hardwood Cabinet Doors 15 CU. FT. Residential Refrigerator with 1000 Watt Inverter Solid Surface Countertops Solid Surface Flush Mount Sink Cover 5.100 BTU Electric Fireplace 50" LED TV Residential Hide-A-Bed Sofa King Size Mattress

BEDROOM

Deep Bedroom Slide Room Massive Under-Bed Storage Walk In Closet with Easy Access Light Switch Shoe Storage In Closet (Select Models) Stackable Washer/Drver Prep Solid Wood Sliding Wardrobe Doors USB Ports in Bedroom

BATHROOM

King Size Showers with Seat Deluxe "Skyview" Skylight with Extra Headroom Dual Lever Bath Faucet Linen Cabinet 12V Power Vent Fan In Bath Porcelain Toilet Heat and A/C in Bathroom

UNIVERSAL DOCKING CENTER

Outside Shower Flex Hose with Garden Hose End Black Tank Flush EZ Winterization Valve and Connection Easy Access Low Point Drains Low Point Drain Shut-Offs **City Water Connection** Battery Disconnect Separate Cable and Satellite Connection

UTILITIES

35.000 BTU Furnace Digital Thermostat **Quick Recovery Water Heater** Direct Spark Ignition on Water Heater Water Heater By-Pass Hi-Capacity Water Pump Large 12 Volt Converter Dual 30 lb. LP Bottles CO Detector LP Detector Smoke Detector

Fire Extinguisher

Digital Ready TV Antenna With Booster "Stay Cool" LED Ceiling Light Above Sofa "Stay Cool" LED Vanity Light In Bath Flush Mount LED Ceiling Lights Safety Step Lights Motion Sensor Lighting

ADVANTAGE PACKAGE (MANDATORY)**

Exclusive Eternabond Construction 6 Point Electric Auto-Leveling **Extreme Thermal Package** Back Up Camera Prep Universal Docking Center Dual "Quiet Cool" Air Conditioners-15K Living Room, 13.5K Bedroom Furrion Residential Cooktop and Oven **Residential Kitchen Sprayer Faucet** Solid Surface Countertops Roller Shades Throughout Shaker Style Interior Doors LCI "Solid Step" Entry Steps Super Turn Front Cap Solar Prep 30" Microwave 5.100 BTU Electric Fireplace 15 CU. FT. Residential Refrigerator

EXTREME THERMAL PACKAGE

Heated, Enclosed Water Lines Enclosed Underbelly Heated Holding Tanks Heated, Enclosed Gate Valves Double Layer Of Fiberglass Insulation in Roof (R-14)* Radiant Shield Technology in Roof (R-38)* 2" Hi-Density EPS Foam in MainFloor (R-14)* Radiant Shield Technology Under Main Floor (R-38)* Radiant Shield Technology in Slide Floors Insulated Bath and Bed Deck Floors (R-38)* Radiant Shield Technology Behind Front Cap Heated Pass Thru Storage Heated Universal Docking Center Radiant Shield Technology on Bed/Bath Deck

OPTIONS

Dual Pane Windows

*R-Values Calculated at 80° Ambient Temperature

** Mandatorv

A RENEWED COMMITMENT TO QUALITY.

When it comes to choosing an RV, customers demand quality.

At Prime Time Manufacturing, we have renewed our commitment to product quality and customer satisfaction with our new Customer Assurance Inspection (CAI) process.

Before any RV can be cleared to leave our site, it must first pass a newly-developed, rigorous 125-point checklist. Our skilled technicians review every model from top to bottom, both inside and out. We check and double-check the entire unit, from water tanks to the electrical system, roof to underbelly, kitchen appliances and countertopsand everything in-between.

When you choose a Prime Time Manufacturing product, you can be assured that our enhanced commitment to quality has been developed with you in mind. **Choose quality. Choose Prime Time Manufacturing.**



Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product, From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



View the online manual at http://www.primetimerv.com/OnlineManual.aspx or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2019 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company, All Rights Reserved.





A Berkshire Hathaway company,





FREE MEMBERSHIP to Forest River Owners' Group

FROG™ the Forest **River Owners' Group!**

Manufacturing







TECHNICAL SUPPORT DEALER LOCATOR SERVICES

ERIDERV MOTOR CLUB VALID FOR 1 YEAR FROM DATE OF PURCHASE

www.forestriverfrog.com

24/7 EMERGENCY

www.ForestRiverBuyLocal.com

ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading vour unit.



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state of the art facility gives immediate daily feedback to production for quality assurance in every unit built.

EALER