



**RECREATION  
PERFORMANCE  
MACHINES**

# STANDARDS & OPTIONS

## EXTERIOR

Power Tongue Jack  
Smart Arm Power Awning with LED Lights  
All LED Exterior Lighting  
Solar Panel Ready  
Backup & Cargo Camera Ready  
Marine Grade Lighted Exterior Speakers  
Exterior Cable Outlet  
Scissor Stabilizer Jacks  
30 in. Wide Main Entry Door  
Hybrid Aluminum Triple Entry Steps  
Swing Out Grab Bar  
Diamond Plate Rock Guard  
Two 20 lb. LP Tanks with Cover  
5,200 lb. Ultra Lube Axles  
Powder Coated Chassis  
Spare Tire and Carrier  
Radius Walk on Roof  
Rain Gutters with Extended Spouts  
3/4 in. AdvanTech Floor Decking  
3,000 lb. Rated Ramp Door  
Patio Ready Ramp Door  
Key Locking Ramp Door Handles  
Exterior Shower

## INTERIOR

100% LED Lighting  
AM/FM/CD/DVD/ Bluetooth Stereo  
Four Lighted Speakers  
Omni Directional Digital TV Antenna  
15K BTU Dual Ducted Central A/C (opt. 18FKLE, 21FKLE)  
6 gal. 110v / LP DSI Water Heater  
30K BTU Furnace  
USB Charger in Living Area  
USB Charger in Bedroom Area  
Stainless Steel Double Bowl Kitchen Sink (n/a 18FKLE, 21FKLE)  
High Rise Chef's Kitchen Faucet  
Double Electrical Outlet in Kitchen  
Stainless Steel Range Hood (n/a 18FKLE, 21FKLE)  
Three Burner Cook Top with Glass Cover (n/a 18FKLE, 21FKLE)  
Stainless Steel Convection Microwave  
Solid Wood Drawers with Ball Bearing Glides  
Double Door Refrigerator  
Thermo Wrapped Countertops  
Custom Window Treatments  
Pleated Window Shades (except kitchen window)  
Bedroom TV Hook-up  
Porcelain Toilet  
Adjustable Shower Bar  
30 amp Service  
Fire Extinguisher  
LP Gas Detector  
Smoke Detector  
Carbon Monoxide Detector  
Safety Glass Windows

## OPTIONS

Radiant Technology Insulation Wrap  
Enclosed Tanks with 12v Heat Pads  
Zippered Rear Screen Wall  
Second A/C with 50 amp service  
Generator Ready  
Built-in Generator  
Built-in Air Compressor  
MegaSound System  
Leather Captain's Chair(s)  
Triple Play Power Ramp Door  
Ramp Door Patio System with Side Steps  
Ramp Door Patio Awning  
Fuel Station with Pump and Nozzle  
Aluminum Wheels  
Side Mount Fold Flat Exterior Ladder  
Two Camera Backup / Cargo Area System  
Solar Panel System  
10.7 cu. ft. 12v Refrigerator  
Dunes Flag Pole with RPM Flag

## GARAGE AREA

Happijac® Bed with Dual Sofas  
Raised Roofline for Taller Vehicles to Fit  
Minimum 80 in. Clearance under Happijac® Bed  
96 in. interior width  
No Wheel Wells in Garage Area  
Dovetail Floor for Easy Access  
Diamond Plate Rubber Floor Mat  
Diamond Plate Metal to Protect Side Walls  
Six, 6,000 lb. Tie Downs thru-bolted to Chassis  
Metal Side Exhaust Vents  
Pleated Shades on Windows  
Overhead Cabinet

# RPM

# ***BUILT MILITARY TOUGH***



**Interior decor "Billet"**









**Superior Moisture Resistant Flooring with 25 year warranty  
Rugged, Metal Diamond Plate protects your sidewalls  
6,000 lb. rated D-ring Tie Downs**



# MODEL SPECIFICATIONS

	18FKLE	19FB	20FBS	21FKLE	26FB	27QB
<b>Exterior Length</b>	21' 8"	TBD	TBD	24' 8"	30' 7"	30' 11"
<b>Exterior Height</b>	12' 4"	12' 4"	12' 4"	12' 4"	12' 4"	12' 4"
<b>Exterior Width</b>	100"	100"	100"	100"	100"	100"
<b>GVWR (lbs)</b>	10,160	10,160	10,160	10,160	10,160	10,160
<b>UVW (Dry Weight)</b>	4,640	TBD	TBD	5,050	6,060	6,390
<b>Hitch Weight (lbs)</b>	760	TBD	TBD	790	1,220	1,240
<b>Carrying Capacity (lbs)</b>	5,520	TBD	TBD	5,110	4,100	3,770
<b>Interior Width</b>	96"	96"	96"	96"	96"	96"
<b>Sleep Capacity</b>	4	6	6	4	6	6
<b>Fresh Water (gal)</b>	90	90	90	90	90	90
<b>Grey Tank (gal)</b>	30	30	30	30	40	40
<b>Black Tank (gal)</b>	30	30	30	30	40	40



**Chinook Motor Coach**  
1482 N. Eel River Cemetery Rd.  
Peru, IN 46970

**574-584-3756**

**CHINOOK RV™**  
[ChinookRV.com](http://ChinookRV.com)

All specifications contained herein are based on the latest production information at the time of printing. Chinook Motor Coach, Corp. and subsidiaries reserve the right to make changes and specifications at any time without notice. Chinook Motor Coach, Corp. and subsidiaries assume no responsibility for errors in this brochure.

RPM 062020