

- · Powder-Coated Steel Chassis
- 2.000 lb Tonque Jack
- Torsion Axle Suspension with Electric Brakes
- 15" Alloy Wheel with All-Terrain Tires (5-Year Manuf. Warranty)
- 15" Steel Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guards
- Quad Stabilizer Jacks
- Laser Cut, Powder-Coated Steel Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- · Rear Hatch for Access & Ventilation
- Pop-Up Roof with Stainless Steel Scissor Hinge
- Recycled Ripstop Polyester Tent Side with Six Mesh Windows
- Six Acrylic, Insulated Windows with Screens and Shades
- Roof Tracks for Rack Options
- · Thule ProBar EVO 175 Adjustable Load Bars
- Rear Ladder Steps to Roof Storage
- Large 8ft Awning
- 20 Gal Fresh Water Tank
- 22 Gal Gray Water Tank
- Exterior Hot and Cold Shower
- Liquid Propane (2x 20lb) Tanks with Cover
- LED Exterior Lighting
- Solar Input Pre-Wired
- City Water Inlet
- · License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- Built in TAXA Bottle Opener
- 1" Plywood Deck with ABS Laminate
- Non-Slip Seamless Nickel Patterned Flooring
- 8,000 BTU Window Air Conditioner (115V) on Lockable Sliding Base with Hinged Exterior Cover
- Baltic-Birch Plywood Kitchen with Milk Crate Drawer (New)
- High-Pressure Laminate Countertop
- HDPE Countertop Behind Sink & Stove (New)
- 2-Burner Stove with Hinged Lid (New)
- Sink with Hinged Lid (New)
- Truma® Combi Eco Furnace & Water Heater System
- 2 Storage Towers with Trio of Milk Crate Drawers (New)
- Raised Cooler Platform
- 16 Gal Trash Can
- Rotating/Nesting Cafe Table Top (33" x 19") with Aluminum Pedestal
- Full/Queen Size Bed with Underbed Storage (21 cubic feet)
- · LED Interior Lighting with Reading Light
- · 12V Digital Voltmeter
- 12V Accessory Outlets (Interior)
- 12V USB Outlets
- Battery Compartment (Fits 2 Group 24 or Group 27 Batteries. Batteries not included.)
- · Entry Screen Door

Options

- Folding Couch/Bunk System (with bunk net)
- · Wet Bath: Cassette Toilet & Shower
- THULE® / TEPUI® 3-Person Rooftop Tent

19'	Exterior Length
7' 6"	Exterior Width (+fender)
6' 9"	Exterior Height (closed)
9'10"	Exterior Height (open)
6' 10"	Interior Width
4' 7"	Interior Height (closed)
5' 11" to 7' 10"	Interior Height (open)
80"x54"	Bed Dimensions
76"x22"	Bunk Bed (top)
77"x26"	Bunk Bed (bottom)
20 gal	Fresh Water Tank
22 gal	Gray Water Tank
235/75R15	Tires
11"	Ground Clearance
18"	Tongue Height
435 lbs	Tongue Weight**
2,972 lbs	Dry Weight***
4,200 lbs	GVWR
4,000 lbs	GAWR
1,028 lbs	Cargo Capacity
4 Adults	Habitat Capacity



^{*}Optional features

^{**}Depends on loading of trailer

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tanks, fresh water tank, and gray water tank. Battery not included.




- · Powder-Coated Steel Chassis
- 2,000 lb Tongue Jack
- Torsion Axle Suspension with Electric Brakes
- 15" Alloy Wheel with All-Terrain Tires (5-Year Manf. Warranty)
- 15" Steel Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guards
- Quad Stabilizer Jacks
- · Laser Cut, Aluminum Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- Rear Hatch for Access & Ventilation
- · Pop-Up Roof with Steel Hinge
- Recycled Ripstop Polyester Tent Side with Five Mesh Windows
- · Five Acrylic, Insulated Windows with Screens and Shades (New Window Added)
- 12V Roof Exhaust Fan
- Roof Tracks for Rack Options
- 15 Gal Fresh Water Tank
- 16 Gal Gray Water Tank
- Exterior Hot and Cold Shower
- Liquid Propane (2x 20lb) Tanks with Cover
- LED Exterior Lighting
- Pre-Wired Solar Input
- City Water Inlet
- · License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- · Built in TAXA Bottle Opener
- 1" Plywood Deck with ABS Laminate
- Non-Slip Seamless Nickel Patterned Flooring
- Baltic-Birch Plywood Kitchen with Milk Crate Drawer (New)
- High-Pressure Laminate Countertop
- HDPE Countertop Behind Sink & Stove (New)
- 2-Burner Stove with Hinged Lid (New)
- Sink with Hinged Lid (New)
- Truma® Combi Eco Furnace & Water Heater System
- Storage Tower with Trio of Milk Crate Drawers (New)
- Rotating/Nesting Cafe Table Top (32" x 19") with Aluminum Pedestal
- Full Size Bed with Underbed Storage (25 cubic feet)
- LED Interior Lighting
- 12V Digital Voltmeter
- 12V Accessory Outlets (Interior)
- 12V USB Outlets
- Battery Compartment (Fits 2 Group 24 or Group 27 Batteries. Batteries not included.)

Options

- Hanging Kid's Berth(s) (130lbs Max Capacity)
- THULE® ProBar EVO 175 Adjustable Load Bars
- Soft Goods Package (THULE*/TEPUI* 6' Awning, Entry Screen Door, Shower Tent)
- Portable Toilet
- 5,000 BTU Driver-Side Window Air Conditioner (New Placement)

Exterior Length	15'
Exterior Width	6'7"
Exterior Height(closed)	6'11"
Exterior Height(open)	9'
Interior Width	5'3" (max)
Interior Height(closed)	4'2"
Interior Height(open)	4'2" to 6'10"
Bed Dimensions	75"x59" (max width)
Kids Berth(s)	60"x22" (130lb max)
Fresh Water Tank	15 gal
Grey Water Tank	16 gal
Tires	235/75R15
Ground Clearance	11"
Tongue Height	20"
Tongue Weight**	245 lbs
Dry Weight***	1,753 lbs
GVWR	2,700 lbs
GAWR	3,500 lbs
Cargo Capacity	900 lbs
Habitat Capacity	2 Adults & 2 Kids (>5')



^{*}Optional features

^{**}Depends on loading of trailer

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tanks, empty fresh water tank, and empty gray water tank. Battery not included.




- · Powder-Coated Steel Chassis
- 2,000 lb Tongue Jack
- Torsion Axle Suspension with Electric Brakes
- 15" Steel Wheel with All-Terrain Tires (5 year Manuf. Warranty)
- 15" Steel Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guard
- Dual Stabilizer Jacks
- Laser Cut, Powder Coated Aluminum Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- Four Acrylic, Insulated Windows with Screens and Shades (New Window Added)
- 12V Roof Exhaust Fan
- Roof Tracks for Rack Options
- 200 lb Weight Capacity Cargo Deck
- Front Cargo Step
- 5 Gal NATO Can for Fresh Water & Holder
- LED Exterior Light
- Solar Input Pre-Wired
- License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- 3/4" Plywood Deck with ABS Laminate on Both Sides
- · Baltic Birch Plywood Slide Out Camp Kitchen with Portable Two-Burner Stove
- Cafe Table Top (21"x18") with Aluminum Pedestal
- Full Size Bed and Couch
- Under Bed Storage (12 cu. ft.)
- Birch Plywood Cabinetry
- · LED Interior Lighting with Reading Light
- 12V Digital Voltmeter
- 12V Accessory Outlet (Interior)
- 12V USB Outlet
- Battery Compartment (Fits 2 Group 24 Batteries. Batteries not included.)

Options

- THULE® ProBar EVO 175 Adjustable Load Bars
- Tongue Tool Box
- Soft Goods Package (THULE*/TEPUI* 6' Awning with Mosquito Room, Mesh Screen Doors for Side + Rear)
- THULE®/TEPUI® 3-Person Rooftop Tent
- 5,000 BTU Front Window AC (New Placement)
- 5 lb Propane Tank and Mount

Exterior Length	12' 10"
Exterior Width	6'7"
Exterior Height	6'8" (7' w/ Awning)
Interior Width	4'9"
Interior Height	4'7" to 3'9"
Bed Dimensions	80"x54"
Fresh Water NATO Can	5 gal
Tires	235/75R15
Ground Clearance	15"
Tongue Height	20"
Tongue Weight**	127 lbs
Dry Weight***	1,310 lbs
GVWR	2,100 lbs
GAWR	2,000 lbs
Cargo Capacity	890 lbs
Habitat Capacity	2 Adults



^{*}Optional features

^{**}Depends on loading of trailer

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tank and NATO can.. Battery not included.



- · Powder-Coated Steel Chassis
- 1,500 lb Tongue Jack
- Timbren Axle-Less Suspension with Electric Brakes
- 16" Alloy Wheel with All-Terrain Tires (60,000 Mile Manuf. Warranty)
- 16" Alloy Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guards
- Quad Stabilizer Jacks (Heavy Duty)
- · Laser Cut, Powder-Coated Steel Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- Rear Hatch for Access & Ventilation
- Pop-Up Roof with Stainless Steel Scissor Hinge
- Recycled Ripstop Polyester Tent Side with Four Mesh Windows
- Six Acrylic, Insulated Windows with Screens and Shades
- Roof Tracks for Rack Options
- Thule ProBar EVO 175 Adjustable Load Bars
- Rear Ladder Steps to Roof Storage
- · Large 8ft Awning
- 20 Gal Fresh Water Tank
- 22 Gal Gray Water Tanks
- Exterior Hot and Cold Shower
- Liquid Propane (2x 20lb) Tanks with Cover
- LED Exterior Lighting
- Pre-Wired Solar Input
- City Water Inlet
- · License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- · Built in TAXA Bottle Opener
- 1" Plywood Deck w/ ABS Laminate
- Non-Slip Seamless Nickel Patterned Flooring
- 8,000 BTU Window Air Conditioner (115V) on Lockable Sliding Base with-Hinged Exterior Cover
- Baltic-Birch Plywood Kitchen with Milk Crate Drawer (New)
- High-Pressure Laminate Countertop
- HDPE Countertop Behind Sink & Stove (New)
- 2-Burner Stove with Hinged Lid (New)
- Sink with Hinged Lid (New)
- Truma® Combi Eco Furnace & Water Heater System
- 2 Storage Towers with Trio of Milk Crate Drawers (New)
- Raised Cooler or 12V Refrdigerator Platform
- 16 Gal Trash Can
- Rotating/Nesting Cafe Table Top (33" x 19") with Aluminum Pedestal
- Full/Queen Size Bed with Under Bed Storage (21 cu. ft)
- Folding Couch/Bunk System (with bunk net)
- · Wet Bath: Cassette Toilet & Shower
- LED Interior Lighting with Reading Lights
- 12V Digital Voltmeter
- 12V Accessory Outlets (Interior)
- 12V USB Outlets
- Battery Compartment (Fits 2 Group 24 or Group 27 Batteries. Batteries not included.)
- · Entry Screen Door

Options

• THULE® / TEPUI® 3-Person Rooftop Tent

Specifications

19'	Exterior Length
7' 6"	Exterior Width (+fender)
7'	Exterior Height (closed)
10'1"	Exterior Height (open)
6' 10"	Interior Width
4' 7"	Interior Height (closed)
5' 11" to 7' 10"	Interior Height (open)
80"x54"	Bed Dimensions
76"x22"	Bunk Bed (top)
77"x26"	Bunk Bed (bottom)
20 gal	Fresh Water Tank
22 gal	Gray Water Tank
225/75R16	Tires
14"	Ground Clearance
22"	Tongue Height
510 lbs	Tongue Weight**
3,486 lbs	Dry Weight***
5,000 lbs	GVWR
5,200 lbs	GAWR
1,614 lbs	Cargo Capacity
4 Adults	Habitat Capacity

^{**}Depends on loading of trailer

Smooth Ride • Agressive Stance Increased Ground Clearance

Lock 'N' Roll Hitch

The articulating Lock 'N' Roll hitch utilizes 360 degrees of rotation and 3 axis movement for maximum on-road, off-road freedom.

Timbren 5,200 lbs Axle-Less Suspension

The axle-less suspension with a 4in lift allows you to go off road without the usual limitations associated with a thru-axle.

Cooper Discoverer AT3 LT 225/75R16

With an unlimited time/60,000 mile warranty, the AT3LT is Cooper's On-/Off-Road All-Terrain tire designed for those who need a tire that provides the rugged durability required to keep up with their active lifestyles.

Color Options

White or Titanium*

*Only available on Overland Edition

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tanks, fresh water tank, and gray water tank. Battery not included.



- · Powder-Coated Steel Chassis
- 1,500 lb Tongue Jack
- Timbren Axle-Less Suspension with Electric Brakes
- 16" Alloy Wheel with All-Terrain Tires (60,000 Mile Manuf. Warranty)
- 16" Alloy Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guards
- Quad Stabilizer Jacks (Heavy Duty)
- · Laser Cut, Aluminum Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- · Rear Hatch for Access & Ventilation
- · Pop-Up Roof with Steel Hinge
- Recycled Ripstop Polyester Tent Side with Five Mesh Windows
- · Five Acrylic, Insulated Windows with Screens and Shades (New Window Added)
- 12V Roof Exhaust Fan
- Roof Tracks for Rack Options
- THULE® ProBar EVO 175 Adjustable Load Bars
- 15 Gal Fresh Water Tank
- 16 Gal Gray Water Tank
- Exterior Hot and Cold Shower
- Liquid Propane (2x 20lb) Tanks with Cover
- · LED Exterior Lighting
- Solar Input Pre-Wired
- City Water Inlet
- · License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- Built in TAXA Bottle Opener
- 1" Plywood Deck with ABS Laminate
- Non-Slip Seamless Nickel Patterned Flooring
- Baltic-Birch Plywood Kitchen with Milk Crate Drawer (New)
- High-Pressure Laminate Countertop
- HDPE Countertop Behind Sink & Stove (New)
- 2-Burner Stove with Hinged Lid (New)
- Sink with Hinged Lid (New)
- Truma® Combi Eco Furnace & Water Heater System
- Storage Tower with Trio of Milk Crate Drawers (New)
- Rotating/Nesting Cafe Table Top (32" x 19") with Aluminum Pedestal
- Full Size Bed with Underbed Storage (25 cubic feet)
- 2 Hanging Kid's Berths (130lbs Max Capacity)
- LED Interior Lighting
- 12V Digital Voltmeter
- 12V Accessory Outlets (Interior)
- 12V USB Outlets
- Battery Compartment (Fits 2 Group 24 or Group 27 Batteries. Batteries not included.)
- Soft Goods Package (THULE®/TEPUI® 6' Awning, Entry Screen Door, Shower Tent)
- · Portable Toilet

Options

• 5,000 BTU Driver-Side Window Air Conditioner (New Placement)

Specifications

Exterior Length	15'
Exterior Width	6'7"
Exterior Height(closed)	7'2"
Exterior Height(open)	9'4"
Interior Width	5'3" (max)
Interior Height(closed)	4'2"
Interior Height(open)	4'2" to 6'10"
Bed Dimensions	75"x59" (max width)
Kids Berth(s)	60"x22" (130lb max)
Fresh Water Tank	15 gal
Grey Water Tank	16 gal
Tires	225/75R16
Ground Clearance	14"
Tongue Height	24"
Tongue Weight**	264 lbs
Dry Weight***	1,978 lbs
GVWR	3,000 lbs
GAWR	3,500 lbs
Cargo Capacity	1022 lbs
Habitat Capacity	2 Adults & 2 Kids (>5')

^{**}Depends on loading of trailer

Smooth Ride • Agressive Stance Increased Ground Clearance

Lock 'N' Roll Hitch

The articulating lock n' roll hitch utilizes 360 degrees of rotation and 3 axis movement for maximum on-road, off-road freedom.

Timbren 3,500 lbs Axle-Less Suspension

The axle-less suspension with a 4in lift allows you to go off road without the usual limitations associated with a thru-axle.

Cooper Discoverer AT3 LT 225/75R16

With an unlimited time/60,000 mile warranty, the AT3LT is Cooper's On-/Off-Road All-Terrain tire designed for those who need a tire that provides the rugged durability required to keep up with their active lifestyles.

Color Options

White or Titanium*
*Only availble on Overland Edition

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tanks, empty fresh water tank, and empty gray water tank. Battery not included.



- · Powder-Coated Steel Chassis
- 1,500 lb Tongue Jack
- Timbren Axle-Less Suspension with Electric Brakes
- 16" Alloy Wheel with All-Terrain Tires (60,000 Mile Manuf. Warranty)
- 16" Alloy Spare Wheel with All-Terrain Tire
- Powder-Coated Gravel Guard
- Dual Stabilizer Jacks
- Laser Cut, Powder Coated Aluminum Skeleton
- Kynar-Painted Aluminum Composite Panels (Aluminum Alloy ASTM B 209)
- Four Acrylic, Insulated Windows with Screens and Shades (New Window Added)
- 12V Roof Exhaust Fan
- Roof Tracks for Rack Options
- THULE® ProBar EVO 175 Adjustable Load Bars
- 200 lb Weight Capacity Cargo Deck
- Front Cargo Step
- Tongue Tool Box
- 5 lb Propane Tank and Mount
- 5 Gal NATO Can for Fresh Water & Holder
- LED Exterior Light
- Pre-Wired Solar Input
- · License Plate Bracket with LED Light
- 12V Accessory Outlet (Exterior)
- 3/4" Plywood Deck with ABS Laminate on Both Sides
- · Baltic Birch Plywood Slide Out Camp Kitchen with Portable Two-Burner Stove
- Cafe Table Top (21"x18") with Aluminum Pedestal
- Full Size Bed and Couch
- Under Bed Storage (12 cu. ft.)
- Birch Plywood Cabinetry
- · LED Interior Lighting with Reading Light
- 12V Digital Voltmeter
- 12V Accessory Outlet (Interior)
- 12V USB Outlet
- Battery Compartment (Fits 2 Group 24 Batteries. Batteries not included.)
- Soft Goods Package (THULE®/TEPUI® 6' Awning with Mosquito Room, Mesh Screen Doors for Side + Rear)

Options

- THULE®/TEPUI® 3-Person Rooftop Tent
- 5,000 BTU Front Window AC (New Placement)

Specifications

Exterior Length	12' 9"
Exterior Width	6'7"
Exterior Height	7' (7'3" w/ Awning)
Interior Width	4'9"
Interior Height	4'7" to 3'9"
Bed Dimensions	80"x54"
Fresh Water NATO Can	5 gal
Tires	225/75R16
Ground Clearance	18"
Tongue Height	25"
Tongue Weight**	195 lbs
Dry Weight***	1,458 lbs
GVWR	2,400 lbs
GAWR	2,200 lbs
Cargo Capacity	942 lbs
Habitat Capacity	2 Adults

^{**}Depends on loading of trailer

Smooth Ride • Agressive Stance Increased Ground Clearance

Lock 'N' Roll Hitch

The articulating lock n' roll hitch utilizes 360 degrees of rotation and 3 axis movement for maximum on-road, off-road freedom.

Timbren 2,200 lbs Axle-Less Suspension

The axle-less suspension with a 4in lift allows you to go off road without the usual limitations associated with a thru-axle.

Cooper Discoverer AT3 LT 225/75R16

With an unlimited time/60,000 mile warranty, the AT3LT is Cooper's On-/Off-Road All-Terrain tire designed for those who need a tire that provides the rugged durability required to keep up with their active lifestyles.

Color Options

White or Titanium*

*Only availble on Overland Edition

^{***}Dry weight includes standard features only. Dry weight is measured with empty propane tank and NATO can. Battery not included



- · Powder-Coated Steel Chassis
- 800 lb Swivel Tongue Jack
- Torsion Axle Suspension with Electric Brakes
- 15" Steel Wheel w/ All-Terrain Tires (5 year Manuf. Warranty)
- 15" Steel Spare Wheel and All-Terrain Tire
- Powder-Coated Gravel Guards
- Quad Stabilizer Jacks
- Powder-Coated Steel Cabinets
- Laser Cut Steel 600lb Weight Capacity Cargo Deck
- Powder-Coated Steel Adjustable Height Risers with 7.9" Extension
- Rear Accessory Hitch (Weight Rating: 350 lb)
- · Lock 'N' Roll Hitch
- Battery Box (Sized for Group 24 Battery. Battery not included.)
- · Birch Plywood Kitchen Organizer
- Stainless Steel Countertop
- Open Storage Sized for NATO Cans
- Lockable Storage Drawer with 12V Outlet (Sized for 45 qt Cooler)
- Multiple Lockable Storage Compartments
- · LED Underbody Light
- LED Cargo Area Lights
- · LED Kitchen Lights
- 12V Accessory Outlets
- 12V Digital Voltmeter
- 12V USB Outlets

Options

- 6ft Awning
- THULE® ProBar EVO 175 Adjustable Load Bars
- THULE®/TEPUI® 3-Person Rooftop Tent
- Propane Package: 5 lb Tank and Mount
- · Mosquito Net Room
- Additional Adjustable Riser

10' 8"	Exterior Length
5'4"	Exterior Width
6'6"	Exterior Height
235/75R15	Tires
12"	Ground Clearance
21"	Tongue Height
140 lbs	Tongue Weight**
1,270 lbs	Dry Weight***
2,100 lbs	GVWR
2,000 lbs	GAWR
830 lbs	Cargo Capacity



^{*}Optional features

^{**}Depends on loading of trailer

^{***}Dry weight includes standard features only.