









Jay Flight SLX 184BS



Jay Flight SLX 174BH



SLX 184BS Bathroom with Shower Curtain & Curved Shower Track

STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Axles with electric, self-adjusting brakes and easy lube hubs Cambered, steel box tube frame Fully-integrated A-frame Magnum Truss[™] Roof System with seamless DiFlex II material Large exterior downspouts 30-amp service 20 lb. propane bottle Exterior cable TV hookup LED exterior lighting G20 dark tinted safety-glass privacy windows Rooftop solar prep

STANDARD INTERIOR EQUIPMENT

Solid hardwood cabinet doors LED interior lighting Wall-mounted 8,000-BTU A/C Vinyl flooring Residential-grade carpet (select models) Premium multimedia sound system with MP3/iPod input jacks and Bluetooth® connectivity **Digital TV antenna** Wardrobe/pantry storage Plastic sink Seamless solid-surface look kitchen countertops Brushed nickel faucets Heavy-duty, 75 lb., full-extension, steel ball-bearing drawer guides Residential-height plywood bed platforms Queen Serta® mattress (select models) 300 lb. rated bunk beds (select models) 4 in. thick bunk mats (select models) Marine-grade toilet with foot flush Shower curtain with curved shower

track (select models) Wood-trimmed mirror in bathroom

CUSTOMER VALUE PACKAGE (Mandatory)

Goodyear[®] Endurance[®] tires (made in the USA) 6 gal. gas/ electric DSI water heater Water heater bypass Front diamond plate Power awning with LED lights & speakers Stabilizer jacks with sand pads (2) Spare tire with cover Keyed-Alike[™] entry and baggage doors JaySMART[™] (Safety Markers And Reverse Travel) LED lighting (patent-pending) Large folding entry door grab handle Pleated window shades Range hood 2-burner range 3 cu. ft. refrigerator with temperature controls Microwave oven Bedspread (N/A 145RB & 154BH) Bathroom skylight

OPTIONS

13,500-BTU, roof-mounted A/C Fiberglass sidewalls Solar Power Package (100W roof solar panel & 30-amp digital controller)

SLX7 FLOORPLANS

s	can QR code to view 360° tours	145RB	SLEEPS 2-3
		TUBE MICRO ONC AC	
S Micro	LEGEND STORAGE MICROWAVE	BOFA OHC	/i ^
OHC RIDGE WARD	OVERHEAD CABINETS REFRIGERATOR WARDROBE	Ext. Lgth: 16' 8" Weight: 2,465 lbs.	Hitch: 205 lbs.



Ext. Lgth: 18'0" Weight: 2,645 lbs. Hitch: 335 lbs.

SLEEPS 4



Ext. Lgth: 21' 1" Weight: 3,270 lbs. Hitch: 290 lbs.



Ext. Lgth: 21' 7" Weight: 3,380 lbs. Hitch: 375 lbs.



Ext. Lgth: 21' 8" Weight: 3,075 lbs. Hitch: 300 lbs.



Ext. Lgth: 21' 10" Weight: 2,940 lbs. Hitch: 270 lbs.

SPECS

Scan QR code for specification definitions



FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
145RB	16' 8"	7′ 1″	9′ 3″	6′ 6″	2,465	205	3,200	735	16	19.9	19.9	2-3
154BH	18' 0"	7′ 1″	9′ 4″	6′ 6″	2,645	335	3,450	805	16	19.9	19.9	4
183RB	21′ 1″	7′ 1″	9′ 11″	6′ 6″	3,270	290	4,150	880	26	19.9	19.9	2-4
184BS	21′ 7″	7′ 1″	9′ 6″	6′ 6″	3,380	375	4,300	920	26	19.9	19.9	4-6
174BH	21' 8"	7′ 1″	9′ 9″	6′ 6″	3,075	300	3,750	675	26	19.9	19.9	4-5
195RB	21' 10"	7′ 1″	9′ 1″	6′ 6″	2,940	270	3,750	810	26	19.9	19.9	3-4


Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com.



Jay Flight SLX 267BHS Shown in Truffle Interior Design



Kitchen with 3-Burner Range with Glass Cover & Oven with Glass Door





COUNTERTOP

SLX 8 STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Axles with electric, self-adjusting brakes and easy lube hubs Galvanized-steel, impact-resistant wheel wells I-Class[™] cambered structural steel I-beams Fully-integrated A-frame 5/8 in. tongue-and-groove plywood floor decking Magnum Truss[™] Roof System with plywood decking and seamless DiFlex II material Large exterior downspouts 2-sided reflective foil insulation in flush-floor slideout floors 13,500-BTU roof-mounted A/C 30-amp service Rooftop solar prep 20 lb. propane bottles (2) with cover Spare tire with cover Pull-out camp kitchen (select models) Backup camera prep Exterior TV bracket LED exterior lighting G20 dark tinted safety-glass privacy windows

STANDARD INTERIOR EQUIPMENT

81 in. ceiling height Solid hardwood cabinet doors LED interior lighting Wardrobe/pantry storage J-Steel[™] jackknife sofa Vinyl flooring Residential-grade carpet (select models) Premium multimedia sound system with DVD/MP3/iPod input jacks and Bluetooth[®] connectivity Digital TV antenna

Cable/satellite TV hookup Smoked-glass cabinet door inserts (select models) Seamless solid-surface look kitchen countertops Large 50/50 acrylic kitchen sink Brushed nickel faucets Heavy-duty, 75 lb., full-extension, steel ball-bearing drawer guides Residential-height plywood bed platforms Bedroom doors in place of curtains (select models) Queen bed struts Queen Serta[®] mattress Bedroom LED accent lighting 300 lb. rated bunk beds (select models) 600 lb. rated bunk beds (double bunks only) Privacy curtains in bunk areas (select models) 4 in. thick bunk mats (select models) Marine-grade toilet with foot flush Tub surround Bathroom exhaust vent Shower curtain with curved shower track (select models) Wood-trimmed mirror in bathroom

CUSTOMER VALUE PACKAGE (MANDATORY)


Goodyear[®] Endurance[®] tires (made in the USA) Front diamond plate 6 gal. gas/electric DSI water heater Spare tire with cover Outside shower Power awning with LED lights & speakers Stabilizer jacks (4) Water heater bypass Keyed-Alike[™] entry and baggage doors JaySMART[™] (Safety Markers And Reverse Travel)

LED lighting (patent-pending) Large folding entry door grab handle Power tongue jack Black tank flush Pleated window shades 3-burner range with glass cover 6 cu. ft. stainless steel refrigerator with temperature controls Oven with glass door and interior light Stainless steel microwave oven Range hood Bedspread Bathroom skylight

OPTIONS

15,000-BTU, roof-mounted A/C 50-amp service with second A/C prep (284BHS, 287BHS, 294QBS & 324BDS) Chil N' Stor (245RLS & 264BH) Enclosed underbelly MORryde[®] StepAbove[™] entry steps Roof ladder Solar Power Package (100W roof solar panel & 30-amp digital controller) Ramp patio (236TH & 265TH) LED TV (standard 284BHS) Hide-a-bed with tri-fold mattress (237RBS, 265RLS, 267BHS, 284BHS, 287BHS, 294QBS & 324BDS) 8 cu. ft. 12V stainless steel refrigerator

SLX 8 FLOORPLANS





Ext. Lgth: 30' 4" Weight: 5,840 lbs. Hitch: 695 lbs.



Ext. Lgth: 31' 1" Weight: 6,110 lbs. Hitch: 710 lbs.



Ext. Lgth: 33' 7" Weight: 6,275 lbs. Hitch: 750 lbs.



Ext. Lgth: 33' 7" Weight: 6,210 lbs. Hitch: 705 lbs.



Ext. Lgth: 35' 7" Weight: 6,715 lbs. Hitch: 830 lbs.

SPECS



Ext. Lgth: 36' 4" Weight: 7,760 lbs. Hitch: 970 lbs.

Scan QR code for specification definitions

FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING Capacity
212QB	25' 8"	8' 0"	10′ 5″	6′ 8″	4,240	470	5,550	1,260	48	33	39	4-5
237RBS	26' 10"	8'0"	11' 0"	6′ 8″	5,420	615	6,500	1,080	46	78*	39	2-4
224BH	27′ 1″	8'0"	10′ 6″	6' 8"	4,480	460	5,600	1,120	48	39	39	7-8
235RKS	28′ 1″	8' 0"	10′ 11″	6′ 8″	5,510	555	7,000	1,490	44	78*	39	2
236TH	28′ 4″	8' 0"	10′ 5″	6′ 8″	4,890	830	7,500	2,610	48	39	39	2-4
245RLS	28′ 4″	8'0"	11′ 1″	6′ 8″	5,335	595	7,000	1,662	46	39	39	4-5
242BHS	29′ 4″	8' 0"	10′ 10″	6′ 8″	5,555	720	7,000	1,445	44	39	39	7-8
264BH	29' 5"	8' 0"	10′ 6″	6′ 8″	4,690	475	6,000	1,310	48	39	39	8-9
265TH	30' 4"	8'0"	10′ 6″	6' 8"	5,060	860	7,500	2,440	48	39	39	3-4
267BHS	30' 4"	8'0"	11' 0"	6′ 8″	5,840	695	7,000	1,160	44	39	39	8-10
265RLS	31′ 1″	8' 0"	11' 0″	6′ 8″	6,110	710	7,150	1,040	44	39	39	4-6
284BHS	33′ 7″	8' 0"	11' 0"	6′ 8″	6,275	750	7,500	1,225	44	41*	39	8-10
287BHS	33′ 7″	8' 0"	11' 0″	6′ 8″	6,210	705	7,500	1,290	44	39	39	8-10
2940BS	35′ 7″	8' 0"	11′ 1″	6′ 8″	6,715	830	8,250	1,535	44	41*	39	8-10
324BDS	36′ 4″	8' 0"	11′ 2″	6′ 8″	7,760	970	9,000	1,240	46	41*	39	9-10

Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com.

*Indicates split tanks





Jay Flight 28RLS Shown in Modern Farmhouse Interior Design

Jay Flight 28RLS Shown in Cashmere Cottage Interior Design



28RLS Bathroom with Glass Shower Door



Residential-Height Plywood Bed Platforms



Jay Flight 28RLS Shown with Optional Fiberglass Sidewalls

JAY FLIGHT STANDARDS & OPTIONS

STANDARD EXTERIOR EQUIPMENT

Axles with electric, self-adjusting brakes and easy-lube hubs I-Class[™] cambered structural steel I-beams Fully integrated A-frame 5/8 in. tongue-and-groove plywood floor decking Magnum Truss™ Roof System with plywood decking and seamless DiFlex II material 2-sided, reflective foil insulation in flush-floor slideout room floors Large exterior downspouts 30 in. x 72 in. main entrance door Galvanized steel, impact-resistant wheel wells 30-amp service Utility lighting system Front diamond plate Stabilizer jacks (4) Exterior TV bracket LED exterior lighting G20 dark tinted safety-glass privacy windows LP quick-connect (outside gas grill prep)

STANDARD INTERIOR EQUIPMENT

81 in. ceiling height Solid hardwood cabinet doors LED interior lighting Wardrobe/pantry storage Decorative dinette and slideout room lighting (SuperSlide models) Hidden switch command/charging center Backup/security camera prep J-Steel™ jackknife sofa Vinyl flooring Residential-grade carpet (select models) Vented windows in slideout room end walls (SuperSlide models) Pleated window shades Smoked-glass cabinet door inserts (select models) Adjustable and removable dinette table (main booth dinette only) Seamless solid-surface look kitchen countertops 3-burner range with glass cover Oven with glass door and interior light Heavy duty, 75 lb., full-extension, steel ball-bearing drawer guides Range hood Brushed nickel faucets Vented kitchen window Queen Serta® mattress Cubby storage area under bed (select models) Residential-height plywood bed platforms Main bed struts 300 lb. rated bunk beds (select models) 600 lb. rated bunk beds (double bunks) Privacy curtains in bunk areas (select models) Vented bunk windows (select models) 4 in. thick bunk mats (select models)

Wooden bedroom doors (select models) Glass shower door (select models) Shower curtain with curved shower track (select models)

CUSTOMER VALUE PACKAGE (MANDATORY)

13,500-BTU, roof-mounted A/C 30 lb. propane bottles with cover (2) 6 gal. gas/electric DSI water heater (10 gal. in 38BHDS & 38FDDS) Cable/satellite TV hookup Digital TV antenna Goodvear[®] Endurance[®] tires (made in the USA) Outside shower Power tongue jack Spare tire with cover Water heater bypass Power awning with speakers and LED lights Keyed-Alike[™] entry and baggage doors JaySMART[™] (Safety Markers And Reverse Travel) LED lighting (patent-pending) Roof ladder 8 cu. ft gas/electric refrigerator (N/A 38BHDS & 38FDDS) Bathroom power vent Bathroom skylight Tub surround

(ELITE PACKAGE (MANDATORY)

Black tank flush Second fresh water tank (total 80 gal. capacity) Large main entry door grab handle Rooftop solar prep Aluminum rims Hardwood frame mission-style cabinet doors Premium multimedia sound system with DVD/MP3/iPod input jacks and Bluetooth® connectivity Dual USB and 12V charging port Stainless kitchen appliances Upgraded kitchen faucet with pull-out sprayer Kitchen sink covers and rolling drying rack Deluxe bedspread with pillows Serta® mattress Porcelain foot flush toilet

OPTIONS

15,000-BTU, roof-mounted A/C Thermal Package: insulated, heated, and enclosed underbelly and reflective foil insulation in main roof and slideout floors Exterior bumper-mount grill Cargo accessory receiver

Electric stabilizer jacks (4) Fiberglass sidewalls Patio door (29RKS & 34RSBS) (standard on 38BHDS & 38FDDS) MORryde[®] StepAbove[™] entry steps Solar Power Package (100W roof solar panel & 30-amp digital controller) 50-amp service with second A/C prep (select models) (standard in 34RSBS & 34RLOK) Wall-hugger theater seating (select models) Rear sofa with folding bunk (33RBTS) JAYCOMMAND[®] "Smart RV" system with TPMS Fireplace (29RKS, 28BHBE, 32BHDS, 32TSBH, 33RBTS & 38BHDS) (standard on 31MLS, 34RSBS & 34RLOK) Free-standing table with 4 chairs (select models) (standard in 31MLS & 34RLOK) LED TV Hide-a-bed with tri-fold mattress (select models) Kitchen skylight with shade 10 cu. ft. 12V stainless steel refrigerator (18 cu. ft. residential refrigerator 38FDDS & 38BHDS) King bed 2nd A/C in bedroom (select models) Front guad bunk (38BHDS) Front queen bed (38BHDS)

CASHMERE COTTAGE

MODERN FARMHOUSE



JAY FLIGHT FLOORPLANS









Scan QR code



Ext. Lgth: 28' 10" Weight: 5,560 lbs. Hitch: 645 lbs.

LEGEND

STORAGE

MICROWAVE OVERHEAD CABINETS

REFRIGERATOR

WARDROBE

ŝ

MICRO

FRIDGE

WARD

OHC



Ext. Lgth: 33' 7" Weight: 6,640 lbs. Hitch: 680 lbs.



Ext. Lgth: 36' 4" Weight: 8,070 lbs. Hitch: 920 lbs.



HIDE-A-BED

Ext. Lgth: 32' 7" Weight: 6,535 lbs. Hitch: 785 lbs.

Ext. Lgth: 33' 11" Weight: 6,750 lbs. Hitch: 820 lbs.



Ext. Lgth: 36' 4" Weight: 8,615 lbs. Hitch: 765 lbs.





Ext. Lgth: 33' 4" Weight: 6,765 lbs. Hitch: 830 lbs.



Ext. Lgth: 35' 7" Weight: 7,975 lbs. Hitch: 1,095 lbs.



Ext. Lgth: 37' 8" Weight: 8,890 lbs. Hitch: 1,330 lbs.



Ext. Lgth: 40' 6" Weight: 8,330 lbs. Hitch: 1,060 lbs.

SPECS

UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GVWR	CARGO Carrying Capacity	FRESH WATER CAPACITY (INCLUDING WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	SLEEPING CAPACITY
5,560	645	7,500	1,940	82	39	39	4-5
6,535	785	8,800	2,265	82	39	39	4-6
6,765	830	8,850	2,085	82	78*	39	8-10
6,640	680	9,250	2,610	82	39	39	8-10
6,750	820	9,500	2,750	86	78*	39	4-6

FRESH WATER

24RE	BS 28′ 10″	8' 0"	11′ 2″	6′ 9″	5,560	645	7,500	1,940	82	39	39	4-5
28RI	LS 32′7″	8' 0"	11' 2"	6′9″	6,535	785	8,800	2,265	82	39	39	4-6
28Bł	HS 33′ 4″	8' 0"	11′ 2″	6′9″	6,765	830	8,850	2,085	82	78*	39	8-10
28BH	IBE 33'7"	8' 0"	11' 2"	6′9″	6,640	680	9,250	2,610	82	39	39	8-10
29RI	KS 33′ 11″	8' 0"	11′ 2″	6′9″	6,750	820	9,500	2,750	86	78*	39	4-6
31 M	LS 35′ 7″	8' 0"	11' 2"	6′9″	7,975	1,095	10,250	2,275	86	78*	39	3-4
32BH	IDS 36' 4"	8′ 0″	11′ 2″	6′9″	8,070	920	10,250	2,180	86	41*	39	8-10
32TS	BH 36' 4"	8' 0"	11′ 2″	6′ 9″	8,615	765	10,950	2,335	86	41*	39	8-10
34RS	BS 37' 8"	8' 0"	11′ 2″	6′9″	8,890	1,330	11,250	2,360	86	71.5*	39	4-6
33RB	STS 37′ 10″	8' 0"	11′ 2″	6′9″	8,750	1,045	10,950	2,200	86	71.5*	39	8-10
34RL	.0K 37′ 10″	8' 0"	11′ 2″	6′9″	TBD	TBD	TBD	TBD	86	78*	39	4-5
38BH	IDS 40' 6"	8' 0"	11′ 2″	6′ 9″	8,440	1,135	10,950	2,510	90	39	39	8-10
38FD	DS 40' 6"	8' 0"	11′ 2″	6′9″	8,330	1,060	10,950	2,620	90	39	39	5-8

Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com.

Ext. Lgth: 40' 6" Weight: 8,440 lbs. Hitch: 1,135 lbs.

INTERIOR

HEIGHT

EXTERIOR HEIGHT (WITH A/C)

EXTERIOR TRAVEL LENGTH

FLOORPLAN

EXTERIOR WIDTH

*Indicates split tanks

Scan QR code for specification definitions

#1 SELLING TRAVEL TRAILER SINCE 2005





50 percent Stronger





4,500 lbs. on a Jayco roof vs. other roofs

Jayco's roof

VS. other roofs



Each Jayco RV is built with locks which are keyed-alike allowing you to lock and unlock all of your doors with the same key to keep your gear secure.



MADE IN USA

Featuring Durawall® Technology - ENGINEERED to help you tow with confidence



Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. PMs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 10/20 @2020 Jayco, Inc.







Travel With Confidence

NO ONE OFFERS A BETTER WARRANTY

At Jayco, we build our RVs to handle every adventure, then back them with our industryleading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings that we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Jayco dealer.



The JAYCOMMAND® system puts RVers in full control of their unit. The system was custom-built by our product development teams along with BMPRO®, so that owners can monitor and control key RV operations from a phone or a tablet.

(JAYCOMMAND[®] is optional on Jay Flight products).

From the sales experience to service after the sale, we consider our dealers to be an important part of the Jayco family. Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you consider them a part of your camping family.

Meet your Jayco Dealer _



Follow Jayco #LetsJayco

