


2021

South Bay
Super Sport




CHASSIS/DECK CONSTRUCTION FEATURES

- > LIFETIME WARRANTY
- > ELIMINATES DECK ROT/MOLD
- > SOLID ONE-PIECE CONSTRUCTION
- > 40% LIGHTER, 2X STRONGER
- > BOLT THROUGH & BONDED VS TRADITIONAL SCREW DOWN METHOD



EXCLUSIVE Z42 COMPOSITE DECK
40% LIGHTER | 2X STRONGER
THAN INDUSTRY STANDARD MARINE GRADE PLYWOOD

BUILD YOUR DREAM BOAT



southbaypontoon.com



18FCC CB





16FC



16FCC



16FCR



18FCC



18FCR



STANDARD FEATURES

23" Tubes
 6 Gallon Above Deck Fuel Tank
 Black Nylon Cleats
 Bow Reinforcement Bumper
 Continuous Extruded Aluminum Riser Brackets
 Deutsch Waterproof Electrical Wiring Harness
 Fusion Active Stereo - White
 Radius Deck w/ Integrated Deck Trim and Vinyl Rub Rail
 Reinforced Splash Fins
 Stainless Steel Rimmed Cup Holders
 Stainless Steel Telescoping Ladder
 Steel Framed/Coated Mid Back Helm Chair
 Arms & Seat Slider Pedestal
 Stern Aluminum Corners
 Tachometer, Voltmeter, Trim Gauge, 12 Volt Receptacle

FISH DELUXE PACKAGE

Centric II Fishing Chairs
 Drop in Seat Livewell
 Garmin Striker 4
 Trolling Motor Outlet & Half Gate

CRUISE DELUXE PACKAGE

Garmin Striker 4
 LED Docking Lights
 Oval Table
 Tilt Steering

SPECIFICATIONS

Tube Diameter	23"
Deck Width	8' 6"
Deck Length	17' 11"
Tube Length	18' 2"
Length Overall	19' 6"
Approx. Dry Weight	1350
Persons Capacity	8
Persons Capacity	1115
Persons, Motors, & Gear	1645
Max HP	75



EXTERIOR
NONE/BLACK



FURNITURE
FLAGSTONE



FLOOR
SMOKE STD.



222RS LE





220CR LE



222CR LE



222FCR LE



222RS LE



224CR LE



224FCR LE



224FCR2 LE



224RS LE



STANDARD FEATURES

25" Tubes w/ Transom Upgrade

28 Gallon, Direct Fill, Fuel Tank in Motor Pod w/ Fuel / Water Separator

Bimini Top Trailering Brackets

Bow Reinforcement Bumper & Continuous Extruded Aluminum Riser Brackets

Clarion GR10BT MP3, iPod & Bluetooth Compatible

(4) Clarion Speakers w/ Protective Inside Covers

Deutsch Waterproof Electrical Wiring Harness

Full Rail Panels

Radius Deck w/ Integrated Deck Trim and Vinyl Rub Rail

Raised Logos

Reinforced Splash Fins

Stainless Steel Cleats

Stainless Steel Cup Holders (RS, FCR, FCR2)

Stainless Steel Ski Tow Bar (RS)

Stainless Steel Telescoping Ladder

Steel Framed/Coated Mid Back Helm Chair w/ Arms & Seat Slider Pedestal

Stern Stainless Steel Corners

Surlast 10' Color Matched Bimini Top w/ Push Pin Quick Release

Surlast Color Matched Playpen Cover (Factory Installed)

Tachometer, Voltmeter, Fuel Gauge, Trim Gauge, 12 Volt Receptacle

Vinyl Wrapped Furniture Bases

SPECIFICATIONS

2.75 Performance Package

Tube Diameter	25"
Deck Width	8' 6"
Deck Length	20' 5"
Tube Length	20' 8"
Length Overall	22' 5"
Approx. Dry Weight	2045
Persons Capacity	11
Persons Capacity	1610
Persons, Motors, & Gear	2275
Max HP	150



EXTERIOR
NAVY/CHARCOAL



FURNITURE
FLAGSTONE



FLOOR
SMOKE STD.

224RS

SPECIFICATIONS

2.75 Performance Package

Tube Diameter **25"**

Deck Width **8' 6"**

Deck Length **22' 5"**

Tube Length **22' 8"**

Length Overall **24' 5"**

Approx. Dry

Weight **2165**

Persons Capacity **13**

Persons Capacity **1830**

Persons, Motors,
& Gear **2595**

Max HP **200**



EXTERIOR

CHARCOAL /
BLACK



FURNITURE

SMOKE
TT



FLOOR

SMOKE STD



217F



220CR



220CR2



220F



220FCR



220RS



222CR



222CR2



222E



222F



222FCR



222FCR2



222RS



224CR



224CR2



224E



224FCR



224FCR2



224RS



224SB2*



224SB2-PC*



224UL*



*AVAILABLE WITH MANUAL ARCH



STANDARD FEATURES

23" Tubes

28 Gallon, Direct Fill, Fuel Tank in Motor Pod w/ Fuel / Water Separator

Bimini Top Trailing Brackets

Bow Reinforcement Bumper & Continuous Extruded Aluminum Riser Brackets

Clarion GR10BT MP3, iPod & Bluetooth Compatible

(4) Clarion Speakers w/ Protective Inside Covers

Deutsch Waterproof Electrical Wiring Harness

Extended Stern Platform w/ SS Telescoping Ladder

Manual Billet Arch

Oval Shaped Woodgrain Table w/ Matte Finish

Radius Deck w/ Integrated Deck Trim and Vinyl Rub Rail

Raised Logos

Reinforced Splash Fins

Scanstrut Wireless Phone Charging & Mount

Stainless Steel Cleats

Stainless Steel Cup Holders

Stainless Steel Ski Tow Bar

Stainless Steel Telescoping Ladder

Steel Framed/Coated Mid Back Helm Chair w/ Arms & Seat Slider Pedestal

Stern Stainless Steel Corners

Surlast 10' Color Matched Bimini Top w/ Push Pin Quick Release

Surlast Color Matched Playpen Cover (Factory Installed)

Tachometer, Voltmeter, Fuel Gauge, Trim Gauge, 12 Volt Receptacle

Transducer Bracket on Starboard Tube

Vinyl Wrapped Furniture Bases

525FCR2



EXTERIOR
RED/WHITE











FURNITURE
SMOKE TT/RED



FLOOR
SMOKE TEAK



521F**521FC****521FCR****523F****523FC****523FCR****523FCR2****525FCR****525FCR2**

STANDARD FEATURES

25" Tubes with Transom Upgrade
 10' Bimini Top w/ Stainless Quick Release & Trailering Struts
 28 Gallon Fuel Tank in Motor Pod w/ Fuel/Water Separator
 Bow Reinforcement Bumper
 Cable Tension Infinite Reclining High Back Helm Chair
 (Includes Port Chair)
 Deutsch Waterproof Electrical Wiring Harness
 Docking Lights
 Exterior D-Rail Design on Rails
 Oval Shaped Woodgrain Table w/ Matte Finish
 Radius Deck w/ Integrated Deck Trim and Vinyl Rub Rail
 Raised Chrome Logos
 Reinforced Splash Fins
 Scanstrut Wireless Phone Charging & Mount
 Stainless Steel Cleats
 Stainless Steel Cup Holders
 Stainless Steel Ski Tow Bar
 Stainless Steel Telescoping Ladder
 Stern Stainless Steel Corners
 Surlast Playpen Cover (Factory Installed)
 Tachometer, Speedometer, Trim Gauge
 Transducer Bracket on Starboard Tube
 Vinyl Wrapped Furniture Bases
 Wet Sounds MC2 Source Unit
 (4) 120 Watt Wet Sounds Speakers & Transom Remote



SPECIFICATIONS

3.0 Performance Package

Tube Diameter	25"
Deck Width	8' 6"
Deck Length	22' 5"
Tube Length	24' 1"
Length Overall	25' 10"
Approx. Dry Weight	2690
Persons Capacity	14
Persons Capacity	2025
Persons, Motors, & Gear	2840
Max HP	250

523UL






519CR



521CR



521RS*



523CPTR



523CR



523CR4G



523RS*



523RS DC*



525CPTR



525CR



525RS*



525RS DC*



527CR



527RS UD XR



527RS UDS XR



***AVAILABLE WITH MANUAL OR HYDRAULIC ARCH**

SPECIFICATIONS

3.0 Performance Package

Tube Diameter	25"
Deck Width	8' 6"
Deck Length	24'
Tube Length	22' 8"
Length Overall	24' 5"
Approx. Dry Weight	2450
Persons Capacity	13
Persons Capacity	1870
Persons, Motors, & Gear	2685
Max HP	250



EXTERIOR
NAVY/DIAMOND
ICE



FURNITURE
SMOKE TT



FLOOR
SMOKE TEAK

523E





523E



523SB*



523SB2*



523SB2 PC*



523SL



523SLX



523UL*



525E



525SB*



525SB2*



525SB2 PC*



525SL



525SLX




525UL*



527E UD XR



527E UDS XR



***AVAILABLE WITH MANUAL OR HYDRAULIC ARCH**

SPECIFICATIONS

3.0 Performance Package

Tube Diameter	25"
Deck Width	8' 6"
Deck Length	24'
Tube Length	22' 8"
Length Overall	24' 5"
Approx. Dry Weight	2450
Persons Capacity	13
Persons Capacity	1870
Persons, Motors, & Gear	2685
Max HP	250



EXTERIOR
BLACK/WHITE



RAIL
BLACK OUT
PACKAGE



FURNITURE
GUNMETAL COOL
TOUCH



FLOOR
SMOKE TEAK

25SPORT RS9 DC






25 SPORT CR




25 SPORT CR9




25 SPORT CR9 DC




25 SPORT CR DC



25 SPORT RS




25 SPORT RS9




25 SPORT RS9 DC




25 SPORT RS DC



25 SPORT SL DC



25 SPORT SL



STANDARD FEATURES

(4) Polk Interior Speakers and (2) Stern Exterior Speakers, Amp & Sub

12.3" Murphy Digital Color Touch Screen w/ GPS

3.0 + Performance Package

Double Arm Hinges for Easy Access to Seat Storage

Drop Down Stowable Privacy Curtain

Dual Battery Switch & Charger (DVSR)

Electric Powered Sport Arch

Extended Stern Vinyl Platform w/ Transom Washdown

Helm Courtesy Light

Integrated Polk Radio

Motor Installation 3.0+

Murphy Trifecta Interface

Raised Logos

Reinforced Splash Fins

Scanstrut Wireless Phone Charging & Mount

Stainless Ladder Telescoping Ladder

Stainless Steel Cup Holders

Stainless Steel Pop-Up Cleats

Stainless Steel Rail Braces

Stainless Steel Rub Rail Insert

Stern Remote Radio Control

Surlast Playpen Cover (Factory Installed)

Tilt Out Trash Receptacle

Ultimate Lighted Captains Control Chair w/ Bolster (Includes Port Chair)

Voltmeter, Trim, Oil Pressure, Tachometer/Hourmeter, Speedometer

Woodgrain Table

SPECIFICATIONS

3.0+ Performance Package

Tube Diameter	25"
Deck Width	8' 6"
Deck Length	27' 7"
Tube Length	26' 3"
Length Overall	28'
Approx. Dry Weight	3130
Persons Capacity	15
Persons Capacity	2170
Persons, Motors, & Gear	3190
Max HP	450-900

South Bay
Super Sport



EXTERIOR

PEARL WHITE /
CHARCOAL




ARCH

LAGOON



FURNITURE

ICE



FLOOR

SMOKE TEAK

ENGINE PACKAGES

60HP - 115HP

Small Lakes/Cruising

115HP - 150HP

Light Skiing/Watersports, Family Cruising

175HP - 300HP

Heavy Watersports, Wakeboarding, Cruising

300HP - 450HP

Large, Heavy Boats, Speed & Performance


600HP - 900HP

Twin Engine Packages, Speed & Performance


PERFORMANCE PACKAGES

	2.0	2.75	3.0	3.0+
3/4 Length Center Tube		•		
Full Center Tube			•	•
Lifting Strakes on the Center Tube			•	•
Aluminum Underdeck Performance Skin		•	•	•
Lifting Strakes on the Inside of Outer Tubes		•	•	•
SeaStar Hydraulic Steering		•	•	•
Sport Ski Tow				•
“Pad” Running Surface				•
Power Assist Steering Pump				•
Spray Rails				•


Base Vinyl Color




Accent Vinyl Color




Canvas Color



Rail Stripes



Rail Skin Color



CB Series	16-2.0	18-2.0						LE Series	20-2.0	20-2.75	22-2.0	22-2.75	24-2.0	24-2.75		
Tube Diameter	23"	23"						Tube Diameter	25"	25"	25"	25"	25"	25"		
Deck Width	8' 6"	8' 6"						Deck Width	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"		
Deck Length	15' 3"	17' 11"						Deck Length	19' 3"	19' 3"	20' 5"	20' 5"	22' 5"	22' 5"		
Tube Length	15' 6"	18' 2"						Tube Length	19' 6"	19' 6"	20' 8"	20' 8"	22' 8"	22' 8"		
Length Overall	16' 10"	19' 6"						Length Overall	20' 10"	21' 3"	22'	22' 5"	24'	24' 5"		
Approx. Dry Weight	1300	1350						Approx. Dry Weight	1450	1680	1915	2045	2025	2155		
Persons Capacity	7	8						Persons Capacity	11	11	10	11	12	13		
Persons Capacity	975	1115						Persons Capacity	1590	1545	1465	1610	1745	1930		
Persons, Motors, & Gear	1335	1645						Persons, Motors, & Gear	2125	2170	2130	2275	2410	2595		
Max HP	50	75						Max HP	90	115	150	150	150	150		
200 Series	17-2.0	17-2.0	17-2.75	20-2.0	20-2.0	20-2.75	20-3.0	20W-2.0	20W-2.0	20W2.75	20W-3.0	22-2.0	22-2.0			
Tube Diameter	23"	25"	25"	23"	25"	25"	25"	23"	25"	25"	25"	23"	25"			
Deck Width	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"			
Deck Length	16' 9"	16' 9"	16' 9"	19' 3"	19' 3"	19' 3"	19' 3"	19' 11"	19' 11"	19' 11"	19' 11"	20' 5"	20' 5"			
Tube Length	17'	17'	17'	19' 6"	19' 6"	19' 6"	19' 6"	20' 2"	20' 2"	20' 2"	20' 2"	20' 8"	20' 8"			
Length Overall	18' 4"	18' 4"	18' 9"	20' 10"	20' 10"	21' 3"	21' 3"	21' 6"	21' 6"	21' 6"	21' 11"	22'	22'			
Approx. Dry Weight	1255	1285	1465	1440	1490	1690	1740	1640	1690	1890	1940	1895	1955			
Persons Capacity	9	10	10	10	11	11	12	10	11	11	12	10	10			
Persons Capacity	1230	1425	1435	1355	1485	1545	1700	1370	1510	1565	1720	1340	1450			
Persons, Motors, & Gear	1590	1785	1795	1885	2110	2170	2325	1900	2435	2230	2385	1870	2115			
Max HP	60	60	60	75	90	115	115	90	115	150	150	90	150			
200 Series	22-2.75	22-3.0	24-2.0	24-2.0	24-2.75	24-3.0	500 Series				19-2.0	19-2.75	19-3.0	19W-2.0		
Tube Diameter	25"	25"	23"	25"	25"	25"	Tube Diameter				25"	25"	25"	25"		
Deck Width	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	Deck Width				8' 6"	8' 6"	8' 6"	8' 6"		
Deck Length	20' 5"	20' 5"	22' 5"	22' 5"	22' 5"	22' 5"	Deck Length				20' 10"	20' 10"	20' 10"	21' 5"		
Tube Length	20' 8"	20' 8"	22' 8"	22' 8"	22' 8"	22' 8"	Tube Length				19' 6"	19' 6"	19' 6"	20' 2"		
Length Overall	22' 5"	22' 5"	24'	24'	24' 5"	24' 5"	Length Overall				20' 10"	21' 3"	21' 3"	21' 6"		
Approx. Dry Weight	2055	2105	2015	2065	2165	2215	Approx. Dry Weight				1820	2020	2120	1920		
Persons Capacity	11	12	11	12	13	14	Persons Capacity				10	10	11	10		
Persons Capacity	1510	1665	1585	1730	1830	1935	Persons Capacity				1460	1455	1595	1430		
Persons, Motors, & Gear	2275	2430	2115	2395	2595	2750	Persons, Motors, & Gear				1990	2080	2220	2055		
Max HP	200	200	90	150	200	250	Max HP				90	115	115	115		
500 Series	19W-2.75	19W-3.0	21-2.0	21-2.75	21-3.0	21-3.0+	23-2.0	23-2.75	23-3.0	23-3.0+	25-2.0	25-2.75	25-3.0	25-3.0+	27-2.0	27-2.75
Tube Diameter	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"	25"
Deck Width	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"
Deck Length	21' 5"	21' 5"	22' 3"	22' 3"	22' 3"	22' 3"	24'	24'	24'	24'	25' 5"	25' 5"	25' 5"	25' 5"	26' 11"	26' 11"
Tube Length	20' 2"	20' 2"	20' 11"	20' 11"	20' 11"	20' 11"	22' 8"	22' 8"	22' 8"	22' 8"	24' 1"	24' 1"	24' 1"	24' 1"	25' 7"	25' 7"
Length Overall	21' 11"	21' 11"	22' 3"	22' 8"	22' 8"	22' 8"	24'	24' 5"	24' 5"	24' 5"	25' 5"	25' 10"	25' 10"	25' 10"	26' 11"	27' 4"
Approx. Dry Weight	2100	2200	2010	2160	2260	2360	2080	2400	2450	2550	2410	2540	2690	2810	2565	2710
Persons Capacity	11	12	10	10	11	12	12	12	13	12	13	14	14	13	14	15
Persons Capacity	1505	1645	1340	1435	1615	1675	1725	1735	1870	1720	1830	1970	2025	1900	1975	2160
Persons, Motors, & Gear	2170	2310	2005	2200	2430	2490	2390	2500	2685	2740	2495	2735	2840	2920	2640	2925
Max HP	150	150	150	200	250	300	150	200	250	450	150	200	250	450	150	200
500 Series	27-3.0	27-3.0+	25S-3.0T	925S-3.0T			Sport Series		25S-2.75	25S-3.0	25S-3.0+	925S-3.0+	25S-T-3.0+	925S-T-3.0+		
Tube Diameter	25"	25"	25"	25"			Tube Diameter		25"	25"	25"	25"	25"	25"		
Deck Width	8' 6"	8' 6"	8' 6"	8' 6"			Deck Width		8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"		
Deck Length	26' 11"	26' 11"	26' 11"	27'			Deck Length		25' 5"	25' 5"	25' 5"	27' 7"	27'	29' 1"		
Tube Length	25' 7"	25' 7"	25' 7"	25' 11"			Tube Length		24' 1"	24' 1"	24' 1"	26' 3"	25' 11"	28'		
Length Overall	27' 4"	27' 4"	27' 4"	27' 5"			Length Overall		25' 10"	25' 10"	25' 10"	28'	27' 5"	29' 6"		
Approx. Dry Weight	3030	3130	3930	3400			Approx. Dry Weight		2890	3040	3140	3130	3500	3950		
Persons Capacity	16	15	13	7			Persons Capacity		13	14	13	15	7	9		
Persons Capacity	2195	2075	1855	1050			Persons Capacity		1855	1955	1810	2170	1020	1325		
Persons, Motors, & Gear	3010	3095	2875	3085			Persons, Motors, & Gear		2620	2770	2830	3190	3055	3365		
Max HP	250	450	350	900			Max HP		200	250	450	450	900	900		

YOUR LOCAL SOUTH BAY DEALER:



South Bay

SOUTHBAYPONTOON.COM

All information, illustrations, and specifications contained in this brochure are based on the latest product available at the time of publication. South Bay reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications, and models. Some boats are shown with optional equipment. Please see your dealer for the latest information on model availability.