2021 TRAVEL TRAILERS & FIFTH WHEELS








Own the Outdoors









Single basin under-mount sink with high rise faucet and pull down sprayer and 17" gas oven with 3-burner range and flush-mount glass cover

Foot flush toilet, glass shower doo and 12V powered bathroom vent

80" Queen bed with ample bedroom storage

READY FOR ADVENTURE

The Light travel trailer is lightweight and ready for adventure. You can expect durability, smart storage and a variety of floorplans to choose from. Each spacious floorplan comes standard with solid surface countertops, power tongue jack and our RidgeLINK™ Bluetooth system allowing smartphone control of the awnings, lighting, slides and more. Take a look at the lighter side with the Light travel trailer.

TRAVEL TRAILER CONSTRUCTION

PVC ROOFING MEMBRANE

- Strongest RV roof on the market
- 15 year limited warranty (non-prorated)

NO SPOTTING

- Quality from the top down
- NO CHALKING > NO STREAKING NO TREATMENTS REQUIRED – EVER! Learn More -

ROOF CONSTRUCTION

• Double batten insulation with a layer of radiant foil

Features heat reflecting properties that help keep your coach comfortable no matter the weather

Fully walkable

SLIDEOUTS

- Superior wall, roof & floor construction
- Taller & deeper slides
- Flush floor & above floor slides

DOORS & LOCKS

- Full-width entrance doors
- Built-in screen doors
- Everything is Keyed-Alike™ so all you need is 1 key. No more fumbling to find the right key.

LAMINATED WALLS

- Constructed using double-welded aluminum frames
- Rear, sidewalls, & slide components

TRIPLE-SEALED CORNER MOLDINGS

- Rated from -40 to 240 degrees Fahrenheit
- 3M[®] flashing tape applied to every corner

FORCED AIR HEATED UNDERBELLY



 NO CARPET THROUGHOUT RESIDENTIAL VINYL FLOORING
 NO FLOOR HEAT REGISTERS

NO FLOOR HEAT REGISTERS



SEE HIGHLANDRIDGERV.COM FOR MORE INFORMATION



14

TRAVEL TRAILER FEATURES

STANDARDS

- » 15,000 BTU A/C
- » 2-30lb LP Bottles with Cover
- » 5/8" Main Floor Decking
- » 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- » 50 Amp Service
- » 75lb. Full Extension Drawer Guides
- » 8 cu. ft. Gas/Electric Refrigerator
- » Battery Disconnect
- » Cable & Satellite Prep
- » Enclosed Outside Docking Station with Black Tank Flush
- » Flush Floor Slides with Vinyl Flooring (No Carpet)
- » Hardwood Cabinet Doors
- » Keyed-Alike™ Entry & Baggage Doors
- » Kitchen Sink Covers
- » LED HDTV
- » LED Lighting
- » No Floor Heat Registers
- » Observation Camera Prep
- » Pass-Through Storage with Motion Lighting
- » Painted Fiberglass Front Cap
- » Porcelain Foot Flush Toilet
- » Power Awning(s) with LED Lighting

- » Power Tongue Jack
- » PVC Roofing Membrane (15 Year Limited Warranty/Non-Prorated)
- » Queen Mattress (60" x 80")
- » Quick Recovery Gas/Electric Water Heater
- » Residential High-Rise Faucet with Pull Down Sprayer
- » Residential Vinyl Flooring Throughout
- » RidgeLINK™ Bluetooth[®] Control of Slides, Lighting & More
- » Roof Ladder
- » Seamless Solid-Surface Kitchen Countertops
- » Self-Adjusting Electric Brakes
- » Solar Prep
- » Solid Swing-Down Entry Steps
- » Stainless Steel Appliances
- » Stainless Steel Under-Mount Sinks (Kitchen & Lav)
- » Thermal Package Ducted Heat to Underbelly with Cold Air Return, Enclosed Cable Operated Gate Valves, Heated & Enclosed Underbelly, R-38 Calculated Insulation in Floor & Roof
- » Tinted Safety-Glass Windows
- » TuffShell™ Vacuum Bonded Laminated Construction, Reinforced with Heavy-Duty Fiberglass & Welded Aluminum Frames
- » Wi-Fi Ready

OPTIONS

- » 10 cu. ft. Residential Refrigerator (12V)
- » 2nd A/C 13,500 BTU Ducted
- » 70" Theater Seats ipo Tri-Fold Sofa (260, 290)
- » BBQ Grill with Bumper Bracket
- » Front Bike Rack
- » King Bed
- » Power Front & Rear Stabilizer Jacks
- » Table & Chairs ipo Dinette Booth*
- » Table & Chairs/Bench ipo Dinette Booth*
- » Tri-Fold Sofa ipo Power Theater Seats (312, 331)
- » U-Lounge ipo Theater Seats & Dinette Booth (312, 331)

*N/A with U-Lounge Option





SPECIFICATIONS	LT260RLS	LT290RLS	LT275RLS	LT312BHS	LT313RLS	LT331BHS
Unloaded Vehicle Weight (Ibs.)	6,180	TBD	7,210	7,965	7,810	7,955
Dry Hitch Weight (Ibs.)	715	TBD	920	1,025	810	900
Gross Vehicle Weight Rating (GVWR)	7,600	TBD	8,995	9,735	9,250	9,500
Cargo (Gross)	1,420	TBD	1,785	1,770	1,440	1,545
Exterior Length (Overall)	31' 5"	TBD	33' 11"	37' 1"	36' 11"	37' 5"
Exterior Height	11' 2"	TBD	11' 3"	11' 3"	11' 3"	11' 4"
Exterior Width	8' 1"	TBD	8' 1"	8' 1"	8' 1"	8' 1"
Exterior Width (Slides Out)	11' 4"	TBD	13' 0"	14' 2"	13' 2"	11' 4"
Interior Height (Overall)	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"	6' 9"
Fresh Water Capacity (Gal.)*	51	51	51	51	51	51
Gray Waste Water Capacity (Gal.)	57	58	58	76	58	58
Black Waste Water Capacity (Gal.)	29	29	29	29	29	58
LP Capacity (lbs.)	60	60	60	60	60	60
Tire Size	15"	15"	15"	15"	15"	15"
Awning Size	21'	11', 10'	11' 6", 10'	11', 9'	11', 14'	17'

*Includes Water Heater

TRAVEL TRAILER FLOORPLANS



TRAVEL TRAILER FLOORPLANS









Light LT292BH featuring white kitchen cabinetry, solid surface kitchen countertops and a full size pantry



TAKE ON THE ROAD

The Light fifth wheel is perfect for the adventurous family. Featuring our RidgeLINK[™] Bluetooth system, ample storage space and plenty of seating, there are comforts for the whole family. Each unique floorplan is designed with you in mind, featuring a PVC roofing membrane with a 15-year limited warranty, solid swing-down steps, solid surface countertops and more. Own the outdoors with the Light fifth wheel lineup.

FIFTH WHEEL CONSTRUCTION



LAMINATED WALLS

aluminum frames

Rear, sidewalls, & slide components

· Constructed using double-welded

DOORS & LOCKS

- Full-width entrance doors
- Built-in screen doors
- Everything is Keyed-Alike™ so all you need is 1 key. No more fumbling to find the right key.

FORCED AIR HEATED UNDERBELLY



 NO CARPET THROUGHOUT MAIN LIVING AREAS RESIDENTIAL VINYL FLOORING

RIENDĽ

NO FLOOR HEAT REGISTERS



SEE HIGHLANDRIDGERV.COM FOR MORE INFORMATION



• Rated from -40 to 240 degrees Fahrenheit

• 3M® flashing tape applied to every corner

FIFTH WHEEL FEATURES

STANDARDS

- » 15,000 BTU A/C
- » 17" Gas Oven with 3-Burner Range & Flush Mount Glass Cover
- » 2" Receiver Hitch (3000lb. Tow Rating/300lb. Hitch Rating)
- » 5/8" Main Floor Decking
- » 50 Amp Service
- » 75lb. Full Extension Drawer Guides
- » 8 cu. ft. Gas/Electric Refrigerator
- » Battery Disconnect
- » Cable & Satellite Prep
- » Enclosed Outside Docking Station with Black Tank Flush
- » Flush Floor Slides with Vinyl Flooring (No Carpet)
- » Hardwood Cabinet Doors
- » Keyed-Alike[™] Entry & Baggage Doors
- » Kitchen Sink Covers
- » LED HDTV
- » LED Lighting
- » No Floor Heat Registers
- » Observation Camera Prep
- » Pass-Through Storage with Motion Lighting
- » Porcelain Foot Flush Toilet
- » Power Awning(s) with LED Lighting
- » Power Landing Gear & Stabilizer Jacks

- » PVC Roofing Membrane (15 Year Limited Warranty/Non-Prorated)
- » Queen Mattress (60" x 80")
- » Quick Recovery Gas/Electric Water Heater
- » Residential High-Rise Faucet with Pull-Down Sprayer
- » Residential Vinyl Flooring throughout Main Living Areas
- » RidgeLINK™ Bluetooth[®] Control of Slides, Lighting & More
- » Roof Ladder
- » Seamless Solid-Surface Kitchen Countertops
- » Self-Adjusting Electric Brakes
- » Solar Prep
- » Solid Swing-Down Entry Steps
- » Stainless Steel Appliances
- » Stainless Steel Under-Mount Sinks (Kitchen & Lav)
- » Thermal Package Ducted Heat to Underbelly with Cold Air Return, Enclosed Cable Operated Gate Valves, Heated & Enclosed Underbelly, R-38 Calculated Insulation in Floor & Roof
- » Tinted Safety-Glass Windows
- » TuffShell™ Vacuum Bonded Laminated Construction, Reinforced with Heavy-Duty Fiberglass & Welded Aluminum Frames
- » Wi-Fi Ready

OPTIONS

- » 10 cu. ft. Residential Refrigerator (12V)
- » 2nd A/C 13,500 BTU Ducted
- » 4-Point Leveling System
- » BBQ Grill with Bumper Bracket
- » Hitch/Pinbox Turning Point
- » King Bed
- » Table & Chairs ipo Dinette Booth*
- » Table & Chairs/Bench ipo Dinette Booth*
- » Tri-Fold Sofa ipo Power Theater Seats (280, 292)
- » U-Lounge ipo Theater Seats & Dinette Booth (292, 332, 335)

*N/A with U-Lounge Option



				-
SPECIFICATIONS	LF291RLS	LF292BH	LF332RLS	LF335MBH
Unloaded Vehicle Weight (Ibs.)	8,185	8,125	9,020	9,565
Dry Hitch Weight (Ibs.)	1,565	1,320	1,610	1,610
Gross Vehicle Weight Rating (GVWR)	9,995	9,995	10,995	11,500
Cargo (Gross)	1,810	1,870	1,975	1,935
Exterior Length (Pin to Rear)	31' 10"	34' 0"	34' 10"	37' 3"
Exterior Length (Overall)	32' 7"	34' 9"	35' 7"	37' 11"
Exterior Height	12' 6"	12' 6"	12' 8"	12' 6"
Exterior Width	8' 1"	8' 1"	8' 1"	8' 1"
Exterior Width (Slides Out)	13' 0"	11' 4"	13' 1"	13' 0"
Interior Height (Upper Deck)	6' 10"	6' 10"	6' 5"	6' 10"
Interior Height (Overall)	7' 11"	8' 0"	8' 2"	7' 10"
Fresh Water Capacity (Gal.)*	51	51	51	51
Gray Waste Water Capacity (Gal.)	58	58	58	58
Black Waste Water Capacity (Gal.)	29	29	29	29
LP Capacity (lbs.)	60	60	60	60
Tire Size	15"	15"	15"	15"
Awning Size	9', 11'	21'	18'	19'

*Includes Water Heater

FIFTH WHEEL FLOORPLANS








FIFTH WHEEL FLOORPLANS







EXPLORE OUR BRANDS AT HIGHLANDRIDGERV.COM



MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize the RV industry and it's why our products are 10 - 15% lighter than the competition.



We put our products into a zero degree chamber for five hours with thermometers placed in key areas throughout the unit. The results speak for themselves. See HighlandRidgeRV.com for more information



Bluetooth Control of Slides, Lighting & More



CLICK HERE TO FIND YOUR LOCAL DEALER

From sales to service, Highland Ridge dealers are an integral part in ensuring you Own the Outdoors. Establishing a great relationship with your local Highland Ridge dealer is a key component in the enjoyment of your new Highland Ridge. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support.



Own the Outdoors

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in the literature. Some items shown are not included as standard or optional equipment.



We want you to spend less time worrying and more time owning the outdoors. That's why we're proud to back our products with a 3-Year Limited Structural Warranty, plus a 1-Year Limited Manufacturer's Warranty.