BROOKSTONE

STANDARD WITH WEATHER SHIELD PLUS

BROOKSTONE

()

STH WHEEI

BROOKSTONE

NACHNEZ



SCAN HERE FOR ADDITIONAL PHOTOS, 360 VIRTUAL TOURS, VIDEOS, & A COMPLETE LIST OF STANDARDS, OPTIONS & MORE

BROOKSTONE

WWW.COACHMENRV.COM/FIFTHWHEELS



WIDE-BODY LUXURY



SPECIFICATIONS

		Th. 1864				
<image/>	Model	290RL	344FL	350RL	374RK	398MBL
	Shipping Weight	11,412	12,729	12,230	12,960	13,095
	Carrying Capacity	3,028	2,211	2,710	2,480	2,345
	UVW	11,472	12,789	12,290	13,020	13,155
	GVWR	14,500	15,000	15,000	15,500	15,500
	Hitch Weight	2,466	2,823	2,276	2,212	2,239
	Exterior Height (Includes A/C)	13' 5"	13' 5"	13' 5"	13' 5"	13' 5"
	Fresh Water Capacity (gal.)	60	60	60	60	60
	Grey Water Capacity (gal.)	90	90	90	90	85
	Waste Water Capacity (gal.)	45	90	45	45	45
	Awning Length	17	14'	20'	18' (11')	20'
	Wheel Size	16"	16"	16"	16"	16"
	Exterior Length (Bumper to Cap)	36' 4"	42' 2"	41' 3"	42' 2"	42' 2"
	Interior Height (Coach)	96"	96"	96"	96"	96"
	Axles	7000	7000	7000	7000	7000
	Tire Size	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G	ST235/80R16G

FOUR-SEASON COMFORT





COACHMEN RV - FOR OVER 50 YEARS...

SCAN HERE FOR ADDITIONAL PHOTOS, 360 VIRTUAL TOURS, VIDEOS, & A COMPLETE LIST OF STANDARDS, OPTIONS & MORE





SCAN HERE FOR ADDITIONAL PHOTOS, 360 VIRTUAL TOURS, VIDEOS, & A COMPLETE LIST OF STANDARDS, OPTIONS & MORE



YOUR LEADER TO THE GREAT OUTDOORS



5

Ζ

()


M

<

brookstone FEATURES



- ALL NEW AUTOMOTIVE PAINTED FRONT CAP W/ L.E.D. LIGHTING
- VACUUM BONDED & ALUMINUM FRAMED SIDE WALLS W/ ROT-PROOF AZDEL COMPOSITE SIDE WALL PANELS (X2)
- UV-TREATED, WEATHER-RESISTANT DECALS W/ MODERN BROOKSTONE LOGOS (3-5 YEAR WARRANTY BASED ON LOCATION)
 - WEATHER SHIELD PLUS (SUPERIOR PROTECTION FROM THE ELEMENTS)
 - 0° COLD TESTED & 110° HOT TESTED (EXTREME TEMPERATURE CHAMBER)
 - SECTIONALIZED UNDERBELLY FOR EASE OF SERVICE (I-BEAM TOP MOUNTED & SEALED)
 - SPACE AGE RADIANT BARRIER REFLECTIVE TECHNOLOGY (UNDERBELLY, ROOF, SLIDES & MORE!)
 - UNOBSTRUCTED & INSULATED DROP FRAME PASS-THROUGH STORAGE W/ BUILT-IN TOOL STORAGE
 - HEATED. INSULATED. & ENGLOSED TANKS & GATE VALVES (ELECTRIC TANK HEAT PADS STANDARD)
 - ROOF-MOUNTED SOLAR PANEL PREP (ROOF-MOUNTED SOLAR PANEL OPT. AVAIL.)
 - WINEGUARD AIR 360 HDTV/RADIO DOME ANTENNA (PRE-WIRED FOR OPT. CONNECT 2.0 WIFI EXTENDER)
 - HIGH CAPACITY, DUAL DUCTED A/C UNITS (X2)
 - 100% GEAR-DRIVEN SLIDES (NO CABLE SLIDES!)
 - 7.000 LB. USA-MADE DEXTER AXLES W/ E-Z LUBE HUBS
 - ROAD ARMOR SUSPENSION BY TRAIL AIR W/ HEAVY DUTY SHACKLES & WET BOLTS
 - 6-POINT ELECTRIC AUTO-LEVELING SYSTEM (GEAR DRIVEN)
 - FRAME-LESS AUTOMOTIVE STYLE WINDOWS (80% PRIVACY TINT SAFETY GLASS)
 - THOMAS PAYNE TRI-FOLD HAB*/THEATRE SEATING W/ HEAT. MASSAGE. & LED LIGHTING*
 - STAINLESS STEEL APPLIANCES THROUGHOUT
 - 12 AND 17 CU. FT. REFRIGERATOR OPTIONS* (GAS/ELECTRIC & RESIDENTIAL OPTIONS AVAILABLE*)
 - MODERN. HIGH BTU OUTPUT ELECTRIC FIREPLACE
 - MODERN ENTERTAINMENT CENTER W/ EXTRA LARGE ARTICULATING LED TV (LIVING) •
 - SIDE-BY-SIDE/STACKABLE WASHER/DRYER PREP



UVW (UNLOADED VEHICLE WEIGHT)* - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY. IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLE(S) AND TONGUE OR PIN AND LP GAS. THE UVW DOES NOT INCLUDE POTABLE WATER. ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES. "ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT."

CCC (CARGO CARRYING CAPACITY)" - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER. CARGO, ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES. CCC IS EQUAL TO GVWR MODATE FRESH POTABLE WATER (8.3 LBS PER GALLON). BEFORE FILLING THE FRESH WATER TANK. EMPTY THE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY.

** ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT. EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST RIVER RV PRIOR TO LEAVING OUR FACILITIES

THE LOAD CAPACITY OF YOUR LINIT IS DESIGNATED BY WEIGHT NOT BY VOLUME SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR LINIT



PRE-DELIVERY INSPECTION FACILITY rance. The bare essentials for a premium produ immediate daily feedback to production for qua

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER. DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER. INC., RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE. INCLUDING PRICES. COLORS. MATERIALS. EQUIPMENT. AND SPECIFICATIONS. AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS. DESIGN. OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. '=WHERE APPLICABLE.

