



LIGHTWEIGHT LIVING

Travel is easy with Apex style and comfort. These Ultralites are ideal for towing with half ton trucks and most smaller SUVs, with weights ranging from under 3000 lbs. up to 6500 lbs. All Apex floor plans are designed with rich, warm interiors, full-sized bathrooms, contemporary cabinetry, fabrics and flooring.

Eco-friendly – Built to last

Apex is built with AZDEL composite laminated exterior and interior side and back wall panels that increase the life of your RV. AZDEL is durable, water and temperature resistant, odorless and eco-friendly. Plus, Apex construction includes a vacuum-bonded, aluminum framed roof, and a laminated, insulated floor.


The 208 BHS is standard equipped with a 60" x 80" queen bed, or an optional Murphy Bed with Jack Knife sofa, shown at right.

HIT THE ROAD TO ADVENTURE WITH APEX'S ULTRALITE TOWABLE RVS

















The lower double bunk in 208 BHS flips up to access a large storage area.







LIGHTWEIGHT EASY TO TOW

These smaller, easy to tow models deliver many of the amenities of a larger travel trailer.


NANO TRAVEL TRAILERS




185 BH




186 BH




187 RB



191 RBS



194 BHS



203 RBK



208 BHS



213 RDS



Mandatory option Nano models only

Dual LP Tanks with Cover

• (2) 20 lb. Tanks with Cover for Longer Camping Time



12 Volt Outlets

 Pass-thru and Outside Kitchen



High Volume Power Roof Vent

- 3-Speeds
- Quiet Operation
- 9.3 CFM Air Circulation



100 Watt Solar Panel with 10 AMP Control Charger to Battery

- High Efficiency Solar Cells10 AMP Solar Charge
- 10 AMP Solar Charge Controller



Optional 12V Tank Heater Pads Available on all Apex Nano models



Apex Nano	185 BH	186 BH	187 RB	191 RBS	194 BHS	203 RBK	208 BHS	213 RDS
Hitch Weight	400	446	462	406	428	478	516	467
Carrying Capacity	1,294	1,034	1,342	1,234	1,166	2,084	1,740	2,174
UVW	3,406	3,626	3,358	3,466	3,634	3,916	4,260	3,826
GVWR	4,700	4,700	4,700	4,700	4,800	6,000	6,000	6,000
Ext. Length (Incl. Bumper to Hitch)	20′ 7″	22′ 9″	21′ 5″	21′ 11″	22′ 8″	23′ 5″	25'	25′ 1″
Ext. Height (Incl. A/C)	9′ 10″	9′ 9″	9′ 9″	9′ 10″	9′ 10″	9′ 9″	10'	9′ 11″
Int. Height (Coach)	77"	77"	77"	77"	77"	77"	77"	77"
Awning Length	12'	15′	12′	12'	14'	15'	14'	15′
Fresh Water Capacity (gal.)	50	50	50	50	50	50	50	50
Grey Water Capacity (gal.)	30	30	30	30	30	35	35	35
Waste Water Capacity (gal.)	30	30	30	30	30	35	35	35

Double axle floor plans only.

NANO STANDARD FEATURES AND OPTIONS

Nano Package (Mandatoru)

- Vacuum-bonded Laminated Azdel/Fiberglass Side Walls
- Vacuum-bonded Laminated Azdel/Fiberglass Rear Wall
- Vacuum-bonded Laminated Crowned Roof
- Laminated Aluminum Framed Floor
- Fiberglass Front Cap w/LED Lighting and Window (N/A Remote)
- Aluma-cage Construction
- Two-Tone White and Grev Fiberglass Exterior Sidewalls
- Dark Grey Exterior Rear Wall
- Front Stone Guard
- Schwintek Slide System (N/A 185BH, 186 BH, 187RB)
- Enclosed Underbelly w/Forced Air Heat (Double axle models) (N/A Remote)

- Spare Tire
- Slide Topper Prep
- Outside Speakers
- Stabilizer Jacks (4)
- Regulated LP Port
- DSI Gas/Electric Water Heater
- Hot/Cold Outside Shower
- Black Tank Flush
- Swing Away Assist Handle
- Friction Hinge Entrance Door
- Solid Step
- Magnetic Baggage Door Catches
- Hard Valances w/Night Shades Throughout
- LED Interior Lighting Throughout
- Microwave
- Flush-mount 2-Burner Cooktop
- 6 Cu. Ft. Gas/Electric Refrigerator
- Stainless Steel Single Bowl Sink w/Flush-mount Cover

- Access Doors Under Dinette
- AM/FM Stereo w/Bluetooth
- Digital TV Antenna w/Cable Hook-ups and WiFi Capability
- Tub Surround
- Skylight in Bath
- Mattress

Interior and Décor

- Prestige Poplar Cabinetry
- Shaker Cabinet Door Frames
- Stile and Rail Cabinet Front Construction
- One-Piece Seamless Edge Countertops
- Congoleum DiamondFlor Flooring
- Overhead Bedroom Cabinets w/Side Wardrobes
- Residential Comforter (Select models)
- Hard Valances w/Night Shades Throughout
- Pedestal Dinette Table

- Large Oversized Booth Dinette Bath and Water
- IP Leak Alarm
- Fire Extinguisher
- Smoke Alarm
- Carbon Monoxide Detector Electrical/Heatina/AC
- Direct Vent Furnace
- 13.5K BTU A/C
- 55 Amp Power Center
- Outside Receptacle GFI • Detachable Marine Style Power Cord
- USB Chargers

Galley

- 6 Cu. Ft. Gas/Electric Refrigerator
- Flush-mount 2- Burner Cooktop
- Microwave
- Stainless Steel Single Bowl Sink w/Flush-mount Cover
- One-Piece Seamless Edge Countertops
- Matte Black Hardware

- 6 Gal. Gas/Flectric DSI Hot Water Heater
- Power Bath Vent
- Water Heater Bypass Valve
- On-demand Water Pump
- Below Floor Low Point Drains
- Foot Flush Toilet
- Tub Surround
- Hand-crafted Wood Medicine Cabinet

Exterior/Construction

- Aluma-Cage Construction
- Vacuum-bonded, Aluminum Trussed Roof w/Dicor Crossflex Roof Membrane
- Vacuum-bonded Azdel Fiberglass Sidewalls (R-9)
- Vacuum-bonded Azdel Fiberglass Rear Wall
- Laminated Aluminum Framed Floor (R-11)

- Corrosion Resistant Powder Coated Frame
- I-beam Chassis Construction
- Heated and Enclosed Underbelly w/Forced Air (Double Axle Only)
- Gutter Rail
- (2) 20 Lb. LP Tanks
- Dual Battery Tray
- Solid Step
- Tinted Safety Glass Radius Windows
- Radius Entrance Door w/Window
- Deadbolt Lock
- Radius Thumb Latch Baggage Doors
- Break Away Switch
- Dexter® E-Z Lube® Axles
- Nitrogen Filled Radial Tires
- Schwintek Slide Room System

COMFORT PACKAGE

(Mandatoru)

- Direct Vent Furnace
- Power Awning w/LED Lighting
- 13.5k BTU A/C
- Spare Tire and Carrier

OFF-GRID PACKAGE (Mandatoru)

- (2) 20 Lb. LP Tanks w/Cover
- High Velocity 10" Power Roof Vent
- 100 Watt Solar Panel w/10 Amp Control Charger
- 12V Outlets (Pass-thru and Outside Kitchen)

OPTIONS

- Murphy Bed (203RBK, 208BHS Only)
- 12V Tank Heater Pads
- 15K BTU A/C Upgrade
- 15" All-Terrain Tires w/Aluminum Rims



Remote comes fully loaded with the Wilderness Package



DESIGNED TO LEAVE THE WORLD BEHIND


Adventure awaits in this 7' wide, easy to tow trailer with big amenities. This mighty little camper boasts the same solid construction as other Apex models, and includes a full bath with shower and toilet, a 6 cu. ft. refrigerator and a 54" x 80" bed.

TRAVEL TRAILER




REMOTE Wilderness Package (Mandatory)

- 15" All-Terrain Tires
- Aluminum Rims • Front Bike Rack
- Toy Lock
- (2) 20 Lb. LP Tanks w/Cover
- 100 Watt Solar Panel w/10 AMP Control Charger
- 13.5 BTU A/C
- 12V Heat Pads for Black, Grey and Fresh Water Tanks



16 R

REMOTE	16 R		
Hitch Weight	330		
Carrying Capacity	940		
UVW	2,860		
GVWR	3,800		
Ext. Length (Bumper to Hitch)	19′ 7″		
Ext. Height (Incl. A/C)	9′ 10″		
Int. Height (Coach)	77"		
Awning Length	12'		
Fresh Water Capacity (gal.)	50		
Grey Water Capacity (gal.)	35		
Waste Water Capacity (gal.)	35		







Super Bed Storage in the 211 RBS keeps gear and extras organized for easy access, creating a walk-in storage area under the queen bed.





The 211 RBS is perfect for couples who like to kick back and relax with all the amenities of home. It's open concept living at its finest, with comfortable seating located directly across from the TV for a great view, and a free-standing table to pull up for convenience (not shown). 211 RBS is standard equipped with a Hide-A-Bed sofa, optional theater seats are shown above.





This spacious U-dinette in the 290 BHS is great for game night and comfortable breakfast dining. The hide-a-bed sofa comes standard – theater seating is an available option.

ULTRALITE STANDARD FEATURES AND OPTIONS

Value Package (Mandatory)

- Vacuum-bonded Laminated Azdel/ Fiberglass Side Walls
- Vacuum-bonded Laminated Azdel/ Fiberglass Rear Wall
- Vacuum-bonded Laminated Crowned Roof
- Laminated Aluminum Framed Floor
- Fiberglass Front Cap w/LED Lighting and Window
- Aluma-cage Construction
- Two-Tone White and Grey Fiberglass Exterior
- Dark Grey Exterior Rear Wall

Sidewalls

- Front Stone Guard
- Enclosed Underbelly
 WEnced Air Heat
- w/Forced Air Heat
 Aluminum Wheels
- Spare Tire
- Slide Topper Prep
- Back-up Camera Mount
- Power Tonque Jack
- Outside Speakers
- Stabilizer Jacks (4)
- Regulated LP Port
- 100 Watt Solar Panel w/10 AMP Control Charger

- 14.5 BTU A/C (13.5 BTU A/C – 215 RBK, 245 BHS)
- Ducted/Direct Vent Furnace (Floor Plan Specific)
- DSI Gas/Electric Water Heater
- Hot/Cold Outside Shower
- Black Tank Flush Kit
- Power Awning w/Lighting
- Swing Away Assist Handle
- Swing Away Assist Ha
 Friction Hinge
- Entrance Door
- Solid Step
- Slam Latch Baggage Door Catches
- LED Motion Sensor Light in Exterior Storage Area
- Hard Valances w/Night Shades Throughout
- LED Interior Lighting Throughout
- Microwave
- Lighted, Flush-mount, 3-Burner High Output Range w/Oven
- 8 Cu. Ft. 12V Refrigerator (N/A 215 RBK, 245 BHS)
- Stainless Steel Single Bowl Sink w/Flush-mount Cover
- Access Doors Under Dinette (Some models)
- Interior Convenience
 Center

- AM/FM Stereo w/Bluetooth
 - Digital TV Antenna
 w/Cable Hook-ups and
 WiFi Capability
 - USB Charging Station
 - LED TV
 - Hide-A-Bed Sofa (Deep slides only)
 - Tub Surround
 - Skylight in Bath
 - Mattress

Interior and Décor

- Prestige Poplar Cabinetry
- Shaker Cabinet Door Frames
- Stile and Rail Cabinet Front Construction
- One-Piece Seamless Edge Countertops
- Congoleum DiamondFlor Flooring
- Overhead Bedroom Cabinets w/Side Wardrobes
- Residential Comforter
- Hard Valances w/Night Shades Throughout
- Pedestal Dinette Table
- Large Oversized Booth or U-shaped Dinette w/Sliding Door Storage Access
- 68" Residential Sofa (Most models)

- 32" LED TV (40" 256 BHS, 265 RBSS, 284 BHSS, 290 BHS, 293 RLDS)
- LP Leak Alarm
- Fire Extinguisher
- Smoke Alarm
- Carbon Monoxide Detector

Electrical/ Heating/AC

- Furnace Forced Air/Ducts
- Per Floorplan
- 14.5K BTU Ducted A/C (8' Wides)
- 55 Amp Power Center
- Outside Receptacle GFI
- 100 Watt Solar Panel
- w/10 AMP Control Charger
 Detachable Marine Style
- Power Cord

 USB Chargers
- USB Chargers **Galleu**
- 8 Cu. Ft. 12V Refrigerator (N/A 215 RBK, 245 BHS)
- Flush-mount 3-Burner Stovetop w/Oven
- Power LED Lighted
- Range Hood
- Microwave
 Stainless Steel Single Bowl Sink w/Flush-mount Cover
- One-Piece Seamless Edge Countertops
- Matte Black Hardware

Bath and Water

- 6 Gal. Gas/Electric DSI Hot
- Water Heater
- Power Bath Vent
- Water Heater Bypass ValveOn-Demand Water Pump
- Below Floor Low Point
 Drains
- Foot Flush Toilet
- Tub Surround
- Glass Shower Door –
 34" Neo-angle Showers
- Hand-crafted Wood Medicine Cabinet

Exterior/ Construction

- Aluma-Cage Construction
- Vacuum-bonded, Aluminum Trussed Roof w/Dicor Crossflex Roof Membrane (R-11 – 7½' wide, R-14 – 8' wide)
- Vacuum-bonded Azdel Fiberglass Sidewalls (R-9)
- Vacuum-bonded Azdel Fiberglass Rear Wall
- Laminated Aluminum Framed Floor (R-11)
- Corrosion Resistant Powder Coated Frame
 I-beam Chassis Construction

- Heated and Enclosed Underbelly w/Forced Air
- Gutter Rail
- Dual 20 Lb. LP Tanks w/Cover
- Dual Battery Tray
- Solid Step
- Tinted Safety Glass Radius Windows
- Radius Entrance Door w/Window
- Dead Bolt Lock
- Radius Slam Latch Baggage Doors
- Break Away Switch
- Lippert Axles
- Nitrogen Filled Radial Tires
- Schwintek/Rack and Pinon Slide Room System (per floor plan)

OPTIONS

- Frameless Dark Tint
- Windows
 15K BTU A/C Upgrade
 (215 RBK, 245 BHS only)
- 50 Amp Service w/Second (Forced) 14.5K BTU A/C
- 6 Cu. Ft. Gas/Electric Refrigerator

Theater Seating



Flip-up double bunk provides easy access to the rear wall storage door.

Private bedroom models offer plenty of storage, and are prepped for a TV.

ULTRALITE TRAVEL TRAILERS

Apex Ultralites are ideal for towing with half ton trucks and most smaller SUVs. Weights range from just over 4000 lbs. up to 6500 lbs. Apex floor plans have rich, warm interiors, full-sized bathrooms, contemporary cabinetry, fabrics and flooring. These lightweight, durable, travel trailers are constructed with a vacuum-bonded, aluminum framed roof, double laminated Azdel composite sidewalls, laminated rear wall, and a laminated, insulated floor.

7-1/2' WIDE ULTRALITES 8' WIDE ULTRALITES



215 RBK



245 BHS



Double axle floor plans only.



211 RBS



251 RBK




256 BHS



265 RBSS




266 BHS



284 BHSS



289 TBSS



290 BHS



293 RLDS



300 BHS

Apex 7.5' Wides	215 RBK	245 BHS
Hitch Weight	446	578
Carrying Capacity	2,137	1,914
UVW	4,363	4,584
GVWR	6,500	6,500
Ext. Length (Incl. Bumper to Hitch)	25′ 6″	27′ 7″
Ext. Height (Incl. A/C)	9′ 11″	9′ 10″
Int. Height (Coach)	78"	78"
Awning Length	13'	18'
Fresh Water Capacity (gal.)	50	50
Grey Water Capacity (gal.)	35	35
Waste Water Capacity (gal.)	35	35

Apex 8' Wides	211 RBS	251 RBK	256 BHS	265 RBSS	266 BHS	284 BHSS	289 TBSS	290 BHS	293 RLDS	300 BHS
Hitch Weight	630	570	694	734	934	810	715	758	832	672
Carrying Capacity	1,938	2,016	2,128	1,948	1,520	1,578	1,882	1,432	1,360	1,625
UVW	5,062	4,984	5,472	5,652	6,080	6,022	5,718	6,168	6,440	5,975
GVWR	7,000	7,000	7,600	7,600	7,600	7,600	7,600	7,600	7,800	7,600
Ext. Length (Incl. Bumper to Hitch)	26′ 2″	29'	30′ 1″	30′ 5″	32′ 11″	32′ 7″	32′ 6″	34'	34'	34′ 5″
Ext. Height (Incl. A/C)	10′ 5″	10′ 1″	10′ 5″	10′ 6″	10′ 5″	10′ 7″	10′ 6″	10′ 7″	10′ 7″	10′ 1″
Int. Height (Coach)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Awning Length	16′	16′	16′	18'	20'	18'	18′	20'	18′	18′
Fresh Water Capacity (gal.)	50	50	50	50	50	50	50	50	50	50
Grey Water Capacity (gal.)	35	35	70	70	35	70	35	35	70	35
Waste Water Capacity (gal.)	35	35	35	35	35	35	35	35	35	35

APEX CONSTRUCTION Apex features the combination of environmentally friendly Azdel wall boards inside, and Azdel composite panels outside, plus Alumicage Construction to maximize.

These Ultralite Travel Trailers are designed for towing by today's half-ton trucks, minivans and SUVs. From 18' to 34'. All units are available under 6,500 lbs.

Construction Features

- 1. 3M Breathable graphics
- 2. Tinted, safety glass windows
- 3. Welded aluminum structure, vacuum-bonded sidewalls and rear wall. laminated floor
- 4. Aluminum reinforced vacuum-bonded roof
- 5. Dicor Crossflex roofing membrane
- Azdel composite exterior/interior sidewall and rear wall panels
- Aerodynamic front profile with fiberglass front cap and integrated window
- **8.** (2) 20 lb. LP tanks
- Insulated slam latch doors with magnetic hold-ups (N/A Nanos)
- **10.** Smooth exterior fiberglass skin
- **11.** Aluminum framed openings
- **12.** Fully enclosed, heated underbelly (Double axle models)
- **13.** Fully welded tubular aluminum floor structure
- **14.** Schwintek[™] and rack and pinion slide systems (Deep slides)
- 15. Congoleum® DiamondFlor flooring
- **16.** Powder E-coated, welded I-beam frame with full-depth crossmembers
- 17. Dexter® E-Z Lube® axle hubs (Nano) Lippert axles (Ultralite)
- **18.** Nitrogen filled radial tires

Dicor Crossflex Synthetic Thermoplastic Roofing System

• Extreme tear and puncture resistance



• High solar reflectance

High thermal emissivity





Double axle floor plans only



Lower Center of Gravity for Better Towability



Coachmen


APEX

Fiberglass Front Cap

- ¾ Front fiberglass cap for superior strength
- Automotive glass front window with superior UV protection
- Front stone guard
- Integrated LED accent lights

Vacuum Bonded Sidewalls and Roof

- Stronger construction
- Lighter weight



Six Layer Laminated Floor

- A Residential durable insulated floor covering
- **B** Double layer Lauan plywood top decking
- C Welded aluminum frame
- Block foam structural insulation
- E Lauan plywood bottom decking
- = Co
- Darco waterproof floor wrap
- **G** Cross member support
- **H** Holding tanks
- Heated and enclosed underbelly (Double axle models)



Apex Is Certified Green TRA Emerald Level Rated - The Highest Level

As a Certified Green RV, APEX utilizes effective production techniques in combination with healthy materials, plus efficient usage

of energy and water to produce a high quality RV with less environmental impact.

Check us out at: coachmenrv.com/travel-trailers/ apex-ultra-lite

LIGHTWEIGHT DURABILITY

Welded Aluminum Framing

Durable, lightweight aluminum cage – individually framed cut-outs to make for stronger sidewalls and reduce water leaks.




Aluminum Reinforced Vacuum-bonded Roof

Evenly distributed insulation enhances structural integrity.





Double the AZDEL, Double the Benefits: By using AZDEL for both the exterior and interior panels, we have doubled our benefits for overall weight reduction, temperature control, sound absorption, longevity, and low VOCs. Azdel composite panels are produced using a patented blend of polypropylene and fiberglass to create a durable, lightweight, water and temperature resistant, odorless and eco-friendly wall that will increase the life of your RV.





Weight matters 50% Lighter than wood



Let it rain – no mold, rot, mildew, warping or delamination



Unaffected by changes in temperature & humidity



Twice the thermal insulation of plywood



Free of formaldehyde, toxic odors and chemicals



Longer RV life



Quieter RVs



No deforestation

Knock on Wood

Traditional Lauan Sidewall Panels:

- Absorb and retain water
- Affected by humidity and temperature changes
- Susceptible to mold, rot, warpage and delamination
- Imported
- Heavier
- Inferior thermal insulation and noise blocking

Avoid Costly Water Damage

- Water and wood don't mix
- Water can cause rot, mold and delamination of wood sidewall panels causing thousands of dollars in damage



Soak Test

- 60 Day soak test
- Wood has visible mold and decay requiring wall repair
- AZDEL was 100%
 unaffected

APEX STANDARD FEATURES

frame &

polystyrene core



Entertainment Center

Includes an AMIFM stereo with Bluetooth, LED TV and upgraded stereo speakers. (Available on 284 BHSS, 290 BHS and 293 RLDS.)



Stainless Steel Sink
Farm style sink for easy
clean up of large pots

and pans.



Exterior Steps
Sturdy, solid step adjusts
to terrain for enhanced
stability and safety.



Lightingis energy efficient, bright and long lasting.

LED Interior



Power Tongue
Jack with Light
Standard on Ultralite

Dual LP Tanks with Cover

models.

(2) 20 Lb. tanks with cover for longer camping trips



Camp Kitchen

Camp kitchens are equipped with either a grill or a 2-burner cooktop, and a refrigerator. (Available on 186 BH, 194 BHS, 208 BHS, 245 BHS, 256 BHS, 265 RBSS, 266 BHS, 289 TBSS, 290 BHS, 293 RLDS – floorplan specific.)



One-Piece Seamless Countertop

Stain resistant, lighter weight countertop, no T-mold edge. (Helps prevent water damage.)

Kitchen Backsplash

Easy to clean. (N/A Nano)



Outside Kitchen

Includes a grill or two-burner cooktop, large refrigerator, plumbed sink, gooseneck faucet and additional storage. (Available on 203 RBK, 215 RBK, 251 RBK, 284 BHSS and 300 BHS – floorplan specific.)



Magnetic Door Closures

Hold door up and out of the way while accessing storage. Ultralite insulated slam-latch door shown.



EXPERIENCE YOUR OWN ULTRALITE ADVENTURE

Versatile Apex Travel Trailers provide a perfect home base, wherever the road leads.





APEX'S FULL LINE OF **ULTRALITES ARE PERFECT** FOR SMALLER TOW VEHICLES





423 N. Main Street • P.O. Box 30 • Middlebury, IN 46540 To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit https://coachmenrv.com/travel-trailers/ apex-ultra-lite.

Coachmen Interactive Mobile Manuals

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Coachmen product. Ranging from

"How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.

YOUR APEX DEALER

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Apex by Coachmen RV, a Division of Forest River, Inc., a Berkshire Hathaway company. All rights reserved. 10/21



24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

JUMP-STARTS TIRE CHANGES FLUID DELIVERY WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR **SERVICES**



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**





www.Forest River Buy Local.com



Scan this barcode using 🖬 a QR Reader on your smart phone to learn more about Forest River.





GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

