


2022 Salem Eastern 2020 Salem Western 2020 Salem Northwest








MODEL #: 32BHDS UVW: 7,993 LBS LENGTH: 36'5"

MODEL #: 33TS UVW: 9,276 LBS LENGTH



SALEM PRODUCT FAMILY



FREE MEMBERSHIP to Forest River Owners' Group

Scan this barcode using

a OR Reader on your

smart phone to learn

more about Forest River.

A Berkshire Hathaway company

Learn More

FSX

CRUISE LITE

SALEM

VILLA / GRAND VILLA

HEMISPHERE



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including rargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your ourchase decision. Litho. U.S.A. FOR 1609 P/W: 2019.01.22

MEET YOUR SALEM DEALER

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.


The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



WHERE AFFORDABILITY AND LUXURY MEET







27RKS



28RLSS



32BHDS



300BSS

	26DBUD	27RE	27RKS	27TDSS	28RLSS	300BSS	32BHDS
HITCH WEIGHT (LBS.)	866	877	836	806	844	817	931
GROSS VEHICLE WEIGHT RATING (LBS.)	9999	9999	9999	9980	9999	9985	9999
UNLOADED VEHICLE WEIGHT (LBS.)	7258	7965	7154	6662	7048	7145	8403
CARGO CARRYING CAPACITY (LBS.)	2741	1996	2845	3318	2913	2840	1596
EXTERIOR LENGTH (FT.)	33' I"	34′ I″	33' 6″	32′	34′ 9″	33' 10"	36′ 4″
EXTERIOR HEIGHT (FT.)	II' 3"	II' 3″	II' 2"	II' 2″	II' 3″	II′ 3″	II' 3″
FRESH WATER (GAL.)	56	56	56	56	56	56	56
GREY WATER (GAL.)	75	60	65	75	80	60	58
BLACK WATER (GAL.)	40	30	28	40	35	30	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15

Standards & Options

CONSTRUCTION AND EXTERIOR

- 5/8 TONGUE AND GROOVE FLOOR DECKING
- FULL WALK ON SEAMLESS PVC ROOF WITH A 15 YEAR
 MANUFACTURER DEFECT WARRANTY
- EXTRA-LARGE FULL PASS THROUGH STORAGE (PER FP)
- MILDEW RESISTANT VINYL PATIO AWNING
- SAFETY GLASS WINDOWS
- POWDER COATED I-BEAM FRAME
- CAMBERED CHASSIS
- GAS/ELECTRIC QUICK RECOVERY DSI WATER HEATER
- WATER HEATER BYPASS
- 2" WALL CONSTRUCTION, I6" (OR LESS) ON CENTER
- TRIPLE SEAL SLIDE OUT SYSTEM
- FLUSH FLOOR ELECTRIC SLIDE OUT
- SWING ARM ENTRY ASSIST HANDLE
- TWO MARINE GRADE EXTERIOR SPEAKERS
- AERODYNAMIC FRONT RADIUS PROFILE
- SMOOTH 40 MIL ALUMINUM FRONT WRAP
- EASY LUBE AXLES W/ SELF ADJUSTING BRAKES
- ONE PIECE SLIP RESISTANT VINYL FLOOR
- R-7 FIBERGLASS INSULATION THROUGHOUT
- TEXTURED ROCKGAURD
- HURRICANE STRAPS
- LP QUICK DISCONNECT
- I I/4" RECEIVER
- 7 WAY CORD HOLSTER

KITCHEN

- NEW SHAKER STYLE CABINET DOORS
- HIDDEN HINGES THROUGHOUT
- DOUBLE DOOR REFER (2YR WARRANTY)
- HIGH RISE SPRING FAUCET
- RESIDENTIAL STYLE UNDER MOUNT KITCHEN SINK
- 3-BURNER, HIGH OUTPUT RANGE WITH OVEN (2YR WARRANTY)
- FULL EXTENSION BALL BEARING DRAWER GUIDES
- SHELVING IN OVERHEAD CABINETS IN THE KITCHEN
- LARGE POTS AND PANS STORAGE UNDER DINETTE (PER FP)
- HIGH DEFINITION COUNTERTOPS

LIVING ROOM

- 80" INTERIOR HEIGHT
- DUCTED 15 K A/C ROOF AIR CONDITIONER
- HUGE STORAGE DRAWER UNDER JIFFY SOFA
- LARGE DINETTE PICTURE WINDOW
- DIGITAL ANTENNA WITH BOOSTER
- BLUETOOTH FM STEREO
- 30K BTU SUBURBAN FORCED AIR DSI FURNACE W/ DIGITAL THERMOSTAT (2 YR WARRANTY)
- IN-FLOOR DUCTED HEAT
- CABLE TV HOOKUP LIVING ROOM AND BEDROOM

BEDROOM

- NEW UPGRADED MATTRESS WITH PILLOW TOP IN MASTER BED
- STRUT LIFTED STORAGE AREA UNDER BED
- BEDSIDE IIO-VOLT POWER OUTLETS (2)
- BEDSIDE USB CHARGERS (2)
- SOLID BEDROOM PRIVACY DOOR (PER FP)
- BEDSIDE HAMPER ACCESS (PER FP)

BATHROOM

- I2-VOLT POWER BATH ROOF EXHAUST FAN
- FOOT FLUSH TOILET
- HIGH DEFINITION COUNTERTOPS

SECURITY AND SAFETY

- LP LEAK DETECTOR
- SMOKE DETECTOR
- CARBON MONOXIDE DETECTOR
- FIRE EXTINGUISHER
- WELDED HEAVY DUTY SAFETY CHAINS
- ELECTRIC FULL SELF-ADJUSTING BRAKES
- GFI RECEPTACLES
- ANSI 119.2 CERTIFIED
- MEETS ALL NATIONAL HIGHWAY ADMINISTRATION SPECS
- RVIA APPROVED PRODUCT



CRUISE LITE

BRANK ST

000000

1

B

-

WHITE .

Live Jaug







24IRLXL


REFER WARD

24IBHXL





191SSXL



211SSXL



Standards & Options

STANDARD FEATURES

- NEW ADJUSTAB<u>le Hidden Hinges</u>
- LARGER ENTERTAINMENT CENTER WHICH ALLOWS FOR A LARGER TV (PER FP)
- AERODYNAMIC FRONT PROFILE
- SHAKER <u>STYLE CABINET DOORS</u>
- 3 BURNER COOKTOP
- I3.5 A/C (NON-DUCTED)
- LP QUICK DISCONNECT
- DIGITAL TV ANTENNA WITH BOOSTER
- CABLE/SATELLITE READY
- BLUETOOTH STEREO WITH REMOTE
- "TEDDY BEAR" BUNK MATTRESS
- 2 GAS STRUTS UNDER MAIN BED
- LARGER TABLES AT U-DINETTE
- 2 EXTERIOR SPEAKERS
- 2-20LB LP BOTTLES WITH HARD COVER
- EXTRA-LARGE KITCHEN OVERHEAD CABINETS
- STAINLESS STEEL MICROWAVE WITH CAROUSEL
- BALL BEARING DRAWER GUIDES
- 6 GAL GAS DSI WATER HEATER
- PASS THROUGH STORAGE (PER FP)
- HIGH DEFINITION COUNTERTOPS
- 78" INTERIOR HEIGHT
- EASY LUBE AXLES WITH SELF ADJUSTING BRAKES
- 30K BTU SUBURBAN FURNACE
- DOUBLE DOOR REFER


POPULAR OPTIONS

- RANGE WITH OVEN IPO OF COOKTOP
- SPARE TIRE AND CARRIER
- DUCTED A/C (PER FP)
- OUTSIDE CAMP AND OUTDOOR KITCHENS (PER FP)
- POWER STABILIZER JACKS
 - SINK COVERS


	190RBXL	201BHXL	202RDXL	212RBXL	221BHXL	231RKXL	241BHXL	24IRLXL	254RLXL	261BHXL	263BHXL	271BHXL	273QBXL	282QBXL	19ISSXL	211SSXL	251SSXL
HITCH WEIGHT (LBS.)	570	465	552	610	665	585	595	680	685	495	635	775	760	705	710	890	835
GROSS VEHICLE WEIGHT RATING (LBS.)	7570	7465	7552	7610	7665	7585	7595	7680	7685	7495	7635	7775	7760	7705	8710	8890	8835
UNLOADED VEHICLE WEIGHT (LBS.)	4558	4173	4484	4988	5203	5329	5203	5478	6063	4715	5893	6353	6118	6457	5188	5284	5721
CARGO CARRYING CAPACITY (LBS.)	3012	3292	3068	2622	2462	2256	2392	2202	1622	2780	1742	1422	1642	1248	3522	3606	3114
EXTERIOR LENGTH (FT.)	22′ 8″	23′ 8″	25' 10"	24′ 4″	26′ 2″	27′ 4″	28′ 3″	28′ 8″	30' II"	28' 4"	31' 8"	32' 10"	33′ I″	32' 10"	25′ 9″	27′ 5″	29′ 5″
EXTERIOR HEIGHT (FT.)	10′ 1″	10' 4"	10' 4"	10' 10"	10' 10"	10' 10"	10' 10"	10' 10"	10' 10"	10' 4"	10' 10"	10' 10"	10' 10"	10' 10"	II' IO"	II' 10"	II' IO"
FRESH WATER (GAL.)	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
GREY WATER (GAL.)	30	30	22	35	35	30	35	35	30	28	65	65	28	30	40	35	35
BLACK WATER (GAL.)	30	30	30	30	30	30	30	30	28	30	30	30	30	28	30	30	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

251SSXL





228RK



Standards & Options

STANDARD FEATURES

- NEW 6-WAY ADJUSTABLE HIDDEN HINGES
- STAINLESS STEEL SINGLE POLE FAUCET
- AERODYNAMIC FRONT PROFILE
- SHAKER STYLE CABINET DOORS
- NEW 3 BURNER COOK TOP
- 13.5K A/C
- TEXTURED ROCK GUARD
- NEW LP QUICK CONNECT
- NEW DOUBLE DOOR GAS & ELECTRIC REFER
- NEW RESIDENTIAL SINGLE BOWL SINK
- MICROWAVE WITH CAROUSEL
- AWNING
- 6 GAL GAS DSI WATER HEATER
- I-20LB LP BOTTLE
- AUTO IGNITION 20K BTU FURNACE
- NEW EXTERIOR TV HOOK UP
- MINI-BLINDS THROUGHOUT
- NEW TEDDY BEAR BUNK MATS (PER F/P)
- WATER HEATER BY-PASS
- FULL WALK ON SEAMLESS ROOF WITH A
 I5 YEAR MANUFACTURER DEFECT WARRANTY
- KITCHEN DRAWER W/BALL BEARING GUIDES
- HIGH DEFINITION COUNTERTOPS
- 78" INTERIOR HEIGHT
- E-Z LUBE AXLES W/SELF-ADJUSTING BRAKES

POPULAR OPTIONS

- POWER AWNING W/ ADJUSTABLE LEGS
- BLUETOOTH STEREO WITH REMOTE
- BACKUP CAMERA PREP
- SOLAR PREP
- NEW USB PORTS
- SPARE TIRE AND CARRIER
- SKYLIGHT OVER TUB
- POWER TONGUE JACK
- STABILIZER JACKS (2 OR 4)

	177BQ	177FQ	178DB	197SS	207BH	208RD	228RK	267SS	268BH
HITCH WEIGHT (LBS.)	445	430	485	495	470	565	550	655	545
GROSS VEHICLE WEIGHT RATING (LBS.)	4845	4830	5585	5595	4870	7565	7550	8455	7545
UNLOADED VEHICLE WEIGHT (LBS.)	3374	3334	4033	4113	3728	4235	4708	5280	4559
CARGO CARRYING CAPACITY (LBS.)	1471	1496	1552	1482	1142	3292	2842	3175	2986
EXTERIOR LENGTH (FT.)	22' 8"	22' 8"	24'	24' 2'"	22' II"	25' 10"	26' 3"	3I'	28' 8"
EXTERIOR HEIGHT (FT.)	10' 3"	10' 3"	10' 3"	10' 5"	10' 5"	10' 5"	10' 5"	10' 9"	10' 5"
FRESH WATER (GAL.)	48	48	48	48	48	48	48	48	48
GREY WATER (GAL.)	22	22	28	22	22	30	52	28	28
BLACK WATER (GAL.)	22	22	30	22	22	30	28	22	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15





267SS





SELECT

Specification Definitions

GVWR (Gross Vehicle Weight Rating) iS the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment.

 shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River
 RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

CCC (Cargo Carrying Capacity)** - is

the amount of weight available for

fresh potable water, cargo, additional

optional equipment and accessories.

fresh potable water (8.3 lbs per gallon).

CCC is equal to GVWR minus UVW. Available CCC should accommodate

Before filling the fresh water tank,

provide for more cargo capacity.

** Estimated average based on

empty the black and gray tanks to

standard buildoptional equipment

Each Forest River RV is weighed at

the manufacturing facility prior to

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1420 P/W: 2019.3.1

FREE MEMBERSHIP to Forest River Owners' Group





A Berkshire Hathaway company.

FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 I (909) 873-3777 WWW.FORESTRIVERINC.COM/SALEM I WWW.FORESTRIVERACCESSORIES.COM EFFECTIVE FOR UNITS PRODUCED STARTING SEPTEMBER IST, 2019

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

YOUR SALEM DEALER




NORTHWEST



THWES







For more info, pictures & 360 Tours, visit www.forestriverinc.com/Salem



CLOSET

CLOSET

Pass-Thru Storage

CLOSET

	22RBS	25RKS	25RLS	26DBUD	27REIS	27RKSS	32BHDS
HITCH WEIGHT (LBS.):	783	578	597	824	735	860	910
UVW (LBS.):	5743	5794	5987	6988	7365	6798	8283
CCC (LBS.):	2040	1784	1610	2636	2170	2862	2787
EXT. LENGTH	27' 4"	29′ 1″	30′ 9″	33' 8"	34'1"	33' 6"	36' 2"
EXT. HEIGHT W/AC	11' 2"	11' 3"	11′	11' 2"	11′ 5″	11' 3"	11′ 5″
EXTERIOR WIDTH	96″	96″	96″	96″	96″	96″	96″
FRESH WATER (GAL.)	61	61	61	61	61	61	61
GREY WATER (GAL.)	64	66	66	75	75	75	60
BLACK WATER (GAL.)	32	42	42	32	42	42	32
AWNING SIZE	16′	16′	12'	18	11 & 10	16′	18'

BEST IN CLASS PACKAGE

- » Extra Large Panoramic Window Package in Main Slide
 » SolidStep Triple Step (Main Door Only)
 » Large Capacity 10.7 cu ft Stainless Steel Refrigerator (12-volt)
- (Optional 8 or 6 cu. ft. gas/electric) » Seamless Countertops w/ undermount sink (No T-Mold)
- » Modern Cloth Roller Shades w/ AutoStop
 » Stow N Go Storage (Some models)
 » Green Pkg: Furrion Solar Prep & LED Mushroom Lights
 » Power Awning w/Adjustable Legs
- » Power Tongue Jack

» True Stabilizer Jacks w/ JT StrongArms

- » External LED strip lighting
- » ASTRO foil (Ceiling & Floor)
- » 30" Built-In Electric Fireplace (Heater) (Some models)
- » (2) Zone Residential Soundbar (Some models)
- » Friction Hinge Baggage Doors
- » Stainless Steel Roll Up Sink Cover
- » Black Tank Flush
- » Versa Lounge (Some models)
- » USB Port Package
- » Blue Tooth Stereo
- » Upgraded Pillow Top Mattress
- » Upgrade Appliance Package
- » Designer Spring Faucet

SALEM PRODUCT FAMILY



CRUISE LITE



SALEM

FREE MEMBERSHIP to Forest River Owners' Group



CLASSIC / ESTATE / GRAND VILLA

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights. inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1609 P/W: 2019.01.22

MEET YOUR SALEM DEALER

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE* TOWING

24/7 EMERGENCY

JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



about Forest River.

Learn More



www.forestriverfrog.co