

TWENTY TWENTY THREE | TRAVEL TRAILERS

LANCE



1685 & 1985 Shown



WE TRULY APPRECIATE YOUR INTEREST IN LANCE PRODUCTS.

Over the past 57 years of producing RVs, we have learned a lot. The biggest lesson has been to supply a high-quality, fully functioning RV that will provide you with years of memories.

The process to determine the best RV model for you can be enhanced by going to our website www.Lancecamper.com. The information on our website is updated more frequently than our printed materials.

We pride ourselves on relationships. The first relationship is with our Dealer Partners, who will be your primary contact for all Lance products. We have a Q&A section on our website that can answer most questions. If you have additional specific questions, they can be sent to us directly at Info@lancecamper.com, allowing direct communication with Lance. The next source of direct contact can be found on our website through our Lance Chat area, connecting you directly with a Lance representative.

We look forward to welcoming you to the Lance family.

Warm Regards, Gary Conley

Vice President/General Manager | Lance Camper



Gary Conley pictured above middle.



Superior Quality



Reader's Favorite



Industry Leading Innovation



Cutting Edge Design



Top Floor Plan







1985 Shown in Bronzite




2075 Shown in Lapis



2375 Shown in Lapis

TOP REASONS TO BUY A LANCE





QUALITY

Since 1965, Lance Camper has been building the highest quality travel trailers and truck campers, designed to deliver the most value and enjoyment possible. For 2023, we have raised the bar yet again in quality, design, and value. As a result, those who have owned a Lance return again and again. For the first-time buyer, we encourage you to "purchase your last RV, first!"



Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



Solid Surface Counter Tops – Residential styled galley counter tops look beautiful while resisting the negative effects of moisture.



TPO Lower Rock Guard – Great looking design made with durable material to fend off nature's worst! Who says you can't have both form and function!



Overhead Cabinetry Construction – Strong yet light Euro-Ply construction, combined with heavy-duty hinges and automatic LED lighting, rival custom residential cabinetry!



OFF-GRID CAPABILITY

Boondocking, dry camping, or overlanding, whatever you choose to call it, off-grid RV camping is valued by many as the best way to camp. The ability to set up camp without anyone in sight and being self-reliant has its merits. Gone are the hassles associated with overcrowded campsites and loud neighbors, but it does require a properly equipped RV, like a Lance.



Roof Mounted 190W Solar Panel (1 or 2) assists in keeping your battery(s) charged.



Lithium Batteries (1 or 2) are the latest battery technology offering more usable capacity vs. traditional batteries in a lighter, safer package.



3000W Power Inverter converts battery power to 110V power allowing use of select appliances and devices including laptops, CPAP machines and others, while your away from shore power.



LTE/Cell Signal Booster – Boost your cell signal and reach more cell towers, while multiple users enjoy greater coverage and faster on-line speeds with no extra monthly fees.



HERITAGE

Over 50 years of quality and industry-leading innovations have positioned the Lance brand as one of the most sought-after RVs on the road today. Respect is earned and not easily obtained in today's competitive marketplace.



California Roots - From humble beginnings in North Hollywood, CA, in 1965 to our current home in Lancaster, CA, as a result of a fierce dedication towards building the highest quality RVs possible, understanding our customer's needs and insulated from the "me too" designs of our competitors, the Lance brand has become one of the most respected and sought-after brands in the industry.



3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.



Established 1965 - From humble beginnings in North Hollywood, CA, to our current 13-acre campus home in Lancaster, CA, and recent expansion in Decatur, Lance has kept quality, product innovation and customer care as its primary objectives.



Experienced Staff - From our sales and service staff with a combined 1,000+ years of RV experience assisting customers and dealers to the 400+ production staff with 20+ years of tenure, the Lance Team has the expertise and passion for delivering the highest possible quality product, sales, and service experience in the industry.



STANDARD EQUIPMENT

What other manufacturers call optional, along with Lance quality, our customers enjoy 20+ of the most requested features as standard equipment. Below is a sampling of the more popular options, please see pages 16 & 17 for a complete listing.



Latitude Powered Awning - Provides unobstructed shade with direct response wind sensor & LED light bar.



Flat Bottom Microwave - Offers the latest cooking technology.



Electric Stabilizer Jacks W/Footpad - Make setup & teardown sweat free, keeping your trailer stabilized while parked. - N/A 1475 & 1575



Four Season's Comfort Technology Package - Key features including a heated holding tank design, insulated hatch covers & insulated over-cab bed mat, keep you warmer in the winter and cooler in the summer!



Truma A/C - One of the quietest A/C systems available is now standard equipment on Lance Trailers! Expanding on our partnership with Truma, the Aventa A/C brings efficiency and comfortable TV watching and night mode decibel levels!



4 SEASONS COMFORT

Extending your camping season in comfort, Lance's Four Seasons Comfort Technology package is standard equipment on every Lance. The intentional selection of several vital features combines to ensure you and your loved ones stay comfortable as you explore during the "shoulder seasons"!



Heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Hand sewn in our facility, the insulated hatch covers add an additional layer of insulation to vents and sky lights.



Ultra-Lightweight Dual-Pane Acrylic Euro Windows with built in screen and black-out shade, provide a stylish aesthetic with a wide range of adjustability as desired, from the secured vent only position to wide open for maximum airflow.



OPTIONAL EQUIPMENT

It's a short list.....Our lengthy list of standard features, which most competitors call "optional," has no equals. The following additional features is a sample of what is available for those seeking the absolute pinnacle of luxury. Please see pages 16 & 17 for a complete listing of optional equipment.



Lance Load Roof Rack - Safely store your canoe, kayak, paddle boards, etc. N/A 1475 & 1575 (Weight Limit 500lbs. Distributed)



Glow Step Revolution Entry Steps - Provides sturdy, adjustable, glow-in-the-dark steps for safe and secure entrance and exit.



Shock Absorbers - Take your suspension to the next level by protecting your trailer against less than perfect roads and providing an even smoother ride. N/A 1475 & 1575



Wireless Rear Camera W/Color Display and Sound - Makes backing up effortless.



LANCE & TRUMA

European technology meets California "cool"! Born and raised in different countries, both rose to the top of their respective categories. With a combined 127 years of experience, two successful legacy brands come together to deliver a "best in class" heating and air conditioning experience. Both are known for industry-leading quality and durability to ensure you create unforgettable times outdoors while Living the Lance Life!

FACTORY TOUR

A behind-the-scenes look at what is "The Lance Difference!" Take a plant tour of Lance Camper Manufacturing Corporation in Lancaster, CA. We want you to see our quality firsthand! Tours are open to all owners, shoppers, and RV enthusiasts who want to discover the Lance difference. Sign up today at lancecamper.com/factory-tour and watch online at www.lancecamper.com/factory-tour.





2285 Shown in Bronzite



2285 Shown in Grayson



2285 Shown in Lapis

DÉCOR

Variety is the spice of life and what we refer to as the "The Lance Look"! With three stunning selections, all professionally curated to compliment the cabinetry and key interior features, this might be the most challenging decision you'll have to make!

Bronzite - light beige/gray and light gray

Grayson - medium gray and light gray

Lapis - dark blue and light gray



SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1875	1985	1995	2075	2185	2285	2375	2445	2465
Floor Length	14'-10"	15'-9"	16'-6"	18' 1"	18'-9"	19'-2"	20'-3"	21'-2"	22'-6"	23'-6"	24'-11"	24'-11"
Overall Length	20'-0"	20'-9"	21'-5"	23' 0"	23'-8"	24'-1"	25'-1"	26'-1"	27'-6"	28'-5"	29'-10"	29'-10"
Width (Exterior)	84 3/8"	84 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"	96 3/8"
Height (Exterior) STD. A/C	10' 2"	10' 2"	10' 2"	10' 4"	10' 3"	10' 3"	10' 3"	10' 3"	10' 3"	10' 5"	10' 5"	10' 5"
Height (Interior)	80"	80"	80"	80"	80"	80"	80"	80"	80"	80"	80"	80"
Dry Weight* - Overall Weight	3225	3590	4620	5170	4965	4950	4930	5345	5775	5810	6605	6830
Axle Weight* - Towed Weight	2885	3240	4080	4450	4305	4450	4400	4430	4990	5000	6000	5900
Hitch Weight* - Hauled Weight	340	350	540	720	660	500	530	915	785	810	605	930
Cargo Capacity* - Gear	1275	1010	1680	1830	2035	2050	1870	2555	2225	2590	2095	2070
Available Axle Capacity**	1615	1260	2920	2550	2695	2550	2600	3370	2810	3800	2800	2900
GAWR (Per Axle)	4500	4500	3500	3500	3500	3500	3500	3900	3900	4300	4300	4300
GVWR	4500	4600	6300	7000	7000	7000	6800	7900	8000	8400	8700	8900
Fresh Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45
Gray Tank (Gal)	26	26	40	40	40	40	40	40	2/40	40	2/40	40
Black Tank (Gal)	26	26	40	40	40	40	40	40	40	40	40	40
Propane Tank (#/Gal)	1/5	1/5	3/5	3/5	3/5	3/5	3/5	3/5	3/5	3/5	3/5	3/5
Truma Combi Eco Plus	S	S	S	S	S	S	S	N/A	N/A	N/A	N/A	N/A
Truma AquaGo & Truma VarioHeat	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S	S	S	S	S
Converter / Loadcenter (AMP)	45	45	60	60	60	60	60	60	60	60	60	60
Sleeping Capacity (Min./Opt. Max.) ***	2/3	4	5	4	4	4	4	7	4/6	4/5	8	5
Convertible Dinette Bed	Opt. 36" x 59"	46" x 78"	54" x 78"	46" x 78"	54" x 78"	54" x 78"	40" x 80"	54" x 78"	54" x 78"	42" x 78"	42" x 78"	42" x 70"
Master Bed Size	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	60" X 80"	72" x 80"
Shower Dimensions	27" x 27"	21 3/4" x 32"	27" x 27"	21 3/4" x 32"	24" x 36"	27" x 27"	24" x 36"	24" x 36"	24" x 36"	32" x 32"	30" x 36"	24" x 36"

** When looking at cargo capacity you must consider the hitch weight of the trailer and axle capacity. Hitch weight is actually being hauled while the remaining Trailer weight on the axle(s) is being towed. Example if a trailer has a total weight of 4000 pounds with a 400 pound hitch weight that would mean 3600 pounds is on the axle(s). If the axle weight rating is 5200 for this unit you will have 1600 of axle capacity for cargo

*** 2285 Model Reduces to 4 W/Swivel Chairs





1985



1995



2075

Optional Exterior Kitchen



2185



2285

Optional Swivel Rockers
Sofa Bed Size 36" x 63"



2375

Optional Sofa Bed Size 49" x 68"



2445

Optional Exterior Kitchen



2465

SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1875	1985	1995	2075	2185	2285	2375	2445	2465	Weight (lbs.)
EXTERIOR													
Laminated Fiberglass Bonded Exterior W/Azdel Substrate	•	•	•	•	•	•	•	•	•	•	•	•	
Powdercoated 1" Beam Steel Chassis			•	•	•	•	•	•	•	•	•	•	
Leaf Spring Suspension W/Road Armor Equalizer			•	•	•	•	•	•	•	•	•	•	
Shock Absorber Package			0	0	0	0	0	0	0	0	0	0	10
Powdercoated Lightweight Huck Bolted Chassis	•	•											
Heavy Duty Rubber Tortion Bar Suspension Axle	•	•											
Lift Kit (2 7/8")	0	0											
Manual Stabilizer Jacks W/Foot Pad	•	•											
Electric Stabilizer Jacks W/Foot Pad			•	•	•	•	•	•	•	•	•	•	
Electric Smart Tongue Jack W/Car Cord/Safety Chain Storage Holder	•	•	•	•	•	•	•	•	•	•	•	•	
Hitch Ball Size	2"	2"	2½"	22½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"	
Aluminum Wheels W/Goodyear Radial Tires	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	
Spare Tire Carrier W/Rim & Tire	•	•	•	•	•	•	•	•	•	•	•	•	
TPMs System (Tire Pressure Monitoring System)	•	•	•	•	•	•	•	•	•	•	•	•	
Lightweight Hybrid Double Step - 24" (* 2 ea.) W/LED Courtesy Lighting	•	•	•	•	•	•	•	*	*	*	•	•	
Glow-Step Revolution - 25"	0	0	0	0	0	0	0	0	0	0	0	0	17
Molded Fiberglass Front Cap W/TPO Gravel Guard and Propane Cover	•	•	•	•	•	•	•	•	•	•	•	•	
Formed Jewel LED Docking Lights	•	•	•	•	•	•	•	•	•	•	•	•	
Rear TPO Eyebrow W/Formatted Vertical Side Pillars and Integrated LED Lighting			•	•	•	•	•	•	•	•	•	•	
Radius Acrylic Tinted Thermopane Euro Windows W/Combo Screen/Blackout Shades	•	•	•	•	•	•	•	•	•	•	•	•	
LED License Plate Light W/ Holder	•	•	•	•	•	•	•	•	•	•	•	•	
Large Opening Stargazer Acrylic Tinted Thermopane Front Euro Window	•	•	•	•	•	•	•	•	•	•	•	•	
Slide-Out End Wall Window(s)			•	•	•	•	•	•	•	•	•	•	
Phat Ladder (Thule Telescoping Ladder 2075 Model)			•	•	•	•	•	•	•	•	•	•	
Roof Rack System			0	0	0	0	0	0	0	0	0	0	35
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	•	•	
Slam Latch on Forward Storage Compartment Doors			•	•	•	•	•	•	•	•	•	•	
Keyed-Alike Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	•	•	
Euro Radius Entry Door W/Insulated Window, Pull Shade & Retractable Screen	•	•	•	•	•	•	•	•	•	•	•	•	
Roof Vent in Bed Area (MaxxFan)	•	•	•	•	•	•	•	•	•	•	•	•	
Roof Vent in Living & Bath Areas	•	•	•	•	•	•	•	•	•	•	•	•	
SkyMaxx Skylight Vent in Dinette							•						
Exterior Wash Station	•	•	•	•	•	•	•	•	•	•	•	•	
Exterior Kitchen (W/Drink Cooler 2075 Model)						0					0		178/79
Exterior Propane Connection	•	•	•	•	•	•	•	•	•	•	•	•	
48" Portable Folding Table W/Built-In Exterior Storage Feature			•	•	•	•	•	•	•	•	•	•	
Exterior TV Mounting Puck W/Removable Bracket	•	•	•	•	•	•	•	•	•	•	•	•	
2" Utility Receiver (300lb Limit)			•	•	•	•	•	•	•	•	•	•	
Swing-Out Entry Assist Handle	•	•	•	•	•	•	•	•	•	•	•	•	
Pull-Out Storage Tray (MorRyde)			•	•	•	•	•	•	•	•	•	•	
Pet Attachment Ring (Hitch Area)	•	•	•	•	•	•	•	•	•	•	•	•	
Awning Slide-Out Cover		0	0	0	0	0		0	0	0	0	0	16-32
Electric Awning 7' 2" Rear W/LED Lighting							0						
Electric Awning 12' 0" W/LED Lighting	•	•	•										
Electric Awning 14' 0" W/LED Lighting				•									

Due to supply-chain issues, certain features shown may have limited or late availability, been substituted or are no longer available. Please see your dealer and the actual unit regarding the features on an individual travel trailer.

	1475	1575	1685	1875	1985	1995	2075	2185	2285	2375	2445	2465	Weight (lbs.)
Electric Awning 16' 0" W/LED Lighting					•	•	•	•					
Electric Awning 19' 0" W/LED Lighting									•	•	•	•	
Backup Camera W/Wireless Monitor	0	0	0	0	0	0	0	0	0	0	0	0	2
Portable Generator Storage Compartment W/Tie-Downs and Security Toy Lock			•	•	•	•	•	•	•	•	•		
Power Cord/Water Hose Storage Compartment			•	•	•	•	•	•	•	•	•	•	

CONSTRUCTION/INSULATION

One-Piece Roof Membrane	•	•	•	•	•	•	•	•	•	•	•	•	
Exterior Tapered Ducted Air Roof Design (Ducted A/C N/A 1475 & 1575 Models)	•	•	•	•	•	•	•	•	•	•	•	•	
CNC Cut & Laminated Floor/Ceiling W/Aluminum Frame & Block Foam Insulation	•	•	•	•	•	•	•	•	•	•	•	•	
Azdel Interior Panel Walls	•	•	•	•	•	•	•	•	•	•	•	•	
4 Season Comfort Technology Package -Enclosed Underbelly Design W/Insulated and Heated Holding Tanks -Insulated Hatch Covers -Water Heater Bypass	•	•	•	•	•	•	•	•	•	•	•	•	

INTERIOR/DECOR

Interior - Grayson	0	0	0	0	0	0	0	0	0	0	0	0	
Interior - Bronzite	0	0	0	0	0	0	0	0	0	0	0	0	
Interior - Lapis	0	0	0	0	0	0	0	0	0	0	0	0	
Sofa Bed w/Kick Out Foot Rests									•				
Sofa Bed (Slide-Out)	0												185
J-Lounge									0			•	98
Swivel Rockers (1 Swivel Rocker/1 Swivel Only - 1475 Model)	•/2								0/2	•/2			20
Flat Panel Cabinet Doors	•	•	•	•	•	•	•	•	•	•	•	•	
Radius "Euro" Overhead Cabinet Doors W/Decorative Pulls & LED Lighting	•	•	•	•	•	•	•	•	•	•	•	•	
Euro-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	•	•	•	
Hidden Trash Can Compartment									•	•	•	•	
Key Hanger	•	•	•	•	•	•	•	•	•	•	•	•	
Magazine Rack	•	•	•	•	•	•	•	•	•	•	•	•	

GALLEY/APPLIANCES & EQUIPMENT

"Flush Mount" Stainless Steel 3-Burner Range W/21" Oven (17" 1575 Model)	•	•	•	•	•	•		•	•	•	•	•	
Decorative Backsplash	•	•	•	•	•	•	•	•	•	•	•	•	
Low Profile Range Hood	•	•	•	•	•	•	•	•	•	•	•	•	
Stainless Steel Flat Bed Microwave Oven	•	•	•	•	•	•	•	•	•	•	•	•	
Refrigerator 2-Way Double Door (Norcold 6 Cu. Ft.)			•		•	•	•	•	•	•	•	•	
Refrigerator 3-Way Double Door (Norcold 5 Cu. Ft.)	•	•		•									
Single "Undermount" Sink (Round) W/Residential Single Lever Pullout Sprayer	•	•		•									
Residential "Undermount" Large Farm Single Sink W/ Residential Single Lever Pullout Sprayer			•		•	•	•	•	•	•	•	•	
Sink Cover(s)	•	•	•	•	•	•	•	•	•	•	•	•	
Silverware Tray	•	•	•	•	•	•	•	•	•	•	•	•	
Solid Surface Galley Area Countertop and Extensions *Where Applicable	•	•	•	•	•	•	•	•	•	•	•	•	

	1475	1575	1685	1875	1985	1995	2075	2185	2285	2375	2445	2465	Weight (lbs.)
FRESH AND WASTE WATER SYSTEMS													
Water Pump W/In-Line Filter Residential Demand System	•	•	•	•	•	•	•	•	•	•	•	•	
Water Heater Gas/Electric W/Boost Mode Feature (Truma Combi Eco Plus)	•	•	•	•	•	•	•						
Water Heater Gas/Electric W/On-Demand Hot Water (Truma AquaGo)								•	•	•	•	•	

BATHROOM

Marine Toilet - Foot Pedal - Porcelain W/ Exterior Black Tank Flush			•	•	•	•	•	•	•	•	•	•	
Marine Toilet - Foot Pedal - Plastic W/ Exterior Black Tank Flush	•	•											
Residential "Undermount" Oval Lavy Sink W/ Hi-rise Single Lever Faucet	•		•	•	•	•		•	•	•	•	•	
Residential "Vessel" Lavy Sink W/ Hi-Rise Single Lever Faucet						•					•		
Tub		•											
Shower Pan	•	•	•	•	•	•	•	•	•	•	•	•	
Adjustable Slide Bar Shower Head Assembly		•	•	•	•	•	•	•	•	•	•	•	
Shower Miser	•	•	•	•	•	•	•	•	•	•	•	•	
Medicine Cabinet W/Mirror Door	•	•	•	•	•	•	•	•	•	•	•	•	
Bath Door Located Mirror	•	•	•	•	•	•	•	•	•	•	•	•	
Folding Lavy Extension								•	•				
Towel Rod on Wall	•	•	•	•	•	•	•	•	•	•	•	•	
Towel Ring			•	•	•	•	•	•	•	•	•	•	
Residential Radius "Glass" Shower Door Enclosure										•			
Residential Radius "Soft" Shower Door Enclosure				•	•		•	•	•		•	•	
Soft Radius Panel Shower Enclosure	•		•		•								
Shower Curtain W/Tieback		•											
Skylight - Dual Pane	•	•	•	•	•	•	•	•	•	•	•	•	
Ducted Heat	•	•	•	•	•	•	•	•	•	•	•	•	

BEDROOM

Deluxe Queen Pillow Top Innerspring Mattress W/Bedsread & 2 LED Reading Lights	•	•	•	•	•	•	•	•	•	•	•	•	
Deluxe King Pillow Top Innerspring Mattress W/Bedsread & 2 LED Reading Lights												•	
Bedsread W/Foot Throw	•	•	•	•	•	•	•	•	•	•	•	•	
Convertible Sofa/Queen Bed				•	0	0		0					72
Overhead Cabinet Bunk		•											
Fold-Up Bunk Beds (250 lbs. Weight Limit)							•/3			•/2			
Privacy Curtain			•	•	•	•	•	•	•	•	•	•	
Privacy Divider Door(s)							•		•	•	•	•	

DINETTE

Dinette W/Locking Pull-Out Storage Drawers			•	•	•	•		•	•	•	•	•	
U-Shaped Dinette W/Euro Telescoping/360 Degree Adjusting Table Top							•						

ELECTRICAL

Systems Monitor Panel W/Battery Indicator	•	•	•	•	•	•	•	•	•	•	•	•	
12V/USB Charging Port(s)	•	•	•	•	•	•	•	•	•	•	•	•	
Lithium Battery (Up to 2)	0	0	0	0	0	0	0	0	0	0	0	0	34 ea.
Upgraded Battery Monitor	0	0	0	0	0	0	0	0	0	0	0	0	1
3000W Inverter	0	0	0	0	0	0	0	0	0	0	0	0	154
LED Interior & Exterior Lighting	•	•	•	•	•	•	•	•	•	•	•	•	
Storage Compartment Lighting	•	•	•	•	•	•	•	•	•	•	•	•	
Locking Dual Battery Compartment W/ Battery Disconnect			•									•	
Locking Dual Battery Compartment				•	•	•	•	•	•	•	•	•	

Due to supply-chain issues, certain features shown may have limited or late availability, been substituted or are no longer available. Please see your dealer and the actual unit regarding the features on an individual travel trailer.

	1475	1575	1685	1875	1985	1995	2075	2185	2285	2375	2445	2465	Weight (lbs.)
W/Sliding Tray & Battery Disconnect													
Single Battery Mount (Located on Chassis "A" Frame) W/ Battery Disconnect	•	•											
A/C - Truma Aventa 13.5M BTU W/Wall Control and Remote	•	•											
A/C (Ducted) - Truma Aventa 15M BTU W/Wall Control and Remote			•	•	•	•	•	•	•	•	•	•	
Wall Thermostat	•	•	•	•	•	•	•	•	•	•	•	•	
MaxxAir Vent W/Remote	•	•	•	•	•	•	•	•	•	•	•	•	
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•	•	•	
Pre-Wired for Park/Sat Cable	•	•	•	•	•	•	•	•	•	•	•	•	
JBL AM/FM Stereo W/Powered Bass Sub Woofer	•	•	•	•	•	•	•	•	•	•	•	•	
JBL Interior/Exterior Bluetooth Speaker W/Wall Mount Bracket	•	•	•	•	•	•	•	•	•	•	•	•	
TV 24" Smart LCD W/ TV Antenna HD	•	•	•			•	•						
TV 32" Smart LCD W/ TV Antenna HD				•				•	•	•	•	•	
TV 40" Smart LCD W/ TV Antenna HD				•									
TV 24" Smart LCD - Bedroom							0		0	0	0		14
TV 40" Smart LCD - Bedroom												0	40
LTE/Cell Signal Booster	0	0	0	0	0	0	0	0	0	0	0	0	2
Electric Fireplace				•								•	
LED Patio & Hitch Lights - Switched	•	•	•	•	•	•	•	•	•	•	•	•	
Exterior Receptacle (SAE) Solar Panel Port	•	•	•	•	•	•	•	•	•	•	•	•	
Solar Panel - 190 Watt	0/1	0/1	0/2	0/2	0/2	0/2	0/2	0/2	0/2	0/2	0/2	0/2	25 ea.
Exterior 12V/120V Patio Outlet and Entertainment Coax Cable Receptacle	•	•	•	•	•	•	•	•	•	•	•	•	

Option Weights – All weights are estimates and may vary. • = Standard Option 0 = Optional Feature





1575 Shown in Grayson



1995 Shown in Lapis



2445 Shown in Bronzite

DESIGN & CONSTRUCTION

- A.** The roof is covered in energy-star rated synthetic membrane material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum “R” value and promotes structural strength.
- C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** Fiberglass upper nose cap with TPO lower gravel guard with LED lighting, combine for beautiful and resilient protection from the abuses of the road.
- F.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better “R” value for superior insulation.
- G.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- H.** Heavy duty leaf spring suspension with “Road Armor” equalizer system and optional shock absorber package, absorbs bumps and vibrations resulting in a more comfortable ride with less stress on your trailer. (N/A 1475 & 1575)
- I.** Engineered “I” beam tempered steel chassis provides a reliable and proven platform for years of trouble free operation. (N/A 1475 & 1575)
- J.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- K.** The fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.



1172 & 1685 Shown



2023 LANCE® TRAVEL TRAILER BROCHURE ©2023 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks, or designations are trademarks, service marks, or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings are kept as accurate as possible. Refinements and changes during the model year and between model years may be made and the actual product received may not match these marketing materials exactly. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models and features shown in marketing materials and/or on its websites without notice and without incurring obligation. This includes potential changes to parts and design features based on component availability and cost. For any specific model year, parts and features incorporated into the final product, including but not limited Truma air heaters (furnaces) and Truma water heaters, will vary by brand and model. Brochure printed in the USA on FSM paper. 15K, 8/25 Rev. 1.0.

The information provided in this brochure applies to all 2023 model year products.

2YEAR
STRUCTURAL LIMITED
WARRANTY

15YEAR
ROOF LIMITED
WARRANTY

Please see lancecamper.com/warranty for details.

MOBILE APPS

Get to know Lance Campers on your terms with the Lance Buyers Guide App! Get up close and personal with the "Build Your Own" product configurator, 360-user controlled views, product & feature videos, take a virtual plant tour, and much more! After joining the family, utilize the Lance Connect App to access helpful "How To" feature videos, find your closest servicing dealer, Lance Owners of America information, and even trip planning assistance!

