

DIFFERENT BY DESIGN

2024 5 SERIES ISATA

s seriesta 4x4

ISATA 5 SERIES

In the Isata 5 Series driver's seat, you'll enjoy the confidence that comes with the control, comfort, and stability of the Ram 5500 4x4 Chassis. Meanwhile, everywhere you look you'll see the extra touches - including cut and buffed paint, RV-friendly features, and ambient lighting. So wherever your journeys take you - along the busy highway or up the mountain pass, or even on the "roads less traveled", the Isata 5 Series will provide freedom and comfort like nothing else on the road.





STANDARD FEATURES & OPTIONS

CHASSIS

- Ram[®] 5500 SLT Chassis Factory 4-Wheel Drive
- Cummins[®] 6.7L I6 Turbo Diesel Engine (360 hp / 800 lb-ft. of Torque)
- AISIN[®] HD 6-Speed Automatic Transmission
- 52-Gallon Fuel Tank
- 9-Gallon Diesel Exhaust Fluid Tank
- Trailer Hitch (10,000 Tow lbs. / 750 Tongue lbs.) with 7-Way Round Tow Connection
- Weigh Safe[®] Trailer Hitch Receiver
- Active Brake Assist
- Adaptive Cruise Control Ram[®] OEM Trailer Brake Control
- Cummins[®] Smart Exhaust Brake System
- Ram[®] ESC Suspension and Stability Package
- DynaRide+ Upgraded Suspension System featuring Four-Point Bilstein® Gas-Charged Shock Absorbers and Rear MORryde® RSX[™] Rubber Shear Springs with Heavy-Duty Rear Sway Bar
- Momentary Battery Booster Switch for Connecting Chassis and House Batteries
- Tire Pressuring Monitoring System
- Dual 12V Chassis Batteries
- Dual 220-Amp Alternators (440 Total Amps)
- 4-Wheel ABS
- B-20 Bio Diesel Capability
- Ram[®] 50KSI Chassis Construction
- Engine Block Heater
- Aluminum Running Boards Aluminum Wheels (Set of Four)
- Front and Rear Tires: 225/70R19.5G
- (All Position Front and Rear Traction)
- Single Front Wheels and Dual Rear Wheels (19.5" x 6")
- Dual Rear Wheels: Aluminum (19.5" x 6.0") *Outside Rims are Polished
- 4.88 Rear Axle Ratio
- Daytime Running Lights
- Heated, Leatherette Reclining Driver and Passenger Seats
- with Armrest
- Power Driver Seat
- Quad-View Camera System (Right Side, Left Side, Hitch, and Rear Horizon Views)
- 12V and USB Accessory Ports
- Temperature/Compass Gauge with Traveler/Mini-Trip Computer

FULL BODY PAINT PACKAGES With Front-Find Diamond Shield



8.4" Touch Screen Dash Radio with U-Connect[®], Hands-Free

Voice Command with Bluetooth®, Sirius/XM® Radio-Ready,

Power and Heated Exterior Mirrors with Courtesv Lamps

Six (6) Speakers

and Turn Signals

■ 3-Point Seat Belts

Drink Holders

Rear Bumper

CONSTRUCTION

Aluminum-Framed Floor

Composite Flooring Substrate

Aluminum-Framed Roof Trusses

Foil-Lined Ductwork Throughout

Dark-Tinted, Frameless Windows

Custom Full Body Paint Package

Premium Cut and Buffed Paint Finish

Front-End Diamond Shield[®] Paint Protection

Armless Patio Awning with LED Lighting

and Motion-Activated Retraction

with Paddle Latches

Electric Slide System

Slideout Toppers

and Integrated Shade

LED Patio Light

EXTERIOR

Crowned, One-Piece Fiberglass Roof

Front Safety Airbags

Heated Steering Wheel

Adjustable Steering Column

Power Windows and Locks

2" Aluminum-Framed, Laminated Sidewalls

with High-Density Block Foam Insulation

(Lightweight and Moisture-Resistant)

Fiberglass Front Cap and Front Wing Panels

Automatic, 4-Point Hydraulic Leveling Jacks

Seamless Rotocast Storage Compartments with LED Lighting

Side-Hinged, Locking Aluminum Exterior Storage Doors

Power Entry Steps with Upgraded SeaDek[®] Step Treads

Entry Door with Rotary Latch; Dark-Tinted, Frameless Window;

Composite Exterior Fiberglass (No Exterior Wood)

Media Hub (SD, USB, AUX), Apple[®] CarPlay[®], Android Auto[®], and

- Kevless Entry Touch Pad at Entry Door Lighted Acrylic Entry Grab Handle Exterior Wall-Mounted Entertainment Center
- with 32" Smart LED TV (N/A 28SS) Exterior TV Mount (28SS Only)
- Front and Rear LED Clearance and Marker Lighting
- Rear LED Docking Lights
- Rear "DYNAMAX" Rock Guard

INTERIOR

- Front Cab-Over Bunk Area with Mattress (50" x 80") and Privacy Curtain
- Premium Vinyl Flooring Throughout
- Soft-Touch Padded Vinvl Ceiling
- LED Ceiling Lighting
- Sprung, Residential Style Dinette Seats with Lift Up Storage
- Tri-Fold Sofa (30FW, 34DS)
- Coordinating Window Treatments
- Blackout Roller Shades
- Hardwood Craftsman-Style Cabinetry
- Full Extension, Soft-Closing Drawer Guides (where applicable)
- Hidden Hinaes
- 39" Smart LED TV (Living Area)
- Sound Bar (Living Area)
- Entry with Non-Skid Rubber Steps and Risers
- Thermal, Reflective Front Privacy Shades
- USB Charging Ports

KITCHEN

- Gas Range with Glass Cover
- Convection Microwave Oven
- 16 cu. ft. Residential Refrigerator with Ice Maker (Double-Door and Stainless Steel) (N/A - 28SS)
- 12V 10 cu. ft. 2-Door Compressor-Driven Refrigerator (28SS Only)
- Solid Surface Countertops with LED Lighting and Backsplash
- Solid Surface Countertop Extension
- Stainless Steel Sink with Solid Surface Covers
- Residential Stainless Steel Spring Gooseneck Faucet
- Pantry (Floor Plan Specific)
- Overhead Cabinet Accent Lighting
- Under-Cabinet Lighting
- Kitchen Trash Can
- MaxxAir[®] Power Vent with Built-In Rain Cover

BEDROOM OR BUNK AREA

- King Bed (71" x 78") with Gel-Infused Memory Foam Mattress (34DS)
- Queen Bed (60" x 75") with Gel-Infused Memory Foam Mattress (30FW and 28SS)
- Deluxe Padded Headboard (28SS and 34DS)
- Designer Bedding Package
- 32" LED Smart TV
- Cedar-Lined Wardrobe
- LED Reading Lights
- USB Charging Ports

BATHROOM

- Designer Shower with Skylight
- Oxygenics Body Spa[®] RV Shower Head
- Stainless Steel Sink with Residential Faucet
- Porcelain Electronic-Flush Macerator Toilet (N/A 30FW)
- Porcelain Foot-Flush Toilet (30FW)
- MaxxAir[®] Power Vent with Built-In Rain Cover

UTILITIES

- Dual Low-Temp Lithium Auxiliary Batterys (200aH Total)
- Firefly Multiplex[®] Wiring with Touch Screen Command Center, Switch Panels, and Bluetooth® Smart Phone App Control
- Battery Disconnect
- 50-Amp Service
- 3,000W Hybrid Pure Sine Wave Inverter/Charger (3.500 Peak Watts)
- 8kW Onan[®] Diesel Generator with Auto Transfer Switch (Mounted on Isolator Pads)
- Automatic Generator Start
 - Solar Panel Single 190 Watt with 30 Amp Controller Dual Ducted, Low-Profile 15,000-BTU Air Conditioners
 - with Heat Pumps
 - 40,000-BTU LP Furnace with Electronic Ignition ■ 60,000-BTU Truma® Agua Go Comfort[™] On-Demand Water

All information contained in this brochure is believed to be accurate at the time of publication. Please be advised that the stated Standards and Options are subject to change during the model year due to factors outside of the direct control of Dynamax,

- Heater (LP) 20.3-Gallon LP Tank (WC)
- LP Quick Connect
- Water Filtration System Exterior Shower in Service Bay
- Exterior GFCI Receptacle

- 30FW with Grav Mist cabinetry and Milano décor shown with optional power theater seats.
- Winegard[®] AIR 360+[™] Dome Antenna (WiFi Extender, 4G LTE, Omnidirectional VHF/UHF OTA, FM, SIM Card Port) ■ 4x4 HDMI Matrix
- Cable TV/Satellite Hookup in Service Bay
- Black Tank Flush
- SureLevel[®] Tank Level Monitoring System
- Furnace-Heated Utility Compartment
- Enclosed and Furnace-Heated Holding Tanks
- Upgraded 12V On-Demand Water Pump (4 gallons per minute)
- Carbon-Monoxide, LP, and Smoke Detectors

- place of Standard Refrigerator (30FW, 34DS)
- (28SS Only)
- (30FW, 34DS)
- BelITV° SD-HD)

Xplorer Package - includes Dual-Pane, Dark-Tinted Frameless Windows; Insulated Cab Curtain; Four Lithium House Batteries (400aH Total);

950W Solar Package; & Insulated Utility Bay with Secondary Tank Heater and Temperature Sensor (N/A 34DS)

Dimensions:	28SS	30FW	34DS
GVWR	19,500 lbs.	19,500 lbs.	19,500 lbs.
GCWR	37,500 lbs.	37,500 lbs.	37,500 lbs.
GAWR – Front	7,250 lbs.	7,250 lbs.	7,250 lbs.
GAWR – Rear	13,500 lbs.	13,500 lbs.	13,500 lbs.
UVW*	16,203 lbs.	16,856 lbs.	17,763 lbs.
Overall Length	31' 2"	33' 3"	35' 11"
Exterior Width	96"	96"	96"
Wheelbase	217"	237.5"	264.5"
Overall Exterior Height			
(w/15,000 BTU Roof A/C)	12' 4"	12' 4"	12' 4"
Interior Height	82"	82"	82"
Fuel Capacity	52 Gal.	52 Gal.	52 Gal.
Water Capacities (Gal.)			
Fresh/Gray/Black	78/45/45	78/45/45	78/45/45
LPG Capacity (WC)	20.3 Gal./86 lb.	20.3 Gal./86 lb.	20.3 Gal./86 lb.
Awning Length	16'	16'	16'

*UVW is an estimate only based on standard equipment.



- Fire Extinguisher

OPTIONS

- 12V 10 cu. ft. 2-Door Compressor-Driven Refrigerator in
- Dual, Power Reclining Theater Seats in place of Dinette
- Dual, Power Reclining Theater Seats in place of Sofa
- Winegard[®] In-Motion T4 Satellite (Dish[®] SD-HD, DirecTV[®] SD,

The Optional All Season Xplorer Package

Tested and developed for over a decade in the Canadian Rockies









- **Dual Lithium Batteries –** 400 AH with built-in heaters to maximize off-grid efficiency
- Enhanced Solar Power 950 Watts with MPPT controllers for up to a 30% better charging rate
- **Dual-Pane Windows -** reduce condensation to help maintain interior temperature
- Furnace-Heated Utility Bays with Thermal-Foil Insulation enhance heat retention.
- Secondary 12V Tank Heater in Utility Bay thermostatically-controlled; provides auxiliary/back-up heat
- **Temperature Sensor in Utility Bay -** displays on interior multiplex panel
- Enhanced Insulation in Walls, Floor, and Roof more easily maintains optimal interior temperature
- Insulated Cab Curtain closes off the cab area in colder climates to minimize heat loss



DIFFERENT BY DESIGN

2745 Northland Dr. • Elkhart IN 46514 888-295-7859 • www.dynamaxcorp.com

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GCWR (Gross Combined Weight Rating) - is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR (Gross Loade Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safety supported by each axie.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Bas. The UWW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. **Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)* - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The land capacity in virun unit is denimated hu weights of hu values are summarized as a summarized of the second s

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance

of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2023 Dynamax, a Division of Forest River, Inc., a Berkshire Hathaway company, All Rights Reserved. 09/23





GRAY MIST



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Paint Video

Drawers

https://www.youtube.com/watch?v=sLgLoR26jfs

Factory Video Tour https://www.youtube.com/watch?v=q5cG43PD7SE





Your Authorized Isata 5 Series Dealer



