

SUMMER / AUTUMN 2022 EDITION



AWARD WINNING POP-UP CAMPERS
& OVERLANDING TRAVEL TRAILERS



Escape with confidence



**INTRODUCING THE
XT17HRT TRAVEL TRAILER**



BUILT TOUGH FOR THE U.S.A

Welcome to MDC Camper Trailers And Offroad Caravan

Established in 2005, MDC has grown to be one of Australia's largest manufacturers of off-road trailers. With more than 30,000 units traveling throughout Australia's toughest outback, beaches and highlands. MDC has the experience to build trailers to last.

A proud family owned business, we take pride in having 3 showrooms across the United States with our U.S based production facilities delivering quality products at affordable prices.

At MDC we live and breathe the outdoor lifestyle and continue that passion with our research and development. Our senior management, staff and their families regularly undertake R&D trips across some of Australia's and America's toughest terrain, punishing and testing the products to ensure you get the most reliable trailer possible.

Only quality materials go into building MDC products. These are supported by strategic partnerships with quality appliance manufacturers. Dometic, Smev and Truma are just some of the quality brands you will find in an MDC trailer.

Find out for yourself why owning an MDC trailer means you can "Escape With Confidence."



Designer and manufacturer of power supplies, controls, monitors and multiple systems for RVs.

HISTORY AND EXPERIENCE

BM PRO has its genesis from a business with a rich 50-year history in developing custom designed power management platforms. With design and manufacturing facilities in Melbourne, Australia, BM PRO has over 150,000 systems installed across various combinations of power management, control and monitoring systems in the RV industry worldwide. BM PRO currently supplies the majority of all substantial RV manufacturers in Australia and U.S.

INNOVATION

Many of the systems available now are very new to the RV market. Our R&D department houses leading edge technology with highly trained and experienced automotive and electronic engineers who use the latest design tools to create unique solutions.

BM PRO is one of the pioneers using digital platforms in RVs with one of the world's largest install bases of smart power management systems. We continue to research the latest trends and combined with extensive research within the RV consumer market we provide ideas and products which are at the forefront of making the RV users experience during their vacation free of any unnecessary drama.



VIDEO HINTS, TIPS AND TRICKS

Knowledge is power and MDC gives you the power with the MDC Masterclass series. An extensive video library presented by our very own Steve Zammit full of useful information to make owning an MDC trailer a rewarding and hassle free experience.

Maintenance tips, preparing for your overland adventure and doing it all safely is covered by Steve's presentations, built from knowledge gained through decades of camping, 4x4 and overland adventures.

Rewarding viewing for those new to overland and seasoned travelers alike, head across to our YouTube channel and check it out.



Scan the QR code to view our Masterclass tutorials



CONTENTS

Industry membership Info04

MDC POP-UP CAMPERS

Explorer Forward Fold05

Jackson Forward Fold06

Robson XTT Dual Fold07

AUSRV TRAVEL TRAILER

AusRV X1508

MDC TRAVEL TRAILERS

XT12HR 10

XT13 11

XT16HR Family 12

XT16HR Island 13

XT16HR East West 14

XT17HRT 15



All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.

INDUSTRY MEMBERSHIPS



RV INDUSTRY ASSOCIATION (RVIA)

MDC Campers and Caravans Inc are proud members of the RVIA. This membership demonstrates our compliance to the RV standards adopted by the Association.

Further more, it represents our pledge to meet the Association's membership conditions, which include being subject to regular, periodic compliance audits by RVIA standards inspectors, who monitor and provide education on thousands of requirements impacting electrical, plumbing, heating, fire and life safety systems and construction meeting U.S. Federal Safety Standards and exceeding them.

The presence of the RV Industry Association seal on our units demonstrates our commitment to the industry, moreover, most public and private campgrounds in the United States require that RVs have an affixed standards seal to obtain entry.



NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS (NATM)

MDC Campers and Caravans Inc are proud to be committed to building trailers that comply with Federal Motor Vehicle Safety Standards. By completing NATM's Compliance Verification Program, our customers can be assured that they're buying a trailer built with safety in mind.

The NATM Compliance Decal affixed to the frame of all MDC USA's Trailers demonstrates that they have successfully passed the biennial safety compliance consultation as a part of NATM's Compliance Verification Program.



PACIFIC WEST ASSOCIATES (PWA)

MDC Campers and Caravans Inc are certified to comply with the Recreational Vehicle Standard (NFPA1192) and the relevant National Electric Codes by PWA.

As part of this certification, MDC is subject to strict on-going inspection and monitoring of quality assurance functions to ensure compliance.



TOUGH TRAX shock absorbers were chosen after a year of vigorous MDC stress testing shock absorbers from numerous industry suppliers.



THE FACTOR 5 CHASSIS is tested and proven using "Finite Element Analysis" (FEA) to the relevant engineering standards.

There are essentially 5 factors involved in the testing/validation of our chassis to give you peace of mind that every pop-up trailer or travel trailer is up to tackling even the harshest off-grid conditions.

POWERED BY





EXPLORER

FORWARD FOLD POP-UP CAMPER

| GENERAL SPECIFICATIONS | |
|----------------------------------|--|
| BERTH | 5 |
| BED | King size high-density foam mattress and convertible lounge |
| MATTRESS SIZE | 78.75" x 64.5" x 3" |
| BODY CONSTRUCTION | Steel |
| DIMENSIONS | |
| SIZE (OPEN) | 17' x 7' x 9'2" |
| SIZE (CLOSED) | 17' x 7' x 4'6" |
| TENT HEIGHT OPEN (HIGHEST POINT) | 10'2" |
| ANNEX SIZE | 15'1" x 7'7" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 3028 lbs |
| TONGUE WEIGHT | 335 lbs |
| GVRW | 4409 lbs |
| TENT & ANNEX | |
| TENT | MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqft of living space between the main tent and fully enclosed annex |
| CANVAS | 16oz Sherpa Closeweave canvas with double stitching |
| CANVAS COLOR | Khaki/sand |
| WINDOWS | Zippered with mosquito netting |
| AWNING | Velcro and zip-on removable canvas awning across full length of main tent |
| ANNEX | Full annex, enclosed roof, walls, floor and draft skirt |
| POLES | Galvanized steel poles |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT rated poly block offroad hitch |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop-down |

| EXTERIOR | |
|---------------------------------|---|
| ROOF RACK | Included |
| PROPANE TANK CAPACITY | 20 lbs propane cylinder and holder |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANK | 21 gallons water tank |
| WATER DELIVERY | 12v pump |
| KITCHEN CONSTRUCTION (EXTERNAL) | Slide out stainless steel kitchen top and sink with 3 burner propane cook-top |
| STONE PROTECTION | Front mesh stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 38" x 23" x 19" |
| ELECTRICAL | |
| BATTERY | 100ah AGMs |
| LIGHTING INTERNAL | 2 LED light strips |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 3 x 12V accessory sockets 5V dual USB charging ports |
| POWER OUTLETS EXTERNAL | 3 x 12V accessory sockets 2 x Anderson plugs |



All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.

www.mdcusa.com

833-632-8721



JACKSON HIGHSIDE

FORWARD FOLD POP-UP CAMPER



| GENERAL SPECIFICATIONS | |
|----------------------------------|---|
| BERTH | 5 |
| BED | King size high-density foam mattress and convertible lounge |
| MATTRESS SIZE | 77" x 64.5" x 4" |
| BODY CONSTRUCTION | Steel |
| DIMENSIONS | |
| SIZE (OPEN) | 17'6" x 7' x 10'2" |
| SIZE (CLOSED) | 17'6" x 7' x 5'2" |
| TENT HEIGHT OPEN (HIGHEST POINT) | 10'6" |
| ANNEX SIZE | 15'5" x 7'11" |
| WET BATH TENT SIZE | 3'11" x 3'11" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 3455 lbs |
| TONGUE WEIGHT | 460 lbs |
| GVRW | 4409 lbs |
| TENT & ANNEX | |
| TENT | MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqf of living space between the main tent and fully enclosed annex |
| CANVAS | 16oz Sherpa Closeweave canvas with double stitching |
| CANVAS COLOR | Khaki/sand |
| WINDOWS | Zippered with mosquito netting |
| AWNING | Velcro and zip-on removable canvas awning across full length of main tent |
| ANNEX | Full annex, enclosed roof, walls, floor and draft skirt |
| POLES | Full annex, enclosed roof, walls, floor and draft skirt |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT rated ply block offroad hitch |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop-down |

| EXTERIOR | |
|---------------------------------|---|
| ROOF RACK | Included |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANK | 31 gallons water tank |
| WATER DELIVERY | 12v pump |
| KITCHEN CONSTRUCTION (EXTERNAL) | Slide out stainless steel kitchen top and sink with 3 burner propane cook-top |
| STONE PROTECTION | Front mesh stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 44" x 23.5" x 20" |
| MAJOR APPLIANCES | |
| HOT WATER SYSTEM | Portable LPG gas instant (1.58 gallons per minute) |
| ELECTRICAL | |
| SOLAR | 200W portable solar panel |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| LIGHTING INTERNAL | 3 LED light strips |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | 3 LED light strips |
| POWER OUTLETS INTERNAL | 2 x 12V accessory sockets 2 x 120V |
| POWER OUTLETS EXTERNAL | 2 x Anderson plugs 9 x 12V accessory sockets |
| SOUND SYSTEM | Stereo head unit and speakers |





ROBSON XTT

DUAL FOLD POP-UP CAMPER



GENERAL SPECIFICATIONS

| | |
|----------------------------------|--|
| BERTH | 6 |
| BED | Custom pillow-top Queen size innerspring mattress and convertible lounge |
| MATTRESS SIZE | 76.75" x 60.5" x 5.5" |
| BODY CONSTRUCTION | Aluminum alloy |
| DIMENSIONS | |
| SIZE (OPEN) | 22'11" x 7'10" x 10'9" |
| SIZE (CLOSED) | 19'10" x 7'10" x 5'7" |
| TENT HEIGHT OPEN (HIGHEST POINT) | 10'6" |
| ANNEX SIZE | 16' x 7'11" |
| TENT SIZE | 3'11" x 3'11" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 3940 lbs |
| TONGUE WEIGHT | 330 lbs |
| GVRW | 5291 lbs |
| TENT & ANNEX | |
| TENT | MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqft of living space between the main tent and fully enclosed annex |
| CANVAS | 16oz Sherpa Closeweave canvas with double stitching |
| CANVAS COLOR | Khaki/sand |
| WINDOWS | Zippered with mosquito netting |
| AWNING | Velcro and zip-on removable canvas awning across full length of main tent |
| ANNEX | Full annex, enclosed roof, walls, floor and draft skirt |
| POLES | Galvanized steel poles |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent traileing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |

EXTERIOR

| | |
|---------------------------------|---|
| ROOF RACK | Included |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 31 gallons and 21 gallons water tanks = 52 gallons total |
| WATER DELIVERY | 12v pump |
| KITCHEN CONSTRUCTION (EXTERNAL) | Slide out stainless steel kitchen top and sink with 3 burner propane cook-top |
| STONE PROTECTION | Front mesh stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 31" x 20" x 22.5" (right side) 36" x 20" x 22.5" (left side) |
| SHOWER TENT | Side mounted wet bath tent |
| MAJOR APPLIANCES | |
| HOT WATER SYSTEM | Portable LPG gas instant (1.58 gallons per minute) |
| FURNACE | Propane furnace |
| ELECTRICAL | |
| SOLAR | 200W portable solar panel |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 3 LED light strips |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 12V accessory socket 5V dual USB charging port 2 x 120V |
| POWER OUTLETS EXTERNAL | 3 x Anderson plugs 7 x 12V accessory sockets |
| SOUND SYSTEM | Stereo head unit and speakers |
| TV | 19" TV |

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

TOUGH TRAX™

FACTOR
5
CHASSIS



BMPRO



HELLO, WE'RE AUSRV

Originating in Brisbane Australia, AUSRV have been building quality overlanding hybrid travel trailers and pop-up campers for many years. Family owned and operated, owners and staff share the overland and outdoor passion you have and are proud to present the result of our hard work to the US.

Still based in Brisbane, our trailers are available through our dealer network and showrooms in the US. Our years of overlanding Australia through the outback deserts, remote ranges and coastal areas have refined the product to be ready for action in the US.



Built strong with aluminum body frame and alloy composite panel skin, your new AUSRV is designed and assembled using the latest in bonding technology removing the need for mechanical fasteners. The result is a more appealing finish, higher resistance to water ingress and corrosion, and above all a higher strength and rigidity that has come from experience, research and development by the AUSRV team.



Our partnerships with premium appliance manufacturers maintains our demand for quality throughout the product. Partnerships with Dometic, Truma, Thetford, BMAPRO and many others ensures a high standard of finish and reliability that is required for staying off-grid for longer periods.



To keep you moving and provide support, a dedicated customer service team is ready to take your call to assist in any way they can. Technical advice, warranty claims and spare parts are just a phone call away so if you're ready to overland in style, comfort and have a team ready to make sure your experience is a great one, choose AUSRV as your next home away from home and see why tens of thousands of Aussie travelers choose AUSRV.

STAY UP TO DATE
VISIT OUR SOCIAL MEDIA

 youtube.com/c/AUSRVUSA

 instagram.com/ausrv-usa

 facebook.com/ausrvusa





X15

HYBRID OVERLAND TRAVEL TRAILER



| GENERAL SPECIFICATIONS | |
|------------------------|--|
| BERTH | 4 |
| BEDS | Custom pillow-top King size innerspring mattress 2 x custom pillow-top innerspring bunks (top long single and bottom queen) |
| MATTRESS SIZE | Main - 78" x 70" Top Bunk - 79" x 28" Bottom Bunk - 79" x 42" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame and chassis |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 23'4" x 7'5.5" x 9'1" |
| SIZE (CLOSED WITH A/C) | 21'8" x 7'5.5" x 8'6.5" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 5354 lbs |
| TONGUE WEIGHT | 450 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | ARK XO500 |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 13' wide, 12V electric open/close |
| ANNEX | Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| WATER TANKS | 2 x 31 gallons fresh water tanks = 62 gallons total 21 gallons grey water tank |

| WATER DELIVERY | 12v electric pump |
|---------------------------------|---|
| KITCHEN CONSTRUCTION (INTERNAL) | Stainless steel sink and 2 burner cook-top |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel sink and 3 burner cook-top |
| STONE PROTECTION | Front/rear mud-flaps |
| FRIDGE SLIDE | 41.25" x 20.75 x 19.5" |
| TOOLBOX | Front toolbox included |
| ELECTRIC STEP | Included |
| INTERIOR | |
| SHOWER (WET BATH) | Wet bath with cassette toilet |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II with heat strip |
| HOT WATER SYSTEM | Truma Aquago Comfort |
| ELECTRICAL | |
| SOLAR | 3 x 100W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 6 x 12V accessory sockets 4 x 5V dual USB charging ports 3 x 120V |
| POWER OUTLETS EXTERNAL | Anderson plug 2 x 12V accessory sockets 120V |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |



XT12HR

HARD ROOF TRAVEL TRAILER



GENERAL SPECIFICATIONS

| | |
|--|--|
| BERTH | 2 |
| BED | Custom pillow-top Queen size innerspring mattress |
| MATTRESS SIZE | 78.75" x 67" x 7.75" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 18'3" x 18'2" x 9'10" |
| SIZE (CLOSED WITH A/C) | 18'3" x 7'6" x 9'10" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 4108 lbs |
| TONGUE WEIGHT | 375 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + spare tire |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 9' wide, 12v electric open/close |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 2 x 21 gallons fresh water tanks = 42 gallons total 10 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with 3 burner propane cook-top, stainless steel sink, washboard and hot/cold water |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 37" x 21.25" x 17.5" |
| TOOLBOX | Front toolbox included |
| INTERIOR | |
| SHOWER (WET BATH) | Wet bath with cassette toilet |

MAJOR APPLIANCES

| | |
|-------------------------------|---|
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 2 x 150W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 2 x 12V accessory sockets 2 x 5V dual USB charging ports 3 x 120V |
| POWER OUTLETS EXTERNAL | 2 x Anderson plugs 2 x 12V accessory sockets |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |





XT13

HYBRID TRAVEL TRAILER



| GENERAL SPECIFICATIONS | |
|---------------------------------|--|
| BERTH | 3 |
| BEDS | Custom pillow-top Queen size innerspring mattress Single high-density foam front bunk |
| MATTRESS SIZE | 80" x 67" x 7" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 21'2" x 17'4" x 10'1" |
| SIZE (CLOSED WITH A/C) | 19'5" x 7'6" x 8'6" |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 4374 lbs |
| TONGUE WEIGHT | 380 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 12' wide, 12V electric open/close |
| ANNEX | Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 31 gallons fresh water tank 21 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with sink and 3 burner propane cook-top |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 36" x 19.25" x 19.25" |
| TOOLBOX | Front toolbox included |

| INTERIOR | |
|------------------------|--|
| SHOWER (WET BATH) | Wet bath with cassette toilet |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 3 x 100W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 2 x 12V accessory sockets 5V dual USB charging port 2 x 120V |
| POWER OUTLETS EXTERNAL | 2 x Anderson plugs 12V accessory socket |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |

LIFETIME
STRUCTURAL / CHASSIS
FRAME WARRANTY

BMPRO

TOUGH TRAX™

FACTOR
5
CHASSIS





XT16HR FAMILY

OVERLAND TRAVEL TRAILER



| GENERAL SPECIFICATIONS | |
|---------------------------------|---|
| BERTH | 5 |
| S | Custom pillow-top Queen size innerspring mattress 2 x single high-density foam bunks and convertible dinette |
| MATTRESS SIZES | Main - 83" x 62" x 9" Bunk - 2 x 68" x 25" x 5" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 21'8" x 14'3" x 10' |
| SIZE (CLOSED WITH A/C) | 21'8" x 7'8" x 10' |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 5174 lbs |
| TONGUE WEIGHT | 450 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 13' wide, 12V electric open/close |
| ANNEX | Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (INTERNAL) | Inside - Thetford fridge |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with sink and 3 burner propane cook-top |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |

| FRIDGE SLIDE | 42.75" x 21.5" x 18.5" |
|------------------------|---|
| TOOLBOX | Front toolbox included |
| INTERIOR | |
| SHOWER (WET BATH) | Wet bath with cassette toilet |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 2 x 150W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 3 x 12V accessory sockets 2 x 5V dual USB charging ports 5 x 120V |
| POWER OUTLETS EXTERNAL | Anderson plug 12V accessory socket |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

TOUGH TRAX™

FACTOR
15
CHASSIS

BMPRO





XT16HR ISLAND

OVERLAND TRAVEL TRAILER



| GENERAL SPECIFICATIONS | |
|---------------------------------|--|
| BERTH | 3 |
| BED | Custom pillow-top Queen size innerspring mattress and convertible dinette |
| MATTRESS SIZE | 79" x 58" x 9" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 22'2" x 14'3" x 10' |
| SIZE (CLOSED WITH A/C) | 22'2" x 7'8" x 10' |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 5254 lbs |
| TONGUE WEIGHT | 458 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 13' wide, 12V electric open/close |
| ANNEX | Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (INTERNAL) | Refrigerator, cook-top/oven combination and range hood |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with sink and 3 burner propane cook-top |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |
| TOOLBOX | Front toolbox included |

| INTERIOR | |
|------------------------|---|
| TOILET / BATHROOM | Separate cassette toilet, shower, and sink |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 2 x 150W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 5 x 12V accessory sockets 4 x 5V dual USB charging ports 6 x 120V |
| POWER OUTLETS EXTERNAL | Anderson plug 12V accessory socket |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |

LIFETIME
STRUCTURAL / CHASSIS
FRAME WARRANTY

BMPRO

TOUGH TRAX™

FACTOR
15
CHASSIS





XT16HR EAST WEST

OVERLAND TRAVEL TRAILER

GENERAL SPECIFICATIONS

| | |
|--|--|
| BERTH | 3 |
| BED | Custom pillow-top Queen size innerspring mattress and convertible dinette |
| MATTRESS SIZE | 83" x 62" x 9" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 21'8" x 14'3" x 10' |
| SIZE (CLOSED WITH A/C) | 21'8" x 7'8" x 10' |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 5354 lbs |
| TONGUE WEIGHT | 441 lbs |
| GVRW | 6147 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO35 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 13' wide, 12V electric open/close |
| ANNEX | Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (INTERNAL) | Refrigerator, cook-top/oven combination and range hood |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with sink and 3 burner propane cook-top |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 40.75" x 21.5" x 18.5" |
| TOOLBOX | Front toolbox included |



INTERIOR

| | |
|-------------------------------|---|
| TOILET / BATHROOM | Separate cassette toilet, shower, and sink |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 2 x 150W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 3 x 12V accessory sockets 2 x 5V dual USB charging ports 4 x 120V |
| POWER OUTLETS EXTERNAL | 2 x Anderson plugs 2 x 12V accessory sockets |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |





XT17HRT

HARD ROOF TRAVEL TRAILER



GENERAL SPECIFICATIONS

| | |
|--|---|
| BERTH | 3 |
| BED | Custom pillow-top King size innerspring mattress and convertible dinette |
| MATTRESS SIZE | 78.55" x 67" x 8" |
| BODY CONSTRUCTION | Aluminum composite panel fully welded frame |
| DIMENSIONS | |
| SIZE (OPEN WITH A/C) | 25'2" x 18' x 10" |
| SIZE (CLOSED WITH A/C) | 23'5" x 7'10.5" x 10' |
| WEIGHTS & RATINGS | |
| DRY WEIGHT | 6446 lbs |
| TONGUE WEIGHT | 507 lbs |
| GVRW | 7716 lbs |
| CHASSIS | |
| FRAME | Hot dipped galvanized steel |
| HITCH / COUPLING | DOT approved Cruisemaster DO45 |
| JOCKEY WHEEL | 10" swing up and lockable |
| WHEELS & TIRES | 16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires |
| SUSPENSION | Independent trailing arm with dual shock absorbers and coil spring |
| BRAKES | 12" electric drum with manual hand brake and brake away system |
| STABILIZER LEGS | 4 x heavy duty lockable and adjustable drop down |
| EXTERIOR | |
| AWNING | 13' wide fold out |
| PROPANE TANK CAPACITY | 2 x 20 lbs propane cylinders and holders |
| JERRY CAN HOLDERS | 2 x 5 gallons jerry can holders |
| WATER TANKS | 2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank |
| WATER DELIVERY | 12v electric pump |
| KITCHEN CONSTRUCTION (INTERNAL) | Refrigerator, cook-top/oven combination, range hood and microwave |
| KITCHEN CONSTRUCTION (EXTERNAL) | Stainless steel kitchen with sink and 3 burner propane cook-top |
| STONE PROTECTION | Front stone guard including front/rear mud-flaps |
| FRIDGE SLIDE | 31.75" x 20" x 23" |
| TOOLBOX | Front toolbox included |

INTERIOR

| | |
|-------------------------------|--|
| SHOWER (WET BATH) | Wet bath with cassette toilet |
| MAJOR APPLIANCES | |
| AIR CONDITIONER | Dometic High Efficiency Penguin II |
| HOT WATER SYSTEM | Truma Aquago Comfort Plus |
| FURNACE | Dometic DFSD 12111 Furnace |
| ELECTRICAL | |
| SOLAR | 2 x 150W solar panels |
| BATTERY | 2 x 100ah lithium |
| BATTERY MANAGEMENT | BMPRO |
| INVERTER | Aims Power 1500 watt Pure Sine Wave Inverter |
| LIGHTING INTERNAL | 12V LED lighting throughout |
| LIGHTING EXTERNAL | 12V LED lighting throughout |
| LIGHT CONNECTION PLUG | Seven way round tow vehicle connector |
| POWER OUTLETS INTERNAL | 3 x 12V accessory sockets 5V dual USB charging port 2 x 120V |
| POWER OUTLETS EXTERNAL | 2 x Anderson plugs 3 x 12V accessory sockets 2 x 120V |
| SOUND SYSTEM | Stereo head unit with internal and external speakers |
| TV | 19" TV |




All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.



MDC★USA

Escape with confidence



FIND AN MDC DEALER NEAR YOU

BUENA PARK

8420 Kass Dr.
Buena Park, CA. 90621

PHOENIX

3908 East Broadway Rd. Suite 100
Phoenix, AZ. 85040

SALT LAKE CITY

1920 N 2200 W. Suite 4
Salt Lake City, UT. 84116

WE'RE HERE TO HELP

Our team has both the skills and experience to assist you in all aspects of your pop-up camper and travel trailer purchase. Give us a call or drop into one of our showrooms we'll be happy to help you out in any way we can.

To see our latest news, tips, videos and more visit:

www.mdcusa.com

833-MDC-USA1 (833-632-8721)

SALES
sales@mdcusa.com

WARRANTY HOTLINE
warranty@mdcusa.com

Disclaimer: Information contained on this web site is subject to change without notice. MDC Campers and Caravans Inc reserves the right to alter any details of specifications and equipment without notice. No guarantee is given regarding the accuracy of information on the website. Pop-up campers and travel trailers pictured, and specifications detailed may vary from models and equipment available in your area. Pricing and Products Subject to Change Without Notice. Images are for representational purposes only. Please check model availability and full specification details with your nearest MDC dealer prior to ordering.