



- MORryde Huck-Rivet **Aluminum Frame**
 - MORryde Independent Air Ride Suspension
 - Articulating Hitch
 - A-Frame Storage Box
 - Automotive Off-Road Rear Bumper w/2 Swinging Tire Carriers 1
- 25" Ground Clearance
- Garmin O.N.E Control
 - **One Touch Leveling** System: Electric Stabilizers and Tongue Jack
 - Off Road Navigation
 - Fusion Entertainment
 - Smart Control of Electronic Functions
- Truma Vario Heat and AquaGo Comfort Plus Water Heater²
- Piuma Dual Pane Acrylic Windows w/Integrated Blind and Screen


- No Wood Throughout Unit
- Solar:
 - Standard: 800W³ Total Solar, (2) 270Ah Battleborn Lithium Batteries, Victron 3000W Inverter Charger, 2 Victron 50A Solar Chargers
 - Solar Upgrade: Additional (2) 270Ah Battleborn Lithium Batteries, (2) 300W Portable Solar Panels
- Full Body Wrap
- Polyurea Coated Front Wall and Extrusions
- Thule Legless Awning
- Puncture Proof Underbelly
- Off Road Light Bar
- Aluminum Cabinets
- Offboard Air for Inflation of Tires, Toys, Etc.
- (2) 30 Lb LP Tanks 4
- Interlude only; Interval includes one swinging tire carrier
 Interlude only; Interval installed with the Truma Combi Eco Plus System
 Interlude only; Interval includes 600W total solar
 Interlude only; Interval installed with (2) 20 lb tanks



SCAN THE OR CODE WITH **YOUR MOBILE DEVICE**

VIRTUAL TOURS, PHOTOS, VIDEOS, FOLLOW PAUSE ON SOCIAL MEDIA, AND MORE!










Total Length: 21' 2" Body Length: 16' 8" Total Width: 102" Body Width: 82" Height: 10' 9"

UVW: 5773 GVWR: 6920 CCC: 1147 Hitch: 920 Axle: 4815

Fresh: 54 Gal Grey: 30 Gal Black: 30 Gal Tires: 16" Awning: 12'

All weights are estimated. More information on back page.







Total Length: 25' 2" Body Length: 20' 8" Total Width: 102" Body Width: 82" Height: 10' 9"

UVW: 7868 LB GVWR: 9468 LB CCC: 1600 LB Hitch: 895 LB Axle: 6914 LB

Fresh: 76 Gal Grey: 30 Gal Black: 30 Gal Tires: 16" Awning: 14'




Total Length: 25' 2" Body Length: 20' 8" Total Width: 102" Body Width: 82" Height: 10' 9"

UVW: 7859 LB GVWR: 9459 LB CCC: 1600 LB Hitch: 840 LB Axle: 6960 LB

Fresh: 76 Gal Grey: 30 Gal Black: 30 Gal Tires: 16" Awning: 14'









Total Length: 25' 10" Body Length: 21' 4" Total Width: 102" Body Width: 82" Height: 10' 9"

UVW: 7909 LB GVWR: 9459 LB CCC: 1550 LB Hitch: 1170 LB Axle: 6680 LB

Fresh: 76 Gal Grey: 30 Gal Black: 30 Gal Tires: 16" Awning: 14'



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**





PAUSE BY PALOMINO

A Division Of Forest River, Inc. 520 Gerber Street Ligonier, IN 46767 www.palominorv.com



FOLLOW US!









www.Forest River Buy Local.com

YOUR PAUSE DEALER





FOREST RIVER OWNER'S GUIDE

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.



Learn More
Scan this barcode using
A a QR Reader on your
smart phone to learn
more about Forest River.



SPECIFICATION DEFINITIONS

GVWR (Gross Vehicle Weight Rating): is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating): is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. UWW (Unloaded Vehicle Weight): is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UWW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. CCC (Cargo Carrying Capacity): is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWA minus LVW. Available CCC should accommodate fresh potable water (8.3 IWW per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this document is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this document. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purc