


2023 MIDWEST 2023 NORTHWEST 2023 SOUTHWEST





•110V OUTLET MODEL #: 171RBXL HITCH: 521 LBS UVW: 3,836 LBS LENGTH: 22'8"



MODEL #: 19DBXL

HITCH: 520 LBS UVW: 4,483 LBS LENGTH: 24'8"



MODEL #: 240BHXL

HITCH: 570 LBS UVW: 5,343 LBS LENGTH: 28'10"



USB CHARGER 110V OUTLET


MODEL #: 24RLXL HITCH: 550 LBS UVW: 5,063 LBS LENGTH: 28'11"



HITCH: 450 LBS UVW: 4,818 LBS LENGTH: 28'8"



HITCH: 682 LBS UVW: 5,854 LBS LENGTH: 31'9"



HITCH: 752 LBS UVW: 6,028 LBS LENGTH: 33'5"



HITCH: 790 LBS UVW: 6,208 LBS LENGTH: 33'2"

For detailed specifications, pictures & 360 Tours, visit www.forestriverinc.com/Wildwood

OR Scan the QR code!











All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to mavke revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. © 2022 Wildwood, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved.

MEET YOUR X LITE DEALER

























169RSK

176QBHK



	LENG
	HEIG
	HITC
	UVW
*	ССС
	FRES
	GRAY
	BLAC
	ΔWΝ

THE RESERVE OF THE RE							
	161QK	169RSK	170SS	176QBHK	178BHSK	179DBK	181RT
LENGTH	23′ 6″	22' 11"	22′ 9″	21′ 8″	22' 11"	22′ 6″	21' 8"
HEIGHT	TBD	10′ 4″	10′ 4″	10′ 4″	10′ 4″	10′ 2″	10′ 2″
HITCH WEIGHT	508 lb.	555 lb.	445 lb.	520 lb.	430 lb.	465 lb.	440 lb.
UVW	3,691	4,024 lb.	3,819 lb.	3,944 lb.	3,749 lb.	3,219 lb.	3,204 lb.
ccc	1,217	931 lb.	1,026 lb.	976 lb.	1,081 lb.	1,646 lb.	1,636 lb.
FRESH WATER	39 gal.	43 gal.	43 gal.	43 gal.	43 gal.	43 gal.	43 gal.
GRAY WATER	40 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
BLACK WATER	40 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
AWNING	15′	15′	12′	15′	12'	13′	12'
Control of the second		· · · · · · · · · · · · · · · · · · ·			16.0200	38	75





210RBXL





220BHXL



240BHXL



243BHXL



251SSXL



253RKXL



260RTK



263BHXL



273QBXL













260RTK

	210RBXL	211SSXL	220BHXL	240BHXL	243BHXL	251SSXL	253RKXL	260RTK	263BHXL	273QBXL	28VBXL	
LENGTH	25′ 2″	27' 5" 27' 8"		28' 10"	28′ 2″	29′ 5″	29′ 1″	28′ 8″	31′ 11″	33′ 8″	33′ 4″	
HEIGHT	10′ 3″	11′ 8″	10′ 3″	10′ 4″	10′ 1″	11′ 8″	11′ 3″	10′ 6″	10′ 3″	10′ 3″	10′ 4″	
HITCH WEIGHT	500 lb.	740 lb.	602 lb.	570 lb.	566 lb.	746 lb.	578 lb.	650 lb.	736 lb.	752 lb. 6,550 lb. 2,002 lb. 61 gal.	828 lb.	
UVW	4,830 lb.	5,262 lb.	4,800 lb.	5,343 lb.	5,492 lb.	5,664 lb.	5,794 lb.	5,276 lb.	6,406 lb.		6,486 lb.	
ccc	2,670 lb.	3,278 lb.	2,802 lb.	2,227 lb.	2,074 lb.	2,882 lb.	1,784	3,174 lb.	1,330 lb.		2,142 lb.	
FRESH WATER	61 gal.	61 gal.	42 gal.	40 gal.	61 gal.	61 gal.	61 gal.	42 gal.	61 gal.		61 gal.	
GRAY WATER	42 gal.	28 gal.	60 gal.	30 gal.	60 gal.	26 gal.	66 gal.	28 gal.	74 gal.	32 gal.	32 gal.	
BLACK WATER	32 gal.	32 gal. 32 gal.		30 gal.	32 gal.	32 gal.	42 gal.	32 gal.	32 gal.	42 gal.	42 gal.	
AWNING	14′	18′	12'	18'	12'	18'	16′	15′	16′	16′	16′	









	22RBS	26DBUD	29VBUD
LENGTH	27' 0"	33' 9"	36' 0"
HEIGHT	11' 2"	11' 2"	11' 2"
HITCH WEIGHT	771 lb.	824 lb.	805 lb.
UVW	5,647 lb.	6,988 lb.	7,397 lb.
ccc	2,124 lb.	2,636 lb.	2,208 lb.
FRESH WATER	61 gal.	61 gal.	61 gal.
GRAY WATER	64 gal.	75 gal.	75 gal.
BLACK WATER	32 gal.	32 gal.	32 gal.
AWNING	16'	18'	18'
	/	1000	100



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION

FOREST RIVER encourages you to BUY LOCAL

www.ForestRiverBuyLocal.com

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product.

Ranging from "How-To" videos, pictures and illustrations of various components, systems and features,to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/OnlineManual or download our FREE app from the App Store or Google Play!







www.forestriverfrog.com



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR **SERVICES**



VALID FOR 1 YEAR FROM DATE OF PURCHASE

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty black and gray tanks for more cargo capacity.

*Estimated Average based on standard build optional equipment. ** Estimated average based on standard build optional equipment. Values estimated at time of printing.


Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2023 Wildwood, a division of Forest River Inc., a Berkshire Hathaway company.







	I\\RÅ	1//FŲ	1\ARH2K	1/808	19/55	ZUBKD	228KK	26/88	208BH	ZIISSXL	20199YF	24IKLXL	242BHXL	254KLXL	SPIRHYL	203BHXL	SLIBHYL	2/3UBXL	SASÁRYT	ZJRK	SPARAN	Z/RE	Z/RK	2/088	SAAROD	300822	32BHD2
HITCH WEIGHT	445	430	495	485	495	565	550	655	545	890	835	680	690	685	495	635	775	735	705	664	866	877	836	826	932	859	931
GVWR	4,845	4,830	5,620	5,585	5,595	7,565	7,550	8,455	7,545	8,890	8,835	7,680	7,690	7,685	7,495	7,635	7,775	7,760	7,705	7,664	9,999	9,999	9,999	9,999	9,999	9,999	9,999
UVW	3,374	3,334	3,869	4,033	4,113	4,273	4,708	5,280	4,559	5,284	5,721	5,478	6,014	6,063	4,715	5,893	6,353	6,349	6,457	5,910	7,258	8,003	7,154	7,108	7,380	7,221	8,403
CCC	1,471	1,496	1,026	1,552	1,482	3,292	2,842	3,175	2,986	3,406	2,914	2,202	1,676	1,622	2,780	1,742	1,422	1,386	1,248	1,754	2,741	1,996	2,845	2,891	2,619	2,778	1,596
EXT LENGTH	22' 8"	22′ 8″	22' 11"	24′ 0″	24′ 2″	25′ 10″	26' 3"	31' 0"	28′ 10″	27′ 5″	29′ 5″	28' 8"	28′ 10″	30′ II″	28′ 4″	31' 8"	32′ 10″	33′ I″	32′ 10″	28' 8"	33′ I″	34′ I″	33′ 6″	32′ 4″	36′ 6″	34′ 2″	36′ 4″
EXT HEIGHT	10′ 3″	10′ 3″	10′ 3″	10′ 3″	10′ 5″	10′ 5″	10′ 5″	10′ 9″	10′ 5″	11'10"	11'10"	10′10″	10′ 10″	10'10"	10′ 4″	10' 10"	10'10"	10' 10"	10' 10"	10′ 10″	II' 3"	II' 3"	11' 2"	11' 2"	II' 2"	II' 3"	11′ 3″
EXT WIDTH	84"	84"	96"	96"	84"	96"	96"	84"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
FRESH (GAL.)	42	42	40	42	42	42	42	42	42	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
GREY (GAL.)	22	22	30	28	22	30	52	28	28	35	30	35	30	30	30	65	65	35	30	75	75	75	65	75	75	65	58
BLACK (GAL.)	22	22	30	30	22	22	22	22	30	30	30	30	30	28	23	30	30	30	28	40	40	35	28	40	40	30	30

FOREST RIVER





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 | (909) 873-3777 WWW.FORESTRIVERINC.COM/WILDWOOD I WWW.FORESTRIVERACCESSORIES.COM EFFECTIVE UNITS BUILT AFTER 6/20/2022

YOUR WILDWOOD DEALER

CUSTOMER SATISFACTION

FOREST RIVER PREFERENTIAL SERVICE encourages you to BUY LOCAL

www.Forest River Buy Local.com

SPECIFICATION DEFINITIONS

GVWR (GROSS VEHICLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT OF THE UNIT WHEN FULLY LOADED. IT INCLUDES ALL WEIGHTS, INCLUSIVE OF ALL FLUIDS, CARGO, OPTIONAL EQUIPMENT AND ACCESSORIES. FOR SAFETY AND PRODUCT PERFORMANCE DO NOT EXCEED THE GVWR.

GAWR (GROSS AXLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT, INCLUDING CARGO, FLUIDS, OPTIONAL EQUIPMENT AND ACCESSORIES THAT CAN BE SAFELY SUPPORTED BY A COMBINATION OF ALL AXLES.

UVW (UNLOADED VEHICLE WEIGHT)* - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY. IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLE(\$) AND TONGUE OR PIN AND LP GAS. THE UVW DOES NOT INCLUDE CARGO, FRESH POTABLE WATER, ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES.

*ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT.

CCC (CARGO CARRYING CAPACITY)** - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER, CARGO, ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES.

CCC IS EQUAL TO GVWR MINUS UVW. AVAILABLE CCC SHOULD ACCOMMODATE FRESH POTABLE WATER (8.3 LBS PER GALLON).

BEFORE FILLING THE FRESH WATER TANK, EMPTY THE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY. ** ESTIMATED AVERAGE BASED ON STANDARD BUILDOPTIONAL EQUIPMENT

EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST

RV PRIOR TO LEAVING OUR FACILITIES. THE LOAD CAPACITY OF YOUR UNIT IS DESIGNATED BY WEIGHT, NOT BY VOLUME, SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR UNIT.

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION YEAR. IT MAY BE NECESSARY TO MAKE REVISIONS AND FOREST RIVER, INC., RESERVES THE RIGHT TO MAKE INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT AND SPECIFICATIONS AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. LITHO. U.S.A. FOR 1420 P/W: 2022.6.20

PHOTO BY: CHRIS LIU