






# 

XL 9 9 Ó

Pictured with Optional Extended Front Cap with Cab-Over Bunk

FORESTRIVERINC.COM

## DYNAQUEST XL



#### **OPTIONS**





IPO Sofa (3200KD, 3700BD, 37RB, 3801TS) THREE-SEAT POWER

THEATER SEATS

IPO Sofa (3400KD)

### **STANDARD FEATURES & OPTIONS**

4.78 Rear Axle Ratio

LED Headlights

Davtime Running Lights

with Air Lumbar Controls

Hitch, and Rear Horizon Views)

■ Tinted Door Glass and Wing Windows

Chassis Battery Shut Off Switch in Cab

Leatherette Driver and Passenger Air Ride Seats

Quad-View Camera System (Right Side, Left Side,

Kenwood® 10" Touch Screen Dash Infotainment

System with AM/FM, Bluetooth<sup>®</sup>, Sirius/XM<sup>®</sup> (Tuner

and Antenna), Apple<sup>®</sup> CarPlay<sup>™</sup> / Android<sup>®</sup> Auto<sup>™</sup>

Functionality, and Garmin® RV Navigation

■ JBL<sup>®</sup> Premium Cab Sound System - JBL Full

Range/Tweeter Coaxial Speakers, Dual Voice

Coil Subwoofer, and a High-efficiency, High-

Specifically for the Freightliner M2

Engine After-Treatment Device, Automatic

One Valve Parking Brake System

Chassis and House Batteries

Low Air Pressure Light and Buzzer

■ 18" Leather-Wrapped Steering Wheel

Adjustable Steering Column

Power Remote/Heated Mirrors

Power Windows and Locks

Two (2) Cup Holders in Dash

■ 3-Point Seat Belts

Dual Reading Lights

■ 12V Accessory Ports

with Warning Indicator

Regeneration Switch

Cruise Control

performing, 4-Channel DSP Amplifier, all "Tuned"

Over-the-Road Regeneration, and Dash-Mounted

Momentary Battery Booster Switch for Connecting

Marker Lights with Separate Interrupter Switch

#### **CHASSIS**

- Freightliner<sup>®</sup> M2 112 Plus Chassis (33,000-lbs. GVWR / 54,000-lbs. GCWR)
- Cummins<sup>®</sup> L9 Turbo Diesel Engine (450hp / 1,250 lb-ft. of Torque)
- Allison<sup>®</sup> 3200 TRV Six-Speed Automatic Transmission
- 100-Gallon Fuel Capacity (Twin 50-Gallon Aluminum Fuel Tanks)
- 6-Gallon Diesel Exhaust Fluid Tank
- Trailer Hitch (20,000 Tow lbs. / 2,000 Tongue lbs.) with 7-Way Round Tow Connection
- Active Brake Assist
- Front Collision Warning
- Lane Departure Warning
- Brake Controller
- C-Brake by Jacobs<sup>®</sup> with High/Low Settings
- Locking Differential
- Airliner<sup>®</sup> 21,000-lb. Rear Suspension
- Manual Air Suspension Dump Valve Switch on the Dash
- 275-Amp Alternator
- Quick Disconnect Fitting with Tire Inflation Kit
- Air Brakes with 4-Wheel ABS
- Equiflo<sup>™</sup> Inboard Fuel System
- (Dual Supply Dual Return)
- Fuel Filter/Water Separator with Primer Pump
- Engine Block Heater
- Steel-Reinforced, Aluminum Cab
- Chrome Grille and Air Intake Grille
- Front and Rear Tires: 275/80R22.5 (14 Ply Radials)
- 🔲 🖬 Single Front Wheels: Alcoa® Aluminum
- (22.5" x 8.25") \*Outside Rims are Polished
- Dual Rear Wheels: Alcoa<sup>®</sup> Aluminum (22.5" x 8.25")
   \*Outside Rims are Polished
- Valve Extensions
- Tire Pressure Monitoring System

Key Dimensions:	3200KD	3400KD	3700BD	3700RB	3801TS
GVWR (lbs.)	33,000	33,000	33,000	33,000	33,000
GCWR (lbs.)	59,000	54,000	54,000	54,000	54,000
UVW* (lbs.)	25,464	26,372	27,914	28,236	27,414
Overall Length	34' 4"	37' 2"	39' 8"	41' 3"	39' 8"
Exterior Width	TBD	101"	101"	101"	101"
Wheelbase	245"	268"	268"	286"	268"
Overall Exterior Height (w/15,000 BTU Roof A/C)	12' 9"	12' 9"	12' 9"	12' 9"	12' 9"
Interior Height	7' 0"	7' 0"	7' 0"	7' 0"	7' 0"
Fuel Capacity (gal.)	100	100	100	100	100
Water Capacities (gal.) Fresh/Gray/Black	94/52/52	94/52/52	94/52/52	100/52/52	94/52/52
Awning (Overall Length)	TBD	25' 6"	30' 3"	29' 11"	30' 3"

\* UVW is an estimate only based on standard equipment.

#### CONSTRUCTION

- 2" Aluminum-Framed, Laminated Sidewalls with High-Density Block Foam Insulation
- Composite Exterior Fiberglass (No Exterior Wood)
- Aluminum-Framed Floor
- Aluminum-Framed Roof Trusses
- Crowned, One-Piece Fiberglass Roof
- Foil-Lined Ductwork Throughout
- Fiberglass Rear Cap and Front Wing Panels
- Automatic, 4-Point Hydraulic Leveling Jacks
- Dual-Pane, Dark-Tinted, Frameless Windows
- Seamless Rotocast Storage Compartments with LED Lighting
- Side-Hinged, Locking Aluminum Exterior Storage Doors with Chrome Handles

#### EXTERIOR

- Custom Full Body Paint Package
- with Scheme-Matching Slideout Sides
- Premium Cut and Buffed Paint Finish
- Front-End Diamond Shield® Paint Protection
- Dual Roof-Mounted, Integrated Armless Patio
- Awnings with LED Lighting and Wind Sensors (Single Awning - 3200KD)
- Aluminum-Wrapped Slideout Toppers
- LED Patio Light
- Entry Door with Rotary Latch; Dark-Tinted, Frameless Window; and Integrated Shade
- Keyless Entry Touch Pad at Entry Door
   Lighted Acrylic Entry Grab Handle
  - Lighted Acrylic Entry Grad Handle
- Power Entry Steps with Upgraded SeaDek\* Step Treads and Polished Stainless Steel Step Treads
   Remote Locking System for Exterior Storage
- Doors and Entry Door 1.55 cu. ft. Portable Truma<sup>®</sup> Cooler (Fridge/Freezer)
- on Sliding Tray in Exterior Storage Bay (3200KD)
   2.43 cu. ft. Portable Truma<sup>®</sup> Cooler (Fridge/Freezer)
- on Sliding Tray in Exterior Storage Bay (N/A 3200KD)
  Exterior Wall-Mounted Entertainment Center
- with 32" LED Smart TV
- Front and Rear LED Clearance and Marker Lighting
   Rear LED Docking Lights
- Dual Chrome Roof-Mounted Air Horns
   Molded Fiberglass Cab Step Covers
- with Polished Stainless Steel Step Treads Polished Stainless Accents on Lower Skirt Polished Stainless Rear Tail Light Accents Rear "DYNAMAX" Rock Guard
- Chrome Exhaust Tip

#### INTERIOR

- Luxury Vinyl Tile with Soft Silence Accoustical Pad Throughout with Non-Skid Rubber Steps
- Deluxe Carpet with Pad in Select Living Area Slide Rooms
- Soft-Touch Padded Vinyl Ceiling





- Luxury Vinyl Tile Entry with Non-Skid Rubber Steps
- LED Recessed Ceiling Lights
- Sprung, Residential Style Dinette Seats with Lift Up Storage
- Tri-Fold Sofa
- Coordinating Fabric Window Treatments
- Day / Night Roller Shades
- Hardwood Raised Panel Cabinetry with Five-Piece Drawer Fronts
- Hardwood Shaker-Style Passage Doors
   Full Extension, Soft-Closing Drawer Guides
- (where applicable)
  Dovetail Joints on Cabinet Drawers
- Hidden Hinges
- 42" LED Smart TV (Living Area) (N/A - 3700BD and 3801TS)
- Entertainment Center with Pop-Up 39" LED Smart TV and Fireplace (3700BD Only)
- Entertainment Center with Pop-Up 50" LED Smart TV and Fireplace (3801TS Only)
- Bose<sup>®</sup> Sound System
- Thermal, Reflective Front Privacy Shades
- USB Charging Ports

#### **KITCHEN**

- 24 cu. ft. Residential Refrigerator with Ice Maker (N/A - 3200KD)
- 16 cu. ft. Residential Refrigerator with Ice Maker and Side Pantry (3200KD Only)
- Induction Range
- Convection Microwave Oven
- Solid Surface Countertops with LED Edge Lighting and Backsplash
- Stainless Steel Sink with Solid Surface Covers
- Residential Stainless Steel Spring Gooseneck Faucet
- Pantry
- Overhead Cabinet Accent Lighting
- Under-Cabinet Lighting
   MaxxAir<sup>®</sup> Power Vent with Built-In Rain Cover

DynaQuest XL 37RB with Gray Mist Cabinetry and Milano décor.

- King Bed (71" x 78") with Gel-Infused Memory Foam Mattress
- Deluxe Padded Headboard
- Designer Bedding Package
- 32" LED Smart TV

BEDROOM

- Bose® Sound Bar
- Cedar-Lined Wardrobe
- Nightstands with Solid Surface Countertops
- LED Reading Lights
- USB Charging Ports
- Bunk Bed Mattresses (28" x 76") and Privacy
- Partition (3700BD)
  Two Bunk CD/DVD Players with Monitors (3700BD)

#### BATHROOM

- Solid Surface Shower (NA -3200KD)
- Polymarm<sup>®</sup> Shower Surround (3200KD Only)
- Teak-Fold Seat in Shower
- Shower Skylight
- Glass Shower Door
- Oxygenics Body Spa® RV Shower Head
- Solid Surface Countertop with LED Edge Lighting and Backsplash
- Under-Mount Sink with Residential Brushed Nickel Faucet
- Porcelain Foot-Flush Toilet (3700BD and 3801TS)
   Derectain Floatrania Flush Macarater Tailet(a)
- Porcelain Electronic-Flush Macerator Toilet(s) (N/A - 3700BD and 3801TS)
- MaxxAir<sup>®</sup> Power Vent with Built-In Rain Cover

#### UTILITIES

- Two (2) 12V Group 8D AGM Deep-Cycle, Maintenance-Free Batteries
- Multiplex\* Wiring with Touch Screen Command Center, Switch Panels, and Bluetooth\* Smart Phone App Control
- Battery Disconnect
- 50-Amp Service with Power Cord Reel
   3,000W Hybrid Pure Sine Wave Inverter/Charger
- (3,500 Peak Watts) 8kW Onan<sup>®</sup> Diesel Generator with Auto Transfer
- Switch (Mounted on Isolator Pads)
- Automatic Generator Start
- Solar Panel Single 200 Watt with 30 Amp Controller
- Dual Ducted, Low-Profile 15,000-BTU Air Conditioners with Heat Pumps
- Aqua-Hot<sup>®</sup> 450D Diesel System with Engine Pre-Heat
- Combo Washer Dryer Prep (3200KD)
- Stackable Washer/Dryer Prep (N/A 3200KD)

DynaQuest XL 37RB with Gray Mist Cabinetry and Milano

décor is shown with Optional Power Theater Seats.

- Water Filtration System
- Exterior Shower in Service Bay
- Power Water Hose Reel in Service Bay
- Exterior GFCI Receptacle

#### 🔳 4x4 HDMI Matrix

- Cable TV/Satellite Hookup in Service Bay
   Thetford<sup>®</sup> Sani-Con Turbo Macerator System
- Black Tank Flush
  - SureLevel<sup>®</sup> Tank Level Monitoring System
  - Utility Compartment Heated by Aqua-Hot<sup>®</sup> System
  - Enclosed Holding Tanks Heated by Aqua-Hot<sup>®</sup> System
  - Upgraded 12V On-Demand Water Pump
  - (4 Gallons Per Minute)
  - Carbon-Monoxide, LP, and Smoke Detectors
     Fire Extinguisher
  - KING<sup>®</sup> Jack<sup>™</sup> Directional OTA HDTV Antenna (starting at DLC006820)
  - KING<sup>®</sup> DISH Tailgater<sup>®</sup> Pro Premium HD Satellite with DISH Network Receiver (starting at DLC006820)

#### **OPTIONS**

- Aerodynamic Fiberglass Front Cap with Cab-Over Cabinets
- Extended Fiberglass Front Cap with Cab-Over Bunk Mattress and Privacy Curtain
- Black Out Package (Cab Entry Steps; Side Mirrors; Rock Guard; Wheels; Headlight Bezels; Exterior Grab Handle Trim; Exterior Storage Door Handles; Custom Grill and Vent; and Black Stainless Lower Skirt Accents and Rear Tail Light Accents)
- Washer/Dryer (N/A 3200KD)
- Three-Seat, Power Reclining Theater Seats in Place of Dinette (3400KD - Only Outer Seats are Powered) (+40 lbs.)
- Dual, Power Reclining Theater Seats in Place of Dinette (N/A - 3400KD) (+40 lbs.)
- Xplorer Package includes Insulated Cab Curtain; Two Lithium House Batteries (540aH Total); 1,000W Solar Package; & Insulated Utility Bay





### **FULL BODY PAINT PACKAGES**

With Front-End Diamond Shield

**AVAILABLE CAB-OVER OPTION** 

Extended Front Cap with Cab-Over Bunk

for the most current specification

All information contained in this brochure is believed to be accurate at the time of publication. Please be advised that the stated Standards and Options are subject to change during the model year due to factors outside of the

direct control of Dynamax, such as supplier changes/shortages. Dynamax also often makes running changes

during the model year to improve reliability, performance, and/or capacity. Please refer to www.dynamaxcorp.com



**Admiral Blue** 









Titanium

🖹 DvnaQuest XL

#### The Optional, All-Season Xplorer Package Tested and developed for over a decade in the Canadian Rockies

# Shown with Xplorer Package Full Body Paint available in "Light" (Left) or "Dark" (Above).

DÉCOR SELECTIONS

Main









www.forestriverfrog.com

#### Dynamax Owner "Digital Kit" App Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.



#### Paint Video

https://www.youtube.com/watch?v=sLqLoR26jfs Factory Video Tour https://www.youtube.com/watch?v=q5cG43PD7SE

your smart phone to

Forest River.

learn more about



Q)



Your Authorized DynaOuest XL Dealer

- **Dual Lithium Batteries -** 600 AH with built-in heaters to maximize off-orid efficiency
- Enhanced Solar Power 1000 Watts with MPPT controllers for up to a 30% better charging rate
- **Dual-Pane Windows -** reduce condensation to help maintain interior temperature
- Heated Utility Bays with Thermal-Foil Insulation enhance heat retention.
- Temperature Sensor in Utility Bay displays on interior multiplex panel
- Enhanced Insulation in Walls, Floor, and Roof more easily maintains optimal interior temperature
- Insulated Cab Curtain closes off the cab area in colder climates to minimize heat loss



DIFFERENT BY DESIGN

2745 Northland Dr. • Elkhart IN 46514 574-262-3474 • www.dynamaxcorp.com

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GCWR (Gross Combined Weight Rating) - is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely sunnorted by each axl

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. \*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\*Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2025 Dynamax, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 02/25



