

SUMMER / AUTUMN 2022 EDITION



AWARD WINNING POP-UP CAMPERS
& OVERLANDING TRAVEL TRAILERS



Escape with confidence



INTRODUCING THE
XT17HRT TRAVEL TRAILER



BUILT TOUGH FOR THE U.S.A

Welcome to MDC Camper Trailers And Offroad Caravan

Established in 2005, MDC has grown to be one of Australia's largest manufacturers of off-road trailers. With more than 30,000 units traveling throughout Australia's toughest outback, beaches and highlands. MDC has the experience to build trailers to last.

A proud family owned business, we take pride in having 3 showrooms across the United States with our U.S based production facilities delivering quality products at affordable prices.

At MDC we live and breathe the outdoor lifestyle and continue that passion with our research and development. Our senior management, staff and their families regularly undertake R&D trips across some of Australia's and America's toughest terrain, punishing and testing the products to ensure you get the most reliable trailer possible.

Only quality materials go into building MDC products. These are supported by strategic partnerships with quality appliance manufacturers. Dometic, Smev and Truma are just some of the quality brands you will find in an MDC trailer.

Find out for yourself why owning an MDC trailer means you can "Escape With Confidence."



Designer and manufacturer of power supplies, controls, monitors and multiple systems for RVs.

HISTORY AND EXPERIENCE

BMPRO has its genesis from a business with a rich 50-year history in developing custom designed power management platforms. With design and manufacturing facilities in Melbourne, Australia, BMPRO has over 150,000 systems installed across various combinations of power management, control and monitoring systems in the RV industry worldwide. BMPRO currently supplies the majority of all substantial RV manufacturers in Australia and U.S.

INNOVATION

Many of the systems available now are very new to the RV market. Our R&D department houses leading edge technology with highly trained and experienced automotive and electronic engineers who use the latest design tools to create unique solutions.

BMPRO is one of the pioneers using digital platforms in RVs with one of the world's largest install bases of smart power management systems. We continue to research the latest trends and combined with extensive research within the RV consumer market we provide ideas and products which are at the forefront of making the RV users experience during their vacation free of any unnecessary drama.



MDC masterclass

VIDEO HINTS, TIPS AND TRICKS

Knowledge is power and MDC gives you the power with the MDC Masterclass series. An extensive video library presented by our very own Steve Zammit full of useful information to make owning an MDC trailer a rewarding and hassle free experience.

Maintenance tips, preparing for your overland adventure and doing it all safely is covered by Steve's presentations, built from knowledge gained through decades of camping, 4x4 and overland adventures.

Rewarding viewing for those new to overland and seasoned travelers alike, head across to our YouTube channel and check it out.



 Scan the QR code to view our Masterclass tutorials

CONTENTS

- Industry membership Info 04
- MDC POP-UP CAMPERS**
- Explorer Forward Fold 05
- Jackson Forward Fold 06
- Robson XTT Dual Fold 07
- AUSRV TRAVEL TRAILER**
- AusRV X15 08
- MDC TRAVEL TRAILERS**
- XT12HR 10
- XT13 11
- XT16HR Family 12
- XT16HR Island 13
- XT16HR East West 14
- XT17HRT 15



All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.

INDUSTRY MEMBERSHIPS



RV INDUSTRY ASSOCIATION (RVIA)

MDC Campers and Caravans Inc are proud members of the RVIA. This membership demonstrates our compliance to the RV standards adopted by the Association.

Further more, it represents our pledge to meet the Association's membership conditions, which include being subject to regular, periodic compliance audits by RVIA standards inspectors, who monitor and provide education on thousands of requirements impacting electrical, plumbing, heating, fire and life safety systems and construction meeting U.S. Federal Safety Standards and exceeding them.

The presence of the RV Industry Association seal on our units demonstrates our commitment to the industry, moreover, most public and private campgrounds in the United States require that RVs have an affixed standards seal to obtain entry.



NATIONAL ASSOCIATION OF TRAILER MANUFACTURERS (NATM)

MDC Campers and Caravans Inc are proud to be committed to building trailers that comply with Federal Motor Vehicle Safety Standards. By completing NATM's Compliance Verification Program, our customers can be assured that they're buying a trailer built with safety in mind.

The NATM Compliance Decal affixed to the frame of all MDC USA's Trailers demonstrates that they have successfully passed the biennial safety compliance consultation as a part of NATM's Compliance Verification Program.



PACIFIC WEST ASSOCIATES (PWA)

MDC Campers and Caravans Inc are certified to comply with the Recreational Vehicle Standard (NFPA1192) and the relevant National Electric Codes by PWA.

As part of this certification, MDC is subject to strict on-going inspection and monitoring of quality assurance functions to ensure compliance.



TOUGH TRAX shock absorbers were chosen after a year of vigorous MDC stress testing shock absorbers from numerous industry suppliers.



THE FACTOR 5 CHASSIS is tested and proven using "Finite Element Analysis" (FEA) to the relevant engineering standards.

There are essentially 5 factors involved in the testing/validation of our chassis to give you peace of mind that every pop-up trailer or travel trailer is up to tackling even the harshest off-grid conditions.

POWERED BY





EXPLORER

FORWARD FOLD POP-UP CAMPER

GENERAL SPECIFICATIONS	
BERTH	5
BED	King size high-density foam mattress and convertible lounge
MATTRESS SIZE	78.75" x 64.5" x 3"
BODY CONSTRUCTION	Steel
DIMENSIONS	
SIZE (OPEN)	17' x 7' x 9'2"
SIZE (CLOSED)	17' x 7' x 4'6"
TENT HEIGHT OPEN (HIGHEST POINT)	10'2"
ANNEX SIZE	15'1" x 7'7"
WEIGHTS & RATINGS	
DRY WEIGHT	3028 lbs
TONGUE WEIGHT	335 lbs
GVRW	4409 lbs
TENT & ANNEX	
TENT	MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqft of living space between the main tent and fully enclosed annex
CANVAS	16oz Sherpa Closeweave canvas with double stitching
CANVAS COLOR	Khaki/sand
WINDOWS	Zippered with mosquito netting
AWNING	Velcro and zip-on removable canvas awning across full length of main tent
ANNEX	Full annex, enclosed roof, walls, floor and draft skirt
POLES	Galvanized steel poles
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT rated poly block offroad hitch
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent traileing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop-down

EXTERIOR	
ROOF RACK	Included
PROPANE TANK CAPACITY	20 lbs propane cylinder and holder
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANK	21 gallons water tank
WATER DELIVERY	12v pump
KITCHEN CONSTRUCTION (EXTERNAL)	Slide out stainless steel kitchen top and sink with 3 burner propane cook-top
STONE PROTECTION	Front mesh stone guard including front/rear mud-flaps
FRIDGE SLIDE	38" x 23" x 19"
ELECTRICAL	
BATTERY	100ah AGMs
LIGHTING INTERNAL	2 LED light strips
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	3 x 12V accessory sockets 5V dual USB charging ports
POWER OUTLETS EXTERNAL	3 x 12V accessory sockets 2 x Anderson plugs



All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.



JACKSON HIGHSIDE

FORWARD FOLD POP-UP CAMPER



GENERAL SPECIFICATIONS	
BERTH	5
BED	King size high-density foam mattress and convertible lounge
MATTRESS SIZE	77" x 64.5" x 4"
BODY CONSTRUCTION	Steel
DIMENSIONS	
SIZE (OPEN)	17'6" x 7' x 10'2"
SIZE (CLOSED)	17'6" x 7' x 5'2"
TENT HEIGHT OPEN (HIGHEST POINT)	10'6"
ANNEX SIZE	15'5" x 7'11"
WET BATH TENT SIZE	3'11" x 3'11"
WEIGHTS & RATINGS	
DRY WEIGHT	3455 lbs
TONGUE WEIGHT	460 lbs
GVRW	4409 lbs
TENT & ANNEX	
TENT	MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqf of living space between the main tent and fully enclosed annex
CANVAS	16oz Sherpa Closeweave canvas with double stitching
CANVAS COLOR	Khaki/sand
WINDOWS	Zippered with mosquito netting
AWNING	Velcro and zip-on removable canvas awning across full length of main tent
ANNEX	Full annex, enclosed roof, walls, floor and draft skirt
POLES	Full annex, enclosed roof, walls, floor and draft skirt
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT rated ply block offroad hitch
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop-down

EXTERIOR	
ROOF RACK	Included
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANK	31 gallons water tank
WATER DELIVERY	12v pump
KITCHEN CONSTRUCTION (EXTERNAL)	Slide out stainless steel kitchen top and sink with 3 burner propane cook-top
STONE PROTECTION	Front mesh stone guard including front/rear mud-flaps
FRIDGE SLIDE	44" x 23.5" x 20"
MAJOR APPLIANCES	
HOT WATER SYSTEM	Portable LPG gas instant (1.58 gallons per minute)
ELECTRICAL	
SOLAR	200W portable solar panel
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
LIGHTING INTERNAL	3 LED light strips
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	3 LED light strips
POWER OUTLETS INTERNAL	2 x 12V accessory sockets 2 x 120V
POWER OUTLETS EXTERNAL	2 x Anderson plugs 9 x 12V accessory sockets
SOUND SYSTEM	Stereo head unit and speakers





ROBSON XTT

DUAL FOLD POP-UP CAMPER



GENERAL SPECIFICATIONS	
BERTH	6
BED	Custom pillow-top Queen size innerspring mattress and convertible lounge
MATTRESS SIZE	76.75" x 60.5" x 5.5"
BODY CONSTRUCTION	Aluminum alloy
DIMENSIONS	
SIZE (OPEN)	22'11" x 7'10" x 10'9"
SIZE (CLOSED)	19'10" x 7'10" x 5'7"
TENT HEIGHT OPEN (HIGHEST POINT)	10'6"
ANNEX SIZE	16' x 7'11"
TENT SIZE	3'11" x 3'11"
WEIGHTS & RATINGS	
DRY WEIGHT	3940 lbs
TONGUE WEIGHT	330 lbs
GVRW	5291 lbs
TENT & ANNEX	
TENT	MDC integrated trailer tent with genuine SBS zippers, double stitching and reinforced, gusseted windows and protective seam tape on roof and awning + removable tropical roof. Offers up to 237sqft of living space between the main tent and fully enclosed annex
CANVAS	16oz Sherpa Closeweave canvas with double stitching
CANVAS COLOR	Khaki/sand
WINDOWS	Zippered with mosquito netting
AWNING	Velcro and zip-on removable canvas awning across full length of main tent
ANNEX	Full annex, enclosed roof, walls, floor and draft skirt
POLES	Galvanized steel poles
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels and 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent traileing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system

EXTERIOR	
ROOF RACK	Included
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	31 gallons and 21 gallons water tanks = 52 gallons total
WATER DELIVERY	12v pump
KITCHEN CONSTRUCTION (EXTERNAL)	Slide out stainless steel kitchen top and sink with 3 burner propane cook-top
STONE PROTECTION	Front mesh stone guard including front/rear mud-flaps
FRIDGE SLIDE	31" x 20" x 22.5" (right side) 36" x 20" x 22.5" (left side)
SHOWER TENT	Side mounted wet bath tent
MAJOR APPLIANCES	
HOT WATER SYSTEM	Portable LPG gas instant (1.58 gallons per minute)
FURNACE	Propane furnace
ELECTRICAL	
SOLAR	200W portable solar panel
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	3 LED light strips
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	12V accessory socket 5V dual USB charging port 2 x 120V
POWER OUTLETS EXTERNAL	3 x Anderson plugs 7 x 12V accessory sockets
SOUND SYSTEM	Stereo head unit and speakers
TV	19" TV

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

TOUGH TRAX™

FACTOR
5
CHASSIS



BMPRO



HELLO, WE'RE AUSRV

Originating in Brisbane Australia, AUSRV have been building quality overlanding hybrid travel trailers and pop-up campers for many years. Family owned and operated, owners and staff share the overland and outdoor passion you have and are proud to present the result of our hard work to the US.

Still based in Brisbane, our trailers are available through our dealer network and showrooms in the US. Our years of overlanding Australia through the outback deserts, remote ranges and coastal areas have refined the product to be ready for action in the US.



Built strong with aluminum body frame and alloy composite panel skin, your new AUSRV is designed and assembled using the latest in bonding technology removing the need for mechanical fasteners. The result is a more appealing finish, higher resistance to water ingress and corrosion, and above all a higher strength and rigidity that has come from experience, research and development by the AUSRV team.



Our partnerships with premium appliance manufacturers maintains our demand for quality throughout the product. Partnerships with Dometic, Truma, Thetford, BMAPRO and many others ensures a high standard of finish and reliability that is required for staying off-grid for longer periods.



To keep you moving and provide support, a dedicated customer service team is ready to take your call to assist in any way they can. Technical advice, warranty claims and spare parts are just a phone call away so if you're ready to overland in style, comfort and have a team ready to make sure your experience is a great one, choose AUSRV as your next home away from home and see why tens of thousands of Aussie travelers choose AUSRV.

STAY UP TO DATE
VISIT OUR SOCIAL MEDIA

 [youtube.com/c/AUSRVUSA](https://www.youtube.com/c/AUSRVUSA)

 [instagram.com/ausrv-usa](https://www.instagram.com/ausrv-usa)

 [facebook.com/ausrvusa](https://www.facebook.com/ausrvusa)

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

**TOUGH
TRAX**

FACTOR
5
CHASSIS

 **BMAPRO**





X15

HYBRID OVERLAND TRAVEL TRAILER



GENERAL SPECIFICATIONS	
BERTH	4
BEDS	Custom pillow-top King size innerspring mattress 2 x custom pillow-top innerspring bunks (top long single and bottom queen)
MATTRESS SIZE	Main - 78" x 70" Top Bunk - 79" x 28" Bottom Bunk - 79" x 42"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame and chassis
DIMENSIONS	
SIZE (OPEN WITH A/C)	23'4" x 7'5.5" x 9'1"
SIZE (CLOSED WITH A/C)	21'8" x 7'5.5" x 8'6.5"
WEIGHTS & RATINGS	
DRY WEIGHT	5354 lbs
TONGUE WEIGHT	450 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	ARK XO500
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	13' wide, 12V electric open/close
ANNEX	Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
WATER TANKS	2 x 31 gallons fresh water tanks = 62 gallons total 21 gallons grey water tank

WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (INTERNAL)	Stainless steel sink and 2 burner cook-top
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel sink and 3 burner cook-top
STONE PROTECTION	Front/rear mud-flaps
FRIDGE SLIDE	41.25" x 20.75 x 19.5"
TOOLBOX	Front toolbox included
ELECTRIC STEP	Included
INTERIOR	
SHOWER (WET BATH)	Wet bath with cassette toilet
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II with heat strip
HOT WATER SYSTEM	Truma Aquago Comfort
ELECTRICAL	
SOLAR	3 x 100W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	6 x 12V accessory sockets 4 x 5V dual USB charging ports 3 x 120V
POWER OUTLETS EXTERNAL	Anderson plug 2 x 12V accessory sockets 120V
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV



XT12HR

HARD ROOF TRAVEL TRAILER

GENERAL SPECIFICATIONS	
BERTH	2
BED	Custom pillow-top Queen size innerspring mattress
MATTRESS SIZE	78.75" x 67" x 7.75"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	18'3" x 18'2" x 9'10"
SIZE (CLOSED WITH A/C)	18'3" x 7'6" x 9'10"
WEIGHTS & RATINGS	
DRY WEIGHT	4108 lbs
TONGUE WEIGHT	375 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + spare tire
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	9' wide, 12v electric open/close
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	2 x 21 gallons fresh water tanks = 42 gallons total 10 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with 3 burner propane cook-top, stainless steel sink, washboard and hot/cold water
STONE PROTECTION	Front stone guard including front/rear mud-flaps
FRIDGE SLIDE	37" x 21.25" x 17.5"
TOOLBOX	Front toolbox included
INTERIOR	
SHOWER (WET BATH)	Wet bath with cassette toilet



MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	2 x 150W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	2 x 12V accessory sockets 2 x 5V dual USB charging ports 3 x 120V
POWER OUTLETS EXTERNAL	2 x Anderson plugs 2 x 12V accessory sockets
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV





XT13

HYBRID TRAVEL TRAILER



GENERAL SPECIFICATIONS	
BERTH	3
BEDS	Custom pillow-top Queen size innerspring mattress Single high-density foam front bunk
MATTRESS SIZE	80" x 67" x 7"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	21'2" x 17'4" x 10'1"
SIZE (CLOSED WITH A/C)	19'5" x 7'6" x 8'6"
WEIGHTS & RATINGS	
DRY WEIGHT	4374 lbs
TONGUE WEIGHT	380 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	12' wide, 12V electric open/close
ANNEX	Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	31 gallons fresh water tank 21 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with sink and 3 burner propane cook-top
STONE PROTECTION	Front stone guard including front/rear mud-flaps
FRIDGE SLIDE	36" x 19.25" x 19.25"
TOOLBOX	Front toolbox included

INTERIOR	
SHOWER (WET BATH)	Wet bath with cassette toilet
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	3 x 100W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	2 x 12V accessory sockets 5V dual USB charging port 2 x 120V
POWER OUTLETS EXTERNAL	2 x Anderson plugs 12V accessory socket
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV

LIFETIME
STRUCTURAL CHASSIS
FRAME WARRANTY

TOUGH TRAX™

FACTOR
5
CHASSIS

BMPRO





XT16HR FAMILY

OVERLAND TRAVEL TRAILER



GENERAL SPECIFICATIONS	
BERTH	5
S	Custom pillow-top Queen size innerspring mattress 2 x single high-density foam bunks and convertible dinette
MATTRESS SIZES	Main - 83" x 62" x 9" Bunk - 2 x 68" x 25" x 5"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	21'8" x 14'3" x 10'
SIZE (CLOSED WITH A/C)	21'8" x 7'8" x 10'
WEIGHTS & RATINGS	
DRY WEIGHT	5174 lbs
TONGUE WEIGHT	450 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	13' wide, 12V electric open/close
ANNEX	Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (INTERNAL)	Inside - Thetford fridge
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with sink and 3 burner propane cook-top
STONE PROTECTION	Front stone guard including front/rear mud-flaps

FRIDGE SLIDE	42.75" x 21.5" x 18.5"
TOOLBOX	Front toolbox included
INTERIOR	
SHOWER (WET BATH)	Wet bath with cassette toilet
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	2 x 150W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	3 x 12V accessory sockets 2 x 5V dual USB charging ports 5 x 120V
POWER OUTLETS EXTERNAL	Anderson plug 12V accessory socket
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

TOUGH TRAX™

FACTOR
15
CHASSIS


BMPRO





XT16HR ISLAND

OVERLAND TRAVEL TRAILER



GENERAL SPECIFICATIONS	
BERTH	3
BED	Custom pillow-top Queen size innerspring mattress and convertible dinette
MATTRESS SIZE	79" x 58" x 9"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	22'2" x 14'3" x 10'
SIZE (CLOSED WITH A/C)	22'2" x 7'8" x 10'
WEIGHTS & RATINGS	
DRY WEIGHT	5254 lbs
TONGUE WEIGHT	458 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	13' wide, 12V electric open/close
ANNEX	Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (INTERNAL)	Refrigerator, cook-top/oven combination and range hood
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with sink and 3 burner propane cook-top
STONE PROTECTION	Front stone guard including front/rear mud-flaps
TOOLBOX	Front toolbox included

INTERIOR	
TOILET / BATHROOM	Separate cassette toilet, shower, and sink
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	2 x 150W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	5 x 12V accessory sockets 4 x 5V dual USB charging ports 6 x 120V
POWER OUTLETS EXTERNAL	Anderson plug 12V accessory socket
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

BMPRO

TOUGH TRAX™

FACTOR
15
CHASSIS





XT16HR EAST WEST

OVERLAND TRAVEL TRAILER

GENERAL SPECIFICATIONS

BERTH	3
BED	Custom pillow-top Queen size innerspring mattress and convertible dinette
MATTRESS SIZE	83" x 62" x 9"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	21'8" x 14'3" x 10'
SIZE (CLOSED WITH A/C)	21'8" x 7'8" x 10'
WEIGHTS & RATINGS	
DRY WEIGHT	5354 lbs
TONGUE WEIGHT	441 lbs
GVRW	6147 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO35
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	13' wide, 12V electric open/close
ANNEX	Removable walls, floors, and draft skirt that are detachable with a zipper and/or Velcro
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (INTERNAL)	Refrigerator, cook-top/oven combination and range hood
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with sink and 3 burner propane cook-top
STONE PROTECTION	Front stone guard including front/rear mud-flaps
FRIDGE SLIDE	40.75" x 21.5" x 18.5"
TOOLBOX	Front toolbox included



INTERIOR

TOILET / BATHROOM	Separate cassette toilet, shower, and sink
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	2 x 150W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	3 x 12V accessory sockets 2 x 5V dual USB charging ports 4 x 120V
POWER OUTLETS EXTERNAL	2 x Anderson plugs 2 x 12V accessory sockets
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV

LIFETIME
STRUCTURAL/CHASSIS
FRAME WARRANTY

BMPRO

TOUGH TRAX™

FACTOR
5
CHASSIS





XT17HRT

HARD ROOF TRAVEL TRAILER



GENERAL SPECIFICATIONS	
BERTH	3
BED	Custom pillow-top King size innerspring mattress and convertible dinette
MATTRESS SIZE	78.55" x 67" x 8"
BODY CONSTRUCTION	Aluminum composite panel fully welded frame
DIMENSIONS	
SIZE (OPEN WITH A/C)	25'2" x 18' x 10'
SIZE (CLOSED WITH A/C)	23'5" x 7'10.5" x 10'
WEIGHTS & RATINGS	
DRY WEIGHT	6446 lbs
TONGUE WEIGHT	507 lbs
GVRW	7716 lbs
CHASSIS	
FRAME	Hot dipped galvanized steel
HITCH / COUPLING	DOT approved Cruisemaster DO45
JOCKEY WHEEL	10" swing up and lockable
WHEELS & TIRES	16" x 7.5" alloy wheels with 265/75R16 M/T tires + 2 spare tires
SUSPENSION	Independent trailing arm with dual shock absorbers and coil spring
BRAKES	12" electric drum with manual hand brake and brake away system
STABILIZER LEGS	4 x heavy duty lockable and adjustable drop down
EXTERIOR	
AWNING	13' wide fold out
PROPANE TANK CAPACITY	2 x 20 lbs propane cylinders and holders
JERRY CAN HOLDERS	2 x 5 gallons jerry can holders
WATER TANKS	2 x 21 gallons fresh water tanks = 42 gallons total 21 gallons gray water tank
WATER DELIVERY	12v electric pump
KITCHEN CONSTRUCTION (INTERNAL)	Refrigerator, cook-top/oven combination, range hood and microwave
KITCHEN CONSTRUCTION (EXTERNAL)	Stainless steel kitchen with sink and 3 burner propane cook-top
STONE PROTECTION	Front stone guard including front/rear mud-flaps
FRIDGE SLIDE	31.75" x 20" x 23"
TOOLBOX	Front toolbox included

INTERIOR	
SHOWER (WET BATH)	Wet bath with cassette toilet
MAJOR APPLIANCES	
AIR CONDITIONER	Dometic High Efficiency Penguin II
HOT WATER SYSTEM	Truma Aquago Comfort Plus
FURNACE	Dometic DFSD 12111 Furnace
ELECTRICAL	
SOLAR	2 x 150W solar panels
BATTERY	2 x 100ah lithium
BATTERY MANAGEMENT	BMPRO
INVERTER	Aims Power 1500 watt Pure Sine Wave Inverter
LIGHTING INTERNAL	12V LED lighting throughout
LIGHTING EXTERNAL	12V LED lighting throughout
LIGHT CONNECTION PLUG	Seven way round tow vehicle connector
POWER OUTLETS INTERNAL	3 x 12V accessory sockets 5V dual USB charging port 2 x 120V
POWER OUTLETS EXTERNAL	2 x Anderson plugs 3 x 12V accessory sockets 2 x 120V
SOUND SYSTEM	Stereo head unit with internal and external speakers
TV	19" TV




All pictures shown are for illustration purpose only. Actual product may vary due to product enhancement.



MDC★USA

Escape with confidence



FIND AN MDC DEALER NEAR YOU

BUENA PARK

8420 Kass Dr.
Buena Park, CA. 90621

PHOENIX

3908 East Broadway Rd. Suite 100
Phoenix, AZ. 85040

SALT LAKE CITY

1920 N 2200 W. Suite 4
Salt Lake City, UT. 84116

WE'RE HERE TO HELP

Our team has both the skills and experience to assist you in all aspects of your pop-up camper and travel trailer purchase. Give us a call or drop into one of our showrooms we'll be happy to help you out in any way we can.

To see our latest news, tips, videos and more visit:

www.mdcusa.com

833-MDC-USA1 (833-632-8721)

SALES
sales@mdcusa.com

WARRANTY HOTLINE
warranty@mdcusa.com

Disclaimer: Information contained on this web site is subject to change without notice. MDC Campers and Caravans Inc reserves the right to alter any details of specifications and equipment without notice. No guarantee is given regarding the accuracy of information on the website. Pop-up campers and travel trailers pictured, and specifications detailed may vary from models and equipment available in your area. Pricing and Products Subject to Change Without Notice. Images are for representational purposes only. Please check model availability and full specification details with your nearest MDC dealer prior to ordering.