

Jayco | 2025 Redhawk Class C Motorhome



REDHAWK

COMFORT FOR THE ROAD AHEAD

2+3
YEAR | YEAR
WARRANTY



ASHBROOK




Wood




Floor



Countertop




Main Fabric



Furniture

MODERN FARMHOUSE




Wood




Floor



Countertop




Main Fabric




Furniture


24B OPTION: A




26M OPTION: A



29XK OPTION: A




31F OPTION: A



OPTION

A



Theater Sofa

EXTERIOR SELECTION



Standard Graphics Package

STANDARDS & OPTIONS

CUSTOMER VALUE PACKAGE

JRide®: Computer-balanced driveshaft, standard front and rear stabilizer bars, Hellwig® helper springs, rubber isolation body mounts
One-piece, seamless, fiberglass front cap
Automotive-bonded, panoramic window in front cap with power shade
Heated holding tanks (12V pads)
Electric patio awning with LED lights
Black holding tank sprayer
Sony® infotainment center with tilt/swivel, Apple® CarPlay and Android Auto™
Backup and side-view cameras
LED HD Smart TV in living area

DRIVING

Ford® E-450 chassis
GVWR- 14,500 lb.
GCWR- 22,000 lb.
7.3L V-8 325 HP engine with 450 ft.-lb. torque
6-speed TorqShift® series transmission with overdrive
210-amp alternator
Catalytic converter theft deterrent
E-rated highway tires- LT225/75R16
Tire pressure monitoring system (TPMS)
Power anti-lock brakes with power steering
7,500 lb. hitch with 750 lb. tongue capacity and 7-pin plug
12V chassis battery
55 gal. fuel tank
Swivel driver and passenger seats (24B, 31F)
Remote-controlled, side-view mirrors
Tilt steering wheel
Cruise control
Hill start assist
Electronic stability control
Traction control
Auxiliary start switch
Power windows and door locks
Driver and passenger airbags
Privacy curtain for cab area

EXTERIOR

Stronghold VBL™ roof, floor and sidewalls
Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)
Tufflex™ PVC laminated roof
Aluminum running boards
Fiberglass exterior walls with vinyl graphics
Leveling jack prep
Frameless windows
Remote keyless cab entry
Entrance door with industry's largest travel-view window
Electric-powered entrance step with integrated house battery compartment
(2) high-output, marine-grade exterior speakers
Slideout awning(s)
Pass-through storage compartment with light (select models)
Third brake light
Roof ladder
Prep for satellite dish
Cable TV hookup with RG-6 coax
Digital antenna with signal booster


4,000W generator
Solar prep
12V house battery
Transfer switch with reverse polarity protection
30-amp electrical service
12.2 gal. propane tank (41 lb.)
LP quick-connect hookup
Exterior utility center
Winterization drain system
Outside shower
12V demand water pump
Water filtration system

INTERIOR

Overhead bunk with 750 lb. capacity and safety net
84 in. ceiling height
High-intensity, recessed LED ceiling lights
LED-lit slideout fascia
Hardwood cabinet doors and drawer fronts
Ball-bearing drawer guides
Interior entrance door grab handle
Interior command center
Pleated blackout shades
15,000 BTU ducted A/C
30,000 BTU auto-ignition furnace
Electric fireplace (26M)
6 gal. gas/electric DSI auto-ignition water heater
Jayco-exclusive, easy-operation legless dinette table
2-point lap safety belts in all designated seating locations
JBL® audio system
10 cu. ft. 12V refrigerator
Furrion® all-in-one cooktop and oven
Residential-size microwave
Stainless steel kitchen sink
Decorative kitchen backsplash
Pop-up charging station with 120V outlet and USB plugs
LED-lit pressed countertops
Shower with decorative ABS surround and skylight
Stainless steel bathroom sink
Toilet with foot flush
Vent fan in bathroom
Queen-size bed with bedspread (24B, 29XK, 31F)
Queen-size power Murphy Bed (26M)
USB port and wireless charging in nightstands (29XK, 31F)
USB port in cabinet over bed (24B, 26M)
Under-bed storage (select models)
Large wardrobes
Bunks with industry-exclusive 300 lb. capacity each (31F)
Smoke alarm
Carbon monoxide detector
Fire extinguisher


OPTIONS

Automatic hydraulic leveling jacks
Theater seating ILO dinette and additional TV in cab-over (24B, 26M)
Theater seating ILO sofa (29XK, 31F)
200W solar panel with dual controller and second house battery
Dual 13,500 BTU A/C units with power management system (26M, 29XK, 31F)
Folding windshield sun shade




COMPUTER-BALANCED DRIVESHAFT

Ensures smooth and efficient power transfer to the wheels




STANDARD FRONT & REAR STABILIZER BARS

Reduces the body roll of a vehicle during fast cornering or over road irregularities



HELLWIG® HELPER SPRINGS

Work with the chassis' existing springs to give the RV more support, improving stability under heavy loads



RUBBER ISOLATION MOUNTS

Positioned near the tires to absorb road shock, dampen noise and minimize vibrations

FLOORPLAN	GVWR (lbs.)	GCWR (lbs.)	WHEEL BASE	OVERALL LENGTH	EXTERIOR HEIGHT WITH SATELLITE AND A/C	EXTERIOR WIDTH	INTERIOR HEIGHT	FRESH WATER CAPACITY (gal.)	GRAY WASTE WATER CAPACITY (gal.)	BLACK WASTE WATER CAPACITY (gal.)
24B	14,500	22,000	181"	26' 8"	11' 6"	100"	84"	43	40	31
26M	14,500	22,000	181"	28' 8"	11' 6"	100"	84"	44	41	32
29XK	14,500	22,000	223"	32' 6"	11' 6"	100"	84"	44	41	32
31F	14,500	22,000	223"	32' 6"	11' 6"	100"	84"	47	41	31

Meet your Jayco Dealer



Scan QR code for specification definitions

Some specs at the time of print may include estimates. For the most updated information, please visit Jayco.com

Jayco Inc. | P.O. Box 460 | Middlebury, IN 46540

See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in USA 2/25 ©2025 Jayco, Inc. 2032954

Jayco - Part of Jayco Family of Companies

