

2023 MIDWEST 2023 NORTHWEST 2023 SOUTHWEST



USB CHARGER

110V OUTLET

STEP ABOVE STEPS

חובד MODEL #: 24RLXL HITCH: 550 LBS UVW: 5,063 LBS LENGTH: 28'11"

HITCH: 450 LBS UVW: 4,818 LBS

STEP ABOVE STEPS

MODEL #: 261BHXL LBS LENGTH: 28'8"



For detailed specifications, pictures & 360 Tours, visit www.forestriverinc.com/Salem

OR Scan the QR code!







All information contained in this brochure is believed to be accurate at the time of publication However, during the model year, it may be necessary to mavke revisions and Forest River, Inc. reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. © 2022 Salem, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved.

MEET YOUR CRUISE LITE DEALER







178BHSK 161QK 169RSK 170SS 176QBHK 179DBK 181RT LENGTH 23' 6" 22' 11" 22' 9" 22' 11" 22' 6" 21' 8" 21' 8" HEIGHT TBD 10' 4" 10' 4" 10' 4" 10' 4" 10' 2" 10' 2" 555 lb. 445 lb. 520 lb. 430 lb. 465 lb. **HITCH WEIGHT** 508 lb. 440 lb. UVW 3,691 4,024 lb. 3,819 lb. 3,944 lb. 3,749 lb. 3,219 lb. 3,204 lb. CCC 1,217 931 lb. 1,026 lb. 976 lb. 1,081 lb. 1,646 lb. 1,636 lb. 39 gal. **FRESH WATER** 43 gal. 43 gal. 43 gal. 43 gal. 43 gal. 43 gal. **GRAY WATER** 40 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal. **BLACK WATER** 40 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal. 30 gal. AWNING 15' 15' 12' 15' 12' 13' 12'

181RT









253RKXL



260RTK

263BHXL



O

Let's Get Social! Find us on Facebook, Instagram, and YouTube

Ser.		111		S. La Carlo		ANDER		and a second	260RTK		
	210RBXL 2		220BHXL	240BHXL	243BHXL	251SSXL	253RKXL	260RTK	263BHXL	273QBXL	28VBXL
LENGTH	25' 2"			28' 10"	28' 2"	29' 5"	29' 1"	28' 8"	31' 11"	33' 8"	33' 4"
HEIGHT	10' 3"			10' 4"	10′ 1″	11' 8"	11' 3"	10' 6"	10' 3"	10' 3"	10' 4"
HITCH WEIGHT	500 lb.	740 lb.	602 lb.	570 lb.	566 lb.	746 lb.	578 lb.	650 lb.	736 lb.	752 lb.	828 lb.
UVW	4,830 lb.	5,262 lb.	4,800 lb.	5,343 lb.	5,492 lb.	5,664 lb. 2,882 lb.	5,794 lb. 1,784	5,276 lb. 3,174 lb.	6,406 lb. 1,330 lb.	6,550 lb. 2,002 lb.	6,486 lb.
CCC	2,670 lb.	3,278 lb.	2,802 lb.	2,227 lb.	2,074 lb.						2,142 lb.
FRESH WATER	61 gal.	61 gal.	42 gal.	40 gal.	61 gal.	61 gal.	61 gal.	42 gal.	61 gal.	61 gal.	61 gal.
GRAY WATER	42 gal.	28 gal.	60 gal.	30 gal.	60 gal.	26 gal.	66 gal.	28 gal.	74 gal.	32 gal.	32 gal.
BLACK WATER	32 gal.	32 gal.	32 gal.	30 gal.	32 gal.	32 gal.	42 gal.	32 gal.	32 gal.	42 gal.	42 gal.
AWNING	14'	18'	12'	18'	12'	18'	16′	15'	16′	16′	16'





26DBUD



	22RBS	26DBUD	29VBUD
LENGTH	27' 0″	33' 9"	36' 0″
HEIGHT	11' 2"	11' 2"	11' 2"
HITCH WEIGHT	771 lb.	824 lb.	805 lb.
UVW	5,647 lb.	6,988 lb.	7,397 lb.
CCC	2,124 lb.	2,636 lb.	2,208 lb.
FRESH WATER	61 gal.	61 gal.	61 gal.
GRAY WATER	64 gal.	75 gal.	75 gal.
BLACK WATER	32 gal.	32 gal.	32 gal.
AWNING	16'	18'	18'
	2	1888 X X	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION 88000 When the second PREFERENTIAL SERVICE FOREST RIVER encourages you to BUY LOCA

www.ForestRiverBuyLocal.com

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional option-al equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty black and gray tanks for more cargo capacity.

*Estimated Average based on standard build optional equipment. ** Estimated average based on standard build optional equipment. Values estimated at time of printing.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/OnlineManual or download our



FREE MEMBERSHIP

to Forest River Owners' Group





www.forestriverfrog.com

24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE



WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



VALID FOR 1 YEAR FROM DATE OF PURCHASE

©2023 Salem, a division of Forest River Inc., a Berkshire Hathaway company.

FOREST RIVER





I78BHSK

268BH

SE X SE

• • •

BUNK BEDS



25ISSXL



24IRLXL



2IISSXL



273**0**BXL

271BHXL





26DBUD



HITCH WEIGHT 445

GVWR

UVW

CCC EXT LENGTH

EXT HEIGHT

EXT WIDTH

FRESH (GAL.)

GREY (GAL.)

BLACK (GAL.) 22

CAMP

29VBUD



27TDSS









27RK

32BHDS

27RE

											1000	Ser State	004								100			122 mars			
	177BQ	177FQ	178BHSK	178DB	19788	208RD	228RK	267SS	268BH	2IISSXL	25ISSXL	24IRLXL	242BHXL	254RLXL	261BHXL	263BHXL	27IBHXL	273QBXL	282QBXL	23RK	26DBUD	27RE	27RK	27DSS	29VBUD	300BSS	32BHDS
IT	445	430	495	485	495	565	550	655	545	890	835	680	690	685	495	635	775	735	705	664	866	877	836	826	932	859	931
	4,845	4,830	5,620	5,585	5,595	7,565	7,550	8,455	7,545	8,890	8,835	7,680	7,690	7,685	7,495	7,635	7,775	7,760	7,705	7,664	9,999	9,999	9,999	9,999	9,999	9,999	9,999
	3,374	3,334	3,869	4,033	4,113	4,273	4,708	5,280	4,559	5,284	5,721	5,478	6,014	6,063	4,715	5,893	6,353	6,349	6,457	5,910	7,258	8,003	7,154	7,108	7,380	7,221	8,403
	1,471	1,496	1,026	1,552	1,482	3,292	2,842	3,175	2,986	3,406	2,914	2,202	1,676	1,622	2,780	1,742	1,422	1,386	1,248	1,754	2,741	1,996	2,845	2,891	2,619	2,778	1,596
	22' 8"	22' 8"	22' II"	24′ 0″	24′ 2″	25' 10"	26' 3"	31′ 0″	28' 10"	27′ 5″	29′ 5″	28′ 8″	28' 10"	30' II"	28' 4"	31′ 8″	32′ 10″	33′ I″	32′ 10″	28' 8"	33′ I″	34′ I″	33' 6"	32′ 4″	36' 6"	34′ 2″	36' 4"
	10' 3"	10' 3"	10' 3″	10' 3"	10′ 5″	10′ 5″	10′ 5″	10' 9"	10′ 5″	II' IO"	11' 10"	10' 10"	10' 10"	10' 10"	10' 4"	10' 10"	10' 10"	10' 10"	10' 10"	10' 10"	II' 3″	II' 3″	II' 2″	II' 2″	II' 2″	II' 3″	II' 3″
	84″	84″	96″	96″	84″	96″	96″	84″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″	96″
	42	42	40	42	42	42	42	42	42	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
	22	22	30	28	22	30	52	28	28	35	30	35	30	30	30	65	65	35	30	75	75	75	65	75	75	65	58
	22	22	30	30	22	22	22	22	30	30	30	30	30	28	23	30	30	30	28	40	40	35	28	40	40	30	30



FREE MEMBERSH to Forest River Owners' Group www.forestriverfrog.com







A Berkshire Hathaway company.

FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 1 (909) 873-3777 WWW.FORESTRIVERINC.COM/SALEM | WWW.FORESTRIVERACCESSORIES.COM EFFECTIVE UNITS BUILT AFTER 9/20/2022

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

SPECIFICATION DEFINITIONS

GVWR (GROSS VEHICLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT OF THE UNIT WHEN FULLY LOADED. IT INCLUDES ALL WEIGHTS, INCLUSIVE OF ALL FLUIDS, CARGO, OPTIONAL EQUIPMENT AND ACCESSORIES. FOR SAFETY AND PRODUCT PERFORMANCE DO NOT EXCEED THE GVWR.

GAWR (GROSS AXLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT, INCLUDING CARGO, FLUIDS, OPTIONAL EQUIPMENT AND ACCESSORIES THAT CAN BE SAFELY SUPPORTED BY A COMBINATION OF ALL AXLES.

UVW (UNLOADED VEHICLE WEIGHT)* - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY. IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLE(S) AND TONGUE OR PIN AND LP GAS. THE UVW DOES NOT INCLUDE CARGO. FRESH POTABLE WATER, ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES. *ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT.

CCC (CARGO CARRYING CAPACITY)** - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER. CARGO. ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES.

CCC IS EQUAL TO GVWR MINUS UVW. AVAILABLE CCC SHOULD ACCOMMODATE FRESH POTABLE WATER (8.3 LBS PER GALLON).

BEFORE FILLING THE FRESH WATER TANK, EMPTY THE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY. ** ESTIMATED AVERAGE BASED ON STANDARD BUILDOPTIONAL EQUIPMENT

EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST RIVER

RV PRIOR TO LEAVING OUR FACILITIES. THE LOAD CAPACITY OF YOUR UNIT IS DESIGNATED BY WEIGHT, NOT BY VOLUME, SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR UNIT.

ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR. IT MAY BE NECESSARY TO MAKE REVISIONS AND FOREST RIVER. INC., RESERVES THE RIGHT TO MAKE ALL SLICH CHANGES WITHOUT NOTICE. INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT AND SPECIFICATIONS AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUIANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. LITHO. U.S.A. FOR 1420 P/W: 2022.6.20

PHOTO BY: GEORGE COX

