



**LANCE**





## What Makes Lance Special?

It's a blend of innovation and good old-fashioned, roll-up-your-sleeves craftsmanship.

It all started in 1965, when we set out to build the best truck camper RV possible. Those early truck campers taught us the fundamentals—how to keep things lightweight without sacrificing strength, how to build for durability, and how to engineer products that withstand the elements. When you're building something that sits in the bed of a pickup and travels rugged roads from Alaska to South America, you quickly learn that quality starts with construction. Everything—from the materials to the process—has to be a cut above.

Today, with nearly 30 years of towable experience and 60 years in RV manufacturing, we're proud to introduce the 2026 Lance premium travel trailer lineup.

It all starts in SolidWorks, where our team uses advanced computer modeling to design floorplans for real-world use—whether you're a full-timer, long-distance explorer, or weekend warrior. Our layouts prioritize efficient storage, smart space planning, and clean, modern interiors.

That vision comes to life through laser-guided component cutting, delivering precision and structural integrity—true 90-degree corners, no shortcuts, no tape or putty. We use high-performance composite materials that resist the elements, extend product life, and help maintain long-term resale value.

Lance is where CNC-machine precision meets decades of hands-on expertise. We don't mass produce tens of thousands of RVs a year—and that's by design. We build our own cabinetry, sew our own fabrics, and use solid foam core laminated exterior panels because it's the right way to do it. We choose quality over quantity—so you can enjoy a better RV experience.

***Lance. The most trusted name in RV quality.***







Shown in Mink Interior Décor



## SPECIFICATIONS

Floor Length	25' 6"
Overall Length (Including Optional Ladder N/A 2075)	30' 5"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C	10' 5"
Height (Interior)	80"
Dry Weight	5750
Axle Weight	5125
Hitch Weight	625
Cargo Capacity (Total)	3050
Cargo Capacity (Available on Axle)	3475
GAWR (Per Axle)	4300
GVWR	8800
Sleeping Capacity (Min./Opt. Max.)	4/5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40



# PREMIUM APPOINTED EXTERIOR

Lance spares no expense when appointing our premium travel trailers with features, components, and materials. Everything is aimed at making your RV experience that much more enjoyable and trouble-free. Some items are big, like a fully laminated box, and others are small but functional and well thought out, like a storage rack for your towing chains and power cord. Throughout this catalog, we hope you will see and compare the culmination of our entire experience, from hitch to bumper, with our competitors. We think you'll see and feel the difference.



## INDUSTRY LEADING ENTRY DOOR AND WINDOWS

Dual Pane Acrylic RV Windows let nature in by fully opening, are lighter and lack the metal frames which build up moister.

Full 360 framed door stays square independent of the floor, features a heavy duty double-locking system and dual automotive style bulb seal.

## EXTERIOR EXTRAS

Power Cord/Water Hose Storage Compartment give you a place to keep necessities and tools safe.

Locking Battery Compartment W/Sliding Tray keep your batteries accessible to you while also being safe and secure.

2" Utility Receiver allows you additional storage options. Can accommodate bikes, racks or carriers.

Pet Attachment Ring to keep your pooch around camp.



## NOSE, ROOF AND WALLS STAND UP TO MOTHER NATURE

Molded Fiberglass Front Cap W/Formed TPO Lower Gravel Guard and LP Tank Cover lead the charge against the elements.

Tapered Rain Shedding Exterior Ducted Air Roof Design keep moister from pooling on your roof.

Rear aluminum formed eyebrow and pillar seam caps look nice and provide extra armor from the outdoors.

Dual Layer Azdel!

Everything from your stabilizer jacks to your slide room and awning can operate at the push of a button. No cranking or getting on your knees.

Standard storage hooks for your truck connection cord and trailer chains keep these items clean and lasting longer.

The four-season package includes additional tank surrounds, resulting in a closed and protected underbelly.





# 2465



Shown in Thunder Interior Décor

Sofa Bed Size 42" x 72"



## SPECIFICATIONS

Floor Length	24'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	29'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	6400
Axle Weight	5495
Hitch Weight	905
Cargo Capacity (Total)	2500
Cargo Capacity (Available on Axle)	3105
GAWR (Per Axle)	4300
GVWR	8900
Sleeping Capacity (Min./Opt. Max.)	5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40



California King Bed!

# PREMIUM APPOINTED INTERIOR

Expertly laid out to be highly usable, spacious, and designed to feel like home, our towables feature modern neutral interiors that highlight a combination of composite and natural, extremely durable materials. Familiar quality and functionality ensure an instinctive and comfortable transition to a nomadic lifestyle that does not compromise.



Modern sophistication with purposeful functionality. A soft, neutral palette anchors our interiors, while most models feature dual mirrored wardrobes that frame the walkaround queen bed—adding symmetry, storage, and a touch of style. Overhead, cabinet space provides room for extended-trip essentials, and a large stargazer window brings in natural light by day and a view of the stars at night.



Hand-upholstered or CNC-cut valences and trim show a pride in workmanship uncommon in RV manufacturing. Just because they're wrapped in fabric doesn't mean we cut costs or processes. We use the same materials as cabinetry and then wrap them ourselves for a cut-above look and feel.



Two-tone cushions pair patterned fabric uppers with durable Dura-leather lowers and ultra-plush, high-resiliency foam. The result is a refined look with lasting shape, consistent comfort, and subtle support.



Residential queen size deluxe innerspring mattress with a bedspread and foot throw. No "RV Queen" beds in a Lance! Those are 74" long. Ours will fit your sheets from home.



Angle Cut Cabinetry enable your cabinet doors to fully open.



No pressed or particle board used. 100% 3/4" thick sturdy plywood in all cabinets and interior walls. CNC cut! Exclusive use of Non Toxic Glues.



Decorative yet subtly splendid residential-styled above counter bathroom sink increases counter space with a stylish look.



# 2445



Shown in Mink Interior Décor



## SPECIFICATIONS

Floor Length	24'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	29'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	6115
Axle Weight	5535
Hitch Weight	580
Cargo Capacity (Total)	2585
Cargo Capacity (Available on Axle)	3065
GAWR (Per Axle)	4300
GVWR	8700
Sleeping Capacity (Min./Opt. Max.)	8
Fresh Tank (Gal)	45
Gray Tank (Gal)	2/40
Black Tank (Gal)	40





Shown in Thunder



Shown in Fog



Shown in Mink

## DÉCOR (Matte finish performance leatherette with a pop of woven fabric.)

Variety is the spice of life and what we refer to as the "The Lance Look"! With three stunning selections, all professionally curated to compliment the cabinetry and key interior features, this might be the most challenging decision you'll have to make!

Thunder – Warm light brown with tones of yellow gold.

Fog – Light taupe with subtle hints of smooth grey white.

Mink – Neutral charcoal gray with very slight blue green undertone.

## ENJOY THE RELIABILITY AND CONVENIENCES OF HOME WHEREVER YOUR ADVENTURES MAY TAKE YOU.

Are you ready to transform your travels into a luxurious experience? Lance Travel Trailers provides unparalleled comfort and style for every journey.

### Why choose Lance?

**Premium Materials:** Our interiors feature high-quality, durable materials designed to stand up to all your adventures while maintaining a stylish aesthetic.

**Spacious Design:** Experience the freedom of expansive living spaces with thoughtful layouts that maximize every inch for your comfort and convenience.

**Modern Amenities:** Enjoy top-of-the-line appliances, plush seating, and state-of-the-art technology that make every trip feel like home.

**Customizable Options:** Tailor your travel trailer to fit your unique tastes with a range of interior design options and finishes.

**Attention to Detail:** We meticulously craft every detail, from sleek cabinetry to ergonomic furniture, to enhance your travel experience.



Beautiful and durable white quartz solid surface countertops.



Real 3/4" formaldehyde-free wood in all interior walls and cabinetry. Soft close hardware.



Residential faucet fixtures.





# 2285



Shown in Thunder Interior Décor



Optional Swivel Rockers

Sofa Bed Size 36" x 63"

## SPECIFICATIONS

Floor Length	22'-6"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	27'-6"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	5285
Axle Weight	4525
Hitch Weight	760
Cargo Capacity (Total)	2715
Cargo Capacity (Available on Axle)	3275
GAWR (Per Axle)	3900
GVWR	8000
Sleeping Capacity (Min./Opt. Max.)	6*
* 2285 Model Reduces to 4 W/Swivel Chairs	
Fresh Tank (Gal)	45
Gray Tank (Gal)	2/40
Black Tank (Gal)	40





# STANDARD FEATURES



48" Portable Folding Table with Built-In Exterior Storage Feature. You know you need one!



Portable Generator Storage Compartment with Tie-Downs and cable lock. It ensures the safe and secure transportation of a backup generator.



Locking Dual Battery Compartment(s) W/Sliding Tray (Design Is Model Dependent). Keep batteries insulated and safe.



Wall Clock. A nod to an easier time. Something about an analog clock just makes you feel at home.



Wireless Cell Phone Charging Pad. Just set down your phone to charge it up.



Pop-Up Electrical/Charging Tower. Easy access to outlets in the galley for extra appliances.



Shower Miser. Divert and circulate shower water while heating up, *giving you the ability to stay out of your RV longer off-grid by conserving both your fresh and gray water.*



12V/USB Charging Port(s). Convenient access to even more charging locations for your devices.



JBL AM/FM Stereo W/Powered Bass Subwoofer & Bluetooth Speaker. Premier sound inside the unit and on the go.



2" Utility Receiver. Standard receiver hitch for bike or storage racks. Limit 300 lbs. capacity.



Quality brands are partnering for a better RV experience. Ultra quiet. Super-efficient. A better experience for you during ownership.



The **Truma Aventa** air conditioner offers ultra-quiet, energy-efficient cooling with advanced variable fan speeds and a built-in dehumidifier mode. This feature removes excess moisture from the air, reducing condensation and improving overall comfort—especially in humid climates. Combined with its sleek, low-profile design and evenly distributed airflow, the Aventa delivers a more comfortable, quieter, and healthier indoor environment wherever your travels take you.



The **Truma AquaGo** is a cutting-edge on-demand water heater that provides instant, continuous hot water—just like at home. Its hybrid technology maintains a constant water temperature without fluctuation, even during extended use. Compact and efficient, it eliminates the wait time and water waste of traditional RV water heaters, giving you a more convenient, comfortable, and eco-friendly experience on the road.





Shown in Fog Interior Décor



Optional Theater Seating

## SPECIFICATIONS

Floor Length	22'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	27'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	5425
Axle Weight	4830
Hitch Weight	590
Cargo Capacity (Total)	2575
Cargo Capacity (Available on Axle)	2970
GAWR (Per Axle)	3900
GVWR	8000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# OPTIONAL FEATURES



Lance Load Roof Rack System. Bring your kayak, canoe, or extra storage pod along for the adventure.



Optional solar power—choose one or two 200W panels to keep batteries charged and extend off-grid time.



TPMS System (Tire Pressure Monitoring System). Monitor the pressure (PSI) in all four tires while going down the road.



Glow-Step Revolution Entry Step: 25". An extra sturdy step that fully contacts the ground provides added support for entry and egress.



Smart TV. Stream your favorite apps from the comfort of your RV.



3000W Power Inverter. It converts the electricity from onboard batteries to allow the 110V system (outlets, A/C, microwave) to function off-grid.



Pull-Out Storage Tray (MorRyde). There is no need to climb in to access this large compartment.



Latitude Awning with a Wind Sensor. Lateral arms eliminate head-knocking horizontal supports and enable the addition of more windows.



Convection/Micro-Air Fryer. It combines the rapid cooking capabilities of a microwave ovens with the browning and crisping of a traditional oven.



Antenna LTE/cell booster. It improves your cell phone's voice and data range, potentially allowing it to function as a Wi-Fi hotspot.



Electric Fireplace. Enjoy warmth and safe operation with this ambience setting feature.



Tri-Five Propane Tank. Store three 5-gallon (20-pound) tanks under a stylish and aerodynamic cover.



Four Season Package includes advanced insulation, dual-pane windows, heated floors, and enclosed, insulated tanks.



Full-bladed fan. Ensure your RV stays well-ventilated and dry in any weather condition.



Backup Camera with Wireless Monitor. This enhances the enjoyment of the back-in and set-up process significantly.

# 2185



## SPECIFICATIONS

Floor Length	21'-2"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	26'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4860
Axle Weight	3970
Hitch Weight	890
Cargo Capacity (Total)	3040
Cargo Capacity (Available on Axle)	3830
GAWR (Per Axle)	3900
GVWR	7900
Sleeping Capacity (Min./Opt. Max.)	7
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# THE LANCE DIFFERENCE

- A.** The roof is covered in energy-star rated synthetic membrane material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** Fiberglass upper nose cap with TPO lower gravel guard with LED lighting, combine for beautiful and resilient protection from the abuses of the road.
- F.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.

- G.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- H. Dexter Torsion Axle** system provides a smoother, quieter ride with independent wheel suspension and built-in shock absorption. Its rubberized torsion design reduces road vibration, enhances towing stability, and eliminates the need for leaf springs—resulting in less maintenance and a more controlled, comfortable towing experience. Optionally available 2 5/8" lift kit.
- I.** The **BAL NXG Frame** is a high-strength, lightweight chassis engineered for durability and precision. Built with HSLA steel, CNC-formed rails, and Huck® fasteners, it ensures consistent quality, structural integrity, and corrosion resistance. Tested to automotive standards, it delivers a quieter, stronger, and more reliable foundation for your RV.
- J.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- K.** The fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.




## COMPUTER DESIGNED & CUT

Numerical control machining (CNC), uses computer programs to control tools like routing tables to create a close-tolerance high-quality fit. When the angles in your RV are true 90 degree, your RV is more structurally sound to stand the test of use over time.

## COMPOSITE CONSTRUCTION

Lance uses Azdel Onboard® composite panels, a patented blend of polypropylene and fiberglass to create a strong, lightweight, quiet, weather and temperature resistant, odorless and environmentally friendly wall that will increase the life of your RV.

We call that high MPM, memories per mile!



\* Azdel Onboard® composite panels shown as green for distinction only

# 2075



Shown in Thunder Interior Décor



## SPECIFICATIONS

Floor Length	20'-3"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	25'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4425
Axle Weight	3920
Hitch Weight	505
Cargo Capacity (Total)	2375
Cargo Capacity (Available on Axle)	3080
GAWR (Per Axle)	3500
GVWR	6800
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





Our Lancaster, CA tri facility campus, where all Lance products are manufactured, is unlike any other RV manufacturing facility in the world.



## SIX SIGMA CERTIFIED

Strategies which seek to improve manufacturing quality by identifying and removing the causes of defects and minimizing variability in manufacturing and business processes. This is done by using empirical and statistical quality management methods. Each Six Sigma project follows a defined methodology and has specific value targets, such as reducing pollution or increasing customer satisfaction. The Lean philosophy emphasizes teams working together to find ways to reduce waste.



Our investment in the training and implementation of these practices is sure to continually improve our RVs for our owners for years to come.

# LEAN, GREEN CAMPING MACHINES


## CERTIFIED GREEN: HIGHEST RATING LEVEL: EMERALD

We have been privately evaluated for procedures and practices and measured against criteria based on national consensus standards including: Resource Efficiency, Energy Efficiency, Water Efficiency & Indoor Air Quality. Terms like "Green," "sustainable," and "eco-friendly" are more important now



than ever. Transparency is an important factor in your purchasing decision and since our RVs are meant to visit the great outdoors we feel it is important to make sure we are lessening our impact as much as possible. Lance is committed to making smarter construction and component choices which can be seen directly in our use of formaldehyde free wood products, repurposing of dual-layer Azdel wall panels for shower basins and our use of lit-ply wood.

You can smell the difference in a Lance Camper from our recycling to our refusal to use the off-gassing materials you can smell in many of our competitors.



# 1995



Shown in Fog Interior Décor



## SPECIFICATIONS

Floor Length	19'-2"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	24'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4465
Axle Weight	3990
Hitch Weight	475
Cargo Capacity (Total)	2535
Cargo Capacity (Available on Axle)	3010
GAWR (Per Axle)	3500
GVWR	7000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# LANCE BUILDS REASONABLY SIZED TRAILERS FOR REAL CAMPERS

JD Power reports, "Approximately 98% of national park campgrounds can accommodate RVs up to 19 feet long. You still have a good selection if your RV is smaller than 25 feet; more than 90% of parks permit that length. The number of available campsites drops if your RV is 29 to 32 feet long, since about 80% of parks will let you in. If you have an RV up to 35 feet long, just over 70% will have room for you. Only about half of all national parks have sufficient space for RVs over 37 feet in length. Even if the park you plan on visiting allows larger RVs, they may have only a few slots available to accommodate them.



MODEL 1685 | 16'

MODEL 2565 | 25'

## MAP YOUR MEMORIES WITHOUT WORRIES

When Lance designs new floorplans, your use is the first thing on our mind. Over the years we have heard from countless owners that their goal is to visit all of national parks or to see the entire country. That's why we build high quality. That's why we build 16' to 25'. We want our owners to experience the peace of mind of reliability and maneuverability while on the open road.

*"There is nothing so American as our national parks.... The fundamental idea behind the parks...is that the country belongs to the people, that it is in process of making for the enrichment of the lives of all of us."*

— President Franklin D. Roosevelt

# 1985



Shown in Mink Interior Décor



Optional Sofa Bed



Optional Theater Seating

## SPECIFICATIONS

Floor Length	18'-9"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	23'-8"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4480
Axle Weight	3845
Hitch Weight	635
Cargo Capacity (Total)	2520
Cargo Capacity (Available on Axle)	3155
GAWR (Per Axle)	3500
GVWR	7000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# LANCE'S STORY

Since 1965, Lance has been building America's most popular truck campers—many of which are still on the road today. That longevity is a true testament to our founding philosophy: Quality Comes First.

In 2008, Lance introduced its first ultra-light towable, pioneering a new segment of travel trailers through an innovative approach that combined computer-aided design and advanced composite construction.

This innovation includes the use of SolidWorks™ 3D design software, laser-guided cutting machines, and advanced materials and processes like LanceLock™, Azdel™, Euro-Ply™, and the elimination of mercury and formaldehyde. These elements contribute to our high-quality, eco-friendly, toxin-free, and long-lasting RVs.

That commitment to excellence is why Lance has earned the prestigious DSI (Dealer Satisfaction Index) Award a record number of times—and why we consistently rank among the best in owner satisfaction. Our customers are often repeat buyers and some of our greatest advocates.

Lance may not be the largest manufacturer like the big names out of Indiana—but we've never tried to be. Instead, we've forged our own path by putting real-world customer use first. From floorplans to materials, every decision is made with the end-user in mind—focusing on usability, comfort, and long-term ownership satisfaction.

Headquartered in California—one of the most stringent states for product safety—Lance operates from a state-of-the-art production campus. Our 22-acre facility includes a 141,000-square-foot main manufacturing plant and a 65,000-square-foot automated CNC manufacturing building. This campus brings together Sales, Marketing, Product Development, Warranty, Service, and Dealer Support—all working in collaboration with our dealer partners and customer feedback to drive continuous improvement and new product development.

Lance products are supported by a comprehensive, authorized dealership network across the United States and Canada. All dealers undergo rigorous vetting and training to ensure customers—whether first-time buyers or long-time owners—receive exceptional sales and service support.



April 1975

5410 Vineland, North Hollywood, California 91601  
(213) 763-3888 or (213) 783-3417  
Also located at Triveland, U.S.A. in Irwin, California  
(714) 551-2913

### PRICE LIST

Model 700 SC	\$3595.00
Model 600	3395.00
Model 550	3295.00
Model 475	3295.00
Model 450	3195.00
Model 425	3195.00
Model 400 SC	3295.00
9' Model 375	1995.00
9' Model 350	1995.00
8' Model 200	1795.00
7'6" Model 100	1595.00
8' Model 150	1595.00

Note! Model 100 Fits All Small Trucks.

The Above Prices Include Installation and Hook Up.

### OPTIONAL EQUIPMENT ALL PRICES INCLUDE COMPLETE INSTALLATION

6 Cu. Ft. 3-Way Ref. (Difference)	\$335.00
4 Cu. Ft. 3-Way Ref. (Difference)	275.00
3 Cu. Ft. 3-Way Ref. (Difference)	235.00
12 Volt Coleman Cooler	179.00
Fresh Water Flush Toilet	125.00
Electric Magic Toilet	175.00
Peta Potti (Difference)	90.00
10,000 BTU Heater w/Blower & Wall Thermostat	145.00
6 Gal. Hot Water Heater	145.00
4 Risco Hydraulic Jacks (8,000 Lb)	175.00
4 Manual Jacks	109.00
Cable Jacks	79.00
Double Folding Bumper Step	24.50
Rear Camper Bumper w/Storage Space & Camper Tow Bar Assembly	149.00
Insta-Awn 10' Automatic	189.00
Insta-Awn 8' Automatic	169.00
Double Sliding Truck Window	79.00
Camper Sliding Window	20.00
Double Sliding Window Roof	30.00
Connecting Roof	39.00
Camper Changers Tie Downs Chassis	49.00
Camper Changers Tie Downs Folds	39.00
Custom Double Insulation Roof	75.00
Flexiglass Roof Window	20.00
Roof Privacy Cover	15.00
Chassis Cabover Stabilizers	49.00
Plain Cabover Stabilizers	39.00
Reinforced Roof, Rack & Ladder	95.00
Dual Batteries (85 Amp Battery)	85.00
30 Gal. Holding Tank	100.00
20 Gal. Holding Tank	80.00
Propane Tank	35.00
Interior Light	20.00
Radio Speakers	15.00
Map Guides	18.00
Double Rotax Gauge	15.00
Table	10.00
and Glass	40.00
Our Blank Bed	45.00
Over Extension and Over Load Springs	Price Available On Request

### NOTE





# 1685



Shown in Thunder Interior Décor



Optional Theater Seating

## SPECIFICATIONS

Floor Length	16'-6"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	21'-5"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-2"
Height (Interior)	80"
Dry Weight	4225
Axle Weight	3675
Hitch Weight	550
Cargo Capacity (Total)	2075
Cargo Capacity (Available on Axle)	2325
GAWR (Per Axle)	3500
GVWR	6300
Sleeping Capacity (Min./Opt. Max.)	5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# ELEGANT AND FUNCTIONAL SEATING OPTIONS

Comfort is king. The best comfy relaxation spaces are perfect for napping, reading, working from home, or watching TV. Our various floorplans include options for comfort, beauty, form, and function, with multiple options in some layouts. After a day out in the great wide open or during inclement weather, you can enjoy options such as captain's chairs, full reclining theater seating, bedroom convertible sofas/beds, and/or sofa sleepers for guests.



1685, 1985, 1995, 2185, (2255 shown), 2445 Theatre Seating Option



2465 J Lounge



Lounge-Style Recliners in Model 2565



## 4 SEASONS COMFORT TECHNOLOGY

LANCE CAMPERS ARE DESIGNED FOR YEAR ROUND CAMPING. INCLUDING WINTER EXPLORATION.

It's all starts with our precision CNC cut manufacturing process. Our machines ensure true 90 degree angles not only ensuring your camper is structurally sound but also free from drafts. Next we pressure bond all walls, floors and ceilings with high density block foam and create a composite construction sandwich. This endures a high R value and superior insulation, keeping you cool when it's hot and toasty and comfortable when it's cold. Lastly we house all of your tanks and lines within a fully enclosed basement and pump hot air directly from your furnace- keeping your water systems functional when you need them most.

# BOONDOCKING & OFF-GRID CAMPING

If you're someone who prefers making your own camp or exploring places where there aren't hookups, then these optional features will be important to you. Cut the cord. Decide to hit the road on a Friday afternoon and find out where the road takes you, all while being self-sufficient and self-contained.



**Battery Monitor.** View your battery's performance; Time left at Current Draw, State of Charge, Capacity, Voltage, Current. gives you easy to understand battery stats at the push of a button.



**3000 Watt Inverter.** Replicate AC power while off grid. Ideal for powering multiple appliances, electronic equipment like TVs, stereos, computers, or as a source of emergency backup power



**200 Watt Solar Panel** - (Multiple available depending on model). Use the sun to draw in and charge your 12v batteries. Generates enough charge to keep an RV's lights, fans, water pumps, and slide outs running for up to an estimated 4 days off the grid.

# THE PLACES YOU WILL GO, WITH YOUR LANCE IN TOW!

## 7,000 POUND TOW RATING



Models: 1685, 1985, 1995, 2075

## 9,000 POUND TOW RATING



Models: 1685, 1985, 1995, 2075, 2185, 2285, 2375, 2445, 2465, 2565



Goodyear Endurance tires manufactured in the USA. Featuring Goodyear's proprietary Durawall technology, a rugged sidewall that resists cuts, tears and punctures plus decoupling grooves that keep the tire cool at an N speed rating and under heavy loads, reducing the risk of tire failure due to overheating.







What a spectacular SUP mission we had a few weeks ago in our 2445 to Stagecoach Lake, CO

Nothing beats having a luxury sleep in our coach and waking up at 5:30am for our first “dawn patrol” paddle of the day.

One reason we love the 2445, is the spacious bathroom. When we are done surfing, paddling or Mtn Biking it’s easy to go in the bathroom, strip your wet suit off and have use of the Miser shower with room to spare- brilliant use of space Lance!

Next up is Boulder, CO for 3 days of Dead and Co.

Till then, safe travels all — The Bruno’s

We fell in love with this model at one RV show in the PNW, and since then we have been big fans of Lance design and style... and it has been our home for many family adventures in the great PNW outdoors, and great to carry our toys (bikes, kayaks, rods, etc).

Regards, Rodrigo and Maria





Our family has enjoyed our Lance 2445 for three summers. We are so grateful for the opportunity to instill a love of nature and a sense of adventure in our children. Each diverse location that we visit brings so much learning and quality time together. We feel safe and comfortable during our travels in our Lance 2445. (Photo attached is from our recent trip to Spirit Lake, Iowa.)

Kind Regards, The Walton Family



My wife Katie and I have been loving our 2021 1985. In September of 2021 we took a 5 week trip through the Midwest into Wyoming and Montana. The 1985 was the perfect size for us and our two dogs.

We love our Lance! — Dan



We have owned our 2021 1985 for about two years now and love every minute we get to spend in the travel trailer. We moved from a 30' class A motorhome to this TT. The only thing we miss is the automatic leveling from the class A. Other than that, traveling in this set up is less stressful due to how easy the 1985 tows with our F150 with tow package and 5.0L, 400HP engine.

Whether we are dry camping ( We have 380 watts of solar and a 2000w inverter with 3-100AH lithium batteries) in the Eastern Sierras, or using full hook ups in Colorado, the 1985 has plenty of room for my wife and me due to the slide out and couch options

Frank Dominguez



# SPECIFICATIONS, STANDARDS & OPTIONS

	1685	1985	1995	2075	2185	2255	2285	2445	2465	2565
<b>EXTERIOR</b>										
Laminated Fiberglass Bonded Exterior W/Azdel Substrate	•	•	•	•	•	•	•	•	•	•
Dexter Torsion Axles	•	•	•	•	•	•	•	•	•	•
Manual Stabilizer Jacks W/Foot Pad	•	•	•	•	•	•	•	•	•	•
Electric Stabilizer Jacks W/Foot Pad	0	0	0	0	0	0	0	0	0	0
Manual Tongue Jack	•	•	•	•	•	•	•	•	•	•
Electric Tongue Jack (Smart Jack)	0	0	0	0	0	0	0	0	0	0
Aluminum Wheels W/Goodyear Radial Tires	•	•	•	•	•	•	•	•	•	•
Spare Tire Carrier W/Spare Tire (Steel Modular Wheel W/TowMax Tire)	0	0	0	0	0	0	0	0	0	0
TPMS System (Tire Pressure Monitoring System)	0	0	0	0	0	0	0	0	0	0
Car Cord/Safety Chain Storage Holder	•	•	•	•	•	•	•	•	•	•
Lightweight Hybrid Double Entry Step - 24" (* 2 ea.)	•	•	•	•	•*	•	•*	•	•	•*
Glow-Step Revolution Entry Step - 25"	0	0	0	0	0	0	0	0	0	0
Courtesy Entry Step Well Lighting - LED	•	•	•	•	•	•	•	•	•	•
Aerodynamic Front Wall Profile	•	•	•	•	•	•	•	•	•	•
Molded Fiberglass Front Cap W/Formed TPO Lower Gravel Guard and LP Tank Cover	•	•	•	•	•	•	•	•	•	•
Formed Jewel LED Hitch Docking Lights	•	•	•	•	•	•	•	•	•	•
Rear TPO Eyebrow W/Formed Vertical Side Pillars and Integrated LED Lighting	•	•	•	•	•	•	•	•	•	•
Radius Acrylic Tinted Thermopane Euro Windows	•	•	•	•	•	•	•	•	•	•
Large Curved Acrylic Tinted Thermopane Front Euro Window	•	•	•	•	•	•	•	•	•	•
Slide-Out End Wall Window(s)	•	•	•	•	•	•	•	•	•	•
Ladder (Thule Telescoping Ladder 2075 Model)	0	0	0	0	0	0	0	0	0	0
Roof Rack System	0	0	0	0	0	0	0	0	0	0
LED Tail Lights	•	•	•	•	•	•	•	•	•	•
LED License Plate Light W/Holder	•	•	•	•	•	•	•	•	•	•
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•
Slam Latch on Pass-Thru Storage Compartment Door	•	•	•	•	•	•	•	•	•	•
Keyed-Alike Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•
Euro Radius Entry Door W/Ins. Wdw., Retractable Fly Screen	•	•	•	•	•	•	•	•	•	•
Powered Roof Vent in Bed Area	0	0	0	0	0	0	0	0	0	0
Skylight in Galley/Dinette Area							•		•	
SkyMaxx Skylight Vent in Dinette				•						
Exterior Wash Station	•	•	•	•	•	•	•	•	•	•
Exterior Cook-Station (W/Drink Cooler 2075 Model)				0				0		
Exterior Propane Connection	•	•	•	•	•	•	•	•	•	•
48" Portable Folding Table W/Built-In Exterior Storage Feature	•	•	•	•	•	•	•	•	•	•
Exterior LCD Mounting Puck W/Removable LCD Bracket	•	•	•	•	•	•	•	•	•	•
Portable Generator Storage Compartment W/Tie-Downs	•	•	•	•	•	•	•	•	•	•
Toy Lock	0	0	0	0	0	0	0	0	0	0
2" Utility Receiver	•	•	•	•	•	•	•	•	•	•
Swing-Out Entry Assist Handle	•	•	•	•	•/2	•	•/2	•	•	•/2
Pull-Out Storage Tray (MorRyde)	0	0	0	0	0	0	0	0	•	0
Pet Attachment Ring (Hitch Area)	•	•	•	•	•	•	•	•	•	•
Utility Storage Box	0	0	0	0	0	0	0	0	0	0
Awning Slide-Out Cover	0	0	0	0	0	0	0	0	0	0
Electric Awning 7'-2" Rear W/LED Lighting				0						
Electric Awning 12' 0" W/LED Lighting	0									
Electric Awning 16' 0" W/LED Lighting		0	0	0	0					
Electric Awning 19' 0" W/LED Lighting					0	0	0	0	0	0

Option Weights – All weights are estimates and may vary. • = Standard Option 0 = Optional Feature

	1685	1985	1995	2075	2185	2255	2285	2445	2465	2565
<b>CONSTRUCTION/INSULATION</b>										
One-Piece Roof	•	•	•	•	•	•	•	•	•	•
Tapered Exterior Ducted Air Roof Design	•	•	•	•	•	•	•	•	•	•
Laminated, Insulated Floor and Ceiling	•	•	•	•	•	•	•	•	•	•
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Sidewalls	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Floor and Ceiling	•	•	•	•	•	•	•	•	•	•
Dual Layer Azdel Sandwich Wall Construction	•	•	•	•	•	•	•	•	•	•
All Weather Package	0	0	0	0	0	0	0	0	0	0
-Enclosed, Insulated and Heated Holding Tanks										
-Insulated Hatch Covers										
-Water Heater Bypass										
<b>INTERIOR/DECOR</b>										
Interior - Thunder	0	0	0	0	0	0	0	0	0	0
Interior - Fog	0	0	0	0	0	0	0	0	0	0
Interior - Mink	0	0	0	0	0	0	0	0	0	0
Sofa Bed							•			
J-Lounge									•	
U-Lounge										0
Swivel Rockers							0/2			
Reclining Theatre Seating	0	0	0		0	0	0			
Swivel Rockers (Residential Recliner)										•
Solid Surface Galley Area Countertop and Extensions (Where Applicable)	•	•	•	•	•	•	•	•	•	•
Surf-X Suedo Solid Surface Lightweight Countertops and Tables	•	•	•	•	•	•	•	•	•	•
Radius "Euro" Overhead Cabinet Doors	•	•	•	•	•	•	•	•	•	•
W/Interior Cabinet LED Lighting	•	•	•	•	•	•	•	•	•	•
Decorative Pull Cabinet Hardware	•	•	•	•	•	•	•	•	•	•
Lite-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	•
Combo Screen/Shade on Windows	•	•	•	•	•	•	•	•	•	•
Entry Door Pull Shade	•	•	•	•	•	•	•	•	•	•
Key Hanger	•	•	•	•	•	•	•	•	•	•
Magazine Rack (Varies By Model)	•	•	•	•	•	•	•	•	•	•
Wall Clock	•	•	•	•	•	•	•	•	•	•
<b>GALLEY/APPLIANCES &amp; EQUIPMENT</b>										
"Flush Mount" Stainless Steel 3-Burner Cooktop	•	•	•		•	•	•	•	•	•
"Flush Mount" Stainless Steel 2-Burner Euro Cooktop W/Glass Cover				•						
"Flush Mount" Stainless Steel 3-Burner Range W/Oven - 21" Oven	0	0	0		0	0	0	0	0	0
Low Profile Range Hood	•	•	•	•	•	•	•	•	•	•
Convection/Micro-Air Fryer	0	0	0	0	0	0	0	0	0	0
12V Double Door Refrigerator (Norcold 7 Cu. Ft.)	•	•	•	•	•	•	•	•	•	•
2-Way Double Door Refrigerator (Norcold 6 Cu. Ft.)	0	0	0		0	0	0	0	0	0
3-Way Double Door Refrigerator (Norcold 5 Cu. Ft.)				•						
Heating (Truma Combi 14.3MBTU)				•						
Dometic 30k BTU Furnace	•	•	•	•	•	•	•			
Dometic 35k BTU Furnace								•	•	•
Propane Tank (Dual 5 Ga. Tank W/Holddown)	•	•	•	•	•	•	•	•	•	•
Tri-Five Propane Tank (Three 5 Gal. Tanks W/Holddown)	0	0	0	0	0	0	0	0	0	0
"Euro" Overhead Cabinetry Design W/LED Lighting	•	•	•	•	•	•	•	•	•	•
Decorative Backsplash	•	•	•	•	•	•	•	•	•	•
Folding Galley Extension	•	•	•		•	•		•	•	•

	1685	1985	1995	2075	2185	2255	2285	2445	2465	2565
Single Stainless Steel Sink (Round)				•						
Residential "Undermount" Large Single Sink	•	•	•		•	•	•	•	•	•
Residential Single Lever Galley Faucet W/Pull-Out Sprayer	•	•	•	•	•	•	•	•	•	•
Sink Cover(s)	•	•	•	•	•	•	•	•	•	•
Silverware Tray	•	•	•	•	•	•	•	•	•	•
Pop-Up Electrical / Charging Tower	•	•	•	•	•	•	•	•	•	•
Pull-Out Pantry						•		•		•

## FRESH AND WASTE WATER SYSTEMS

Fresh Tank (Gal)	45	45	45	45	45	45	45	45	45	45
Gray Tank (Gal)	40	40	40	40	40	40	2/40	2/40	40	40
Black Tank (Gal)	40	40	40	40	40	40	40	40	40	40
Water Pump W/In-Line Filter	•	•	•	•	•	•	•	•	•	•
Water Heater Gas/Electric W/Boost Mode Feature (Truma Combi Eco Plus)				•						
Water Heater (Truma AquaGo)	•	•	•		•	•	•	•	•	•

## BATHROOM

Marine Toilet - Foot Pedal - Porcelain	•	•	•	•	•	•	•	•	•	•
Black Tank Flush	•	•	•	•	•	•	•	•	•	•
Residential "Undermount" Oval Lavy Sink	•	•	•		•		•		•	•
Residential "Vessel" Lavy Sink				•		•		•		
High Rise Single Lever Faucet	•	•	•	•	•	•	•	•	•	•
Shower Pan	•	•	•	•	•	•	•	•	•	•
Adjustable Slide Bar Shower Head Assembly		•	•	•	•	•	•	•	•	•
Shower Miser	•	•	•	•	•	•	•	•	•	•
Medicine Cabinet W/Mirror Door	•	•	•	•	•	•	•	•	•	•
Bath Door Located Mirror (Recessed)	•	•	•	•	•	•	•	•	•	•
Folding Lavy Extension				•	•		•			
Towel Rod on Wall	•	•	•	•	•	•	•	•	•	•
Towel Ring	•	•	•	•	•	•	•	•	•	•
Residential Radius "Soft" Shower Door Enclosure		•	•	•	•	•	•	•	•	•
Soft Radius Panel Shower Enclosure	•	•								
Skylight - Dual Pane	•	•	•	•	•	•	•	•	•	•
Ducted Heat	•	•	•	•	•	•	•	•	•	•

## DINETTE

Dinette W/Locking Pull-Out Storage Drawers	•	•	•		•	•	•	•	•	•
U-Shaped Dinette W/Euro Telescoping/360 Degree Adjusting Table Top				•						

## BEDROOM

Deluxe Queen Innerspring Mattress W/Pillow Top	•	•	•	•	•	•	•	•	•	•
Deluxe King Innerspring Mattress W/Pillow Top										•
Bedsread	•	•	•	•	•	•	•	•	•	•
Convertible Sofa/Queen Bed		0	0		0					
Overhead Cabinet Bunk	•									
Fold-Up Bunk Bed(s)					•			•		
LED Reading Lights	•	•	•	•	•	•	•	•	•	•
Privacy Curtain	•	•	•	•	•	•	•	•	•	•
Privacy Divider Door(s)					•	•	•	•	•	•
Mirrored Wardrobes		•	•	•	•	•	•	•	•	•
Overbed Storage		•	•	•	•	•	•	•	•	•

## ELECTRICAL

	1685	1985	1995	2075	2185	2255	2285	2445	2465	2565
Pre Wired For Solar Panels	•	•	•	•	•	•	•	•	•	•
Systems Monitor Panel	•	•	•	•	•	•	•	•	•	•
12V/USB Charging Port(s)	•	•	•	•	•	•	•	•	•	•
Cell Phone Charging Pad (Bedroom)	•	•	•	•	•	•	•	•	•	•
Battery Condition Indicator - LED	•	•	•	•	•	•	•	•	•	•
60 Amp Converter/Loadcenter	•	•	•	•	•	•	•	•	•	•
LED Interior Lighting - Ceiling	•	•	•	•	•	•	•	•	•	•
LED Interior Lighting - Under Overheads	•	•	•	•	•	•	•	•	•	•
Decorative LED Lighting - S/O Ceiling	•	•	•	•	•	•	•	•	•	•
Storage Compartment Lighting	•	•	•	•	•	•	•	•	•	•
Locking Dual Battery Compartment	•									•
Locking Dual Battery Compartment W/Sliding Tray		•	•	•	•	•	•	•	•	•
Battery - Lithium (Single)	0	0	0	0	0	0	0	0	0	0
Battery - Lithium (Double)	0	0	0	0	0	0	0	0	0	0
Battery Disconnect - Manual	•	•	•	•	•	•	•	•	•	•
Wall Switched Lighting	•	•	•	•	•	•	•	•	•	•
LED Vanity Lighting Over Medicine Cabinet	•	•	•	•	•	•	•	•	•	•
A/C (Ducted) - Truma Aventa 15M W/Wall Control	0	0	0	0	0	0	0	0	0	0
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•
Pre-Wired for TV Ant/Park/Sat Cable	•	•	•	•	•	•	•	•	•	•
TV Antenna HD	•	•	•	•	•	•	•	•	•	•
Antenna LTE/Cell Booster	0	0	0	0	0	0	0	0	0	0
JBL AM/FM Stereo W/Powered Bass Sub Woofer	•	•	•	•	•	•	•	•	•	•
JBL Interior/Exterior Bluetooth Speaker W/Wall Interior Mount Bracket	•	•	•	•	•	•	•	•	•	•
TV 24" (12V) Smart LCD	0	0	0							
TV 32" (12V) Smart LCD		0			0	0	0	0	0	0
TV 40" (12V) Smart LCD										0
TV 24" (12V) Smart LCD - Bedroom					0	0	0	0	0	0
TV 40" (12V) Smart LCD - Bedroom										0
Fireplace (Electric)						0		0	0	0
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•	•
LED Hitch Light - Switched	•	•	•	•	•	•	•	•	•	•
Solar on the Side Pre-Wire (Receptacle)	•	•	•	•	•	•	•	•	•	•
Solar Panel - 200 Watt	0	0	0	0	0	0	0	0	0	0
2nd Solar Panel - 200 Watt	0	0	0	0	0	0	0	0	0	0
Inverter - 3000 Watt	0	0	0	0	0	0	0	0	0	0
Battery Monitor	0	0	0	0	0	0	0	0	0	0
Exterior 12V/120V Patio Outlet and Entertainment Coax Cable Receptacle	•	•	•	•	•	•	•	•	•	•
Backup Camera W/Wireless Monitor	0	0	0	0	0	0	0	0	0	0
CSA	0	0	0	0	0	0	0	0	0	0

Due to supply-chain issues, certain features shown may have limited or late availability, been substituted or are no longer available. Please see your dealer and the actual unit regarding the features on an individual travel trailer.





**2**YEAR  
STRUCTURAL LIMITED  
WARRANTY

**15**YEAR  
ROOF LIMITED  
WARRANTY

Please see [lancecamper.com/warranty](http://lancecamper.com/warranty) for details.

2026 LANCE® TRUCK CAMPER BROCHURE ©2025 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks, or designations are trademarks, service marks, or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings are kept as accurate as possible. Refinements and changes during the model year and between model years may be made and the actual product received may not match these marketing materials exactly. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models and features shown in marketing materials and/or on its websites without notice and without incurring obligation. This includes potential changes to parts and design features based on component availability and cost. For any specific model year, parts and features incorporated into the final product, including but not limited to Truma air heaters (furnaces) and Truma water heaters, will vary by brand and model. Brochure printed in the USA on FSM paper. 2.5K, April 2025 Rev. 1.0.

The information provided in this brochure applies to all 2026 model year products.