

IBEX



FOREST RIVER

FORESTRIVERINC.COM



FOREST RIVER


A Berkshire Hathaway Company

BUILT AND BACKED BY FOREST RIVER

Founded in 1996 by Pete Liegl, Forest River, Inc. has evolved into North America's largest manufacturer of recreational vehicles, cargo trailers, pontoon boats, and commercial vehicles including buses, vans, and trucks. Its portfolio includes market share leaders in every category, and it is the country's leading manufacturer of buses and vans for both the private and public sectors. Based in Elkhart, Indiana, Forest River employs 14,000+ employees in 100+ facilities in more than a half dozen states. With a commitment to excellence and a focus on customer satisfaction, Forest River is proud to be a Berkshire Hathaway company.

NEVER STOP GOING.™

FORESTRIVERINC.COM



IBEX provides lightweight travel trailers built for adventure—whether on or off the road—with unique floorplans for families, couples, and weekend warriors.

If you want to get off the beaten path, check out the **Black Canyon Beast Mode** package. Featuring a Curt independent suspension, 400W of solar and a 2000W inverter, the Black Canyon Beast Mode package is designed to blaze new trails—wherever they lead.





IBEX



KEY FEATURES

- Enclosed Underbelly with forced heat
- On demand Tankless Water Heater
- Outside Kitchen
- 200W Solar – 2000W Inverter prepped
- Central Vacuum System
- Large Refrigerator
- 2-Volt heating pads on all tanks
- Ultimate bedroom storage
- 12-Volt TV's

10RK

XLT PACKAGE

GVWR: 3,594 lb
UVW: 2,094 lb
HITCH: 275 lb
CCC: 1,500 lb
LENGTH: 15' 0"

BEAST MODE

GVWR: 3,770 lb
UVW: 2,204 lb
HITCH: 270 lb
CCC: 1,566 lb
LENGTH: 15' 0"




16MBJ

XLT PACKAGE

GVWR: 5,585 lb
UVW: 4,088 lb
HITCH: 485 lb
CCC: 1,497 lb
LENGTH: 21' 8"

BEAST MODE

GVWR: 5,375 lb
UVW: 4,323 lb
HITCH: 505 lb
CCC: 1,052 lb
LENGTH: 21' 8"




16MKD

XLT PACKAGE

GVWR: 5,523 lb
UVW: 4,023 lb
HITCH: 570 lb
CCC: 1,500 lb
LENGTH: 21' 8"

BEAST MODE

GVWR: 5,480 lb
UVW: 4,213 lb
HITCH: 610 lb
CCC: 1,267 lb
LENGTH: 21' 8"



16MKS

XLT PACKAGE

GVWR: 4,925 lb
UVW: 4,013 lb
HITCH: 525 lb
CCC: 912 lb
LENGTH: 20' 6"

BEAST MODE

GVWR: 5,380 lb
UVW: 4,278 lb
HITCH: 510 lb
CCC: 1,102 lb
LENGTH: 20' 6"




16MRJ

XLT PACKAGE

GVWR: 5,580 lb
UVW: 3,778 lb
HITCH: 480 lb
CCC: 1,802 lb
LENGTH: 19' 10"

BEAST MODE

GVWR: 5,395 lb
UVW: 3,983 lb
HITCH: 525 lb
CCC: 1,412 lb
LENGTH: 19' 10"




16RKB

XLT PACKAGE

GVWR: 4,524 lb
UVW: 3,024 lb
HITCH: 335 lb
CCC: 1,500 lb
LENGTH: 14' 11"

BEAST MODE

GVWR: 4,768 lb
UVW: 3,268 lb
HITCH: 415 lb
CCC: 1,500 lb
LENGTH: 14' 11"




19BRK

XLT PACKAGE

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 25' 0"

BEAST MODE

GVWR: 6,788 lb
UVW: 5,288 lb
HITCH: 660 lb
CCC: 1,500 lb
LENGTH: 25' 0"



19MBH

XLT PACKAGE

GVWR: 5,984 lb
UVW: 4,484 lb
HITCH: 585 lb
CCC: 1,500 lb
LENGTH: 24' 8"

BEAST MODE

GVWR: 6,414 lb
UVW: 4,914 lb
HITCH: 680 lb
CCC: 1,500 lb
LENGTH: 24' 8"



19MSB

XLT PACKAGE

GVWR: 6,084 lb
UVW: 4,809 lb
HITCH: 710 lb
CCC: 1,275 lb
LENGTH: 24' 8"

BEAST MODE

GVWR: 6,524 lb
UVW: 5,024 lb
HITCH: 640 lb
CCC: 1,500 lb
LENGTH: 24' 8"




19QRB

XLT PACKAGE

GVWR: 4,915 lb
UVW: 4,168 lb
HITCH: 515 lb
CCC: 747 lb
LENGTH: 24' 2"

BEAST MODE

GVWR: 5,385 lb
UVW: 4,483 lb
HITCH: 535 lb
CCC: 902 lb
LENGTH: 24' 2"



20FKDS

XLT PACKAGE

GVWR: 7,178 lb
UVW: 5,678 lb
HITCH: 800 lb
CCC: 1,500 lb
LENGTH: 27' 7"

BEAST MODE

GVWR: 7,178 lb
UVW: 6,148 lb
HITCH: 890 lb
CCC: 1,030 lb
LENGTH: 27' 7"




20MDS

XLT PACKAGE

GVWR: 6,463 lb
UVW: 4,963 lb
HITCH: 630 lb
CCC: 1,500 lb
LENGTH: 24' 3"

BEAST MODE

GVWR: 6,923 lb
UVW: 5,423 lb
HITCH: 670 lb
CCC: 1,500 lb
LENGTH: 24' 3"




20MKB

XLT PACKAGE

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 25' 0"

BEAST MODE

GVWR: 6,858 lb
UVW: 5,358 lb
HITCH: 585 lb
CCC: 1,500 lb
LENGTH: 25' 0"



20MRK

XLT PACKAGE

GVWR: 6,613 lb
UVW: 5,113 lb
HITCH: 735 lb
CCC: 1,500 lb
LENGTH: 24' 3"

BEAST MODE

GVWR: 7,108 lb
UVW: 5,608 lb
HITCH: 825 lb
CCC: 1,500 lb
LENGTH: 24' 3"




23MBH

XLT PACKAGE

GVWR: 6,600 lb
UVW: 5,108 lb
HITCH: 750 lb
CCC: 1,492 lb
LENGTH: 26' 2"

BEAST MODE

GVWR: 7,140 lb
UVW: 5,648 lb
HITCH: 740 lb
CCC: 1,492 lb
LENGTH: 26' 2"



25RBH

XLT PACKAGE

GVWR: 7,838 lb
UVW: 6,338 lb
HITCH: 1,030 lb
CCC: 1,500 lb
LENGTH: 32' 11"

BEAST MODE

GVWR: 7,875 lb
UVW: 6,708 lb
HITCH: 875 lb
CCC: 1,167 lb
LENGTH: 32' 11"




25RLSS

XLT PACKAGE

GVWR: 7,243 lb
UVW: 5,743 lb
HITCH: 850 lb
CCC: 1,500 lb
LENGTH: 29' 0"

BEAST MODE

GVWR: 7,703 lb
UVW: 6,203 lb
HITCH: 910 lb
CCC: 1,500 lb
LENGTH: 29' 0"



26BRE

XLT PACKAGE

GVWR: TBD lb
UVW: TBD lb
HITCH: TBD lb
CCC: TBD lb
LENGTH: 32' 6"

BEAST MODE

GVWR: 7,570 lb
UVW: 6,838 lb
HITCH: 570 lb
CCC: 732 lb
LENGTH: 32' 6"



IBEX

NEW TRAIL ED.



TRAIL26

XLT PACKAGE


GVWR: TBD lb

UVW: TBD lb

HITCH: TBD lb

CCC: TBD lb

LENGTH: TBD



TRAIL28

XLT PACKAGE


GVWR: TBD lb

UVW: TBD lb

HITCH: TBD lb

CCC: TBD lb

LENGTH: TBD



TRAIL31

XLT PACKAGE


GVWR: TBD lb

UVW: TBD lb

HITCH: TBD lb

CCC: TBD lb

LENGTH: TBD



IBEX SPECIFICATIONS

XLT SPECIFICATIONS

Floorplan	Length	Height	Width	Hitch Weight	GVWR	UVW	CCC	Fresh Water	Grey Water	Black Water
10RK	15' 0"	8' 6"	88"	275 lb	3,594 lb	2,094 lb	1,500 lb	30 gal	0 gal	0 gal
16MBJ	21' 8"	10' 10"	96"	485 lb	5,585 lb.	4,088 lb	1,497 lb	30 gal	30 gal	30 gal
16MKD	21' 8"	10' 10"	96"	570 lb	5,523 lb.	4,023 lb	1,500 lb	30 gal	30 gal	30 gal
16MKS	20' 6"	11' 3"	96"	525 lb	4,925 lb	4,013 lb	912 lb	40 gal	40 gal	30 gal
16MRJ	19' 10"	10' 10"	96"	480 lb	5,580 lb	3,778 lb	1,802 lb	30 gal	30 gal	30 gal
16RKB	14' 11"	10' 10"	96"	335 lb	4,524 lb	3,024 lb	1,500 lb	30 gal	30 gal	30 gal
19BRK	25' 0"	10' 11"	88"	TBD lb	TBD lb	TBD lb	TBD lb	30 gal	30 gal	30 gal
19MBH	24' 8"	10' 9"	88"	585 lb	5,984 lb	4,484 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24' 8"	10' 9"	88"	710 lb	6,084 lb	4,809 lb	1,275 lb	30 gal	30 gal	30 gal
19QRB	24' 2"	10' 10"	88"	515 lb	4,915 lb	4,168 lb	747 lb	30 gal	30 gal	30 gal
20FKDS	27' 7"	11' 3"	96"	800 lb	7,178 lb	5,678 lb	1,500 lb	40 gal	60 gal	30 gal
20MDS	24' 3"	11' 3"	96"	630 lb	6,463 lb	4,963 lb	1,500 lb	40 gal	40 gal	30 gal
20MKB	25' 0"	11' 6"	96"	TBD lb	TBD lb	TBD lb	TBD lb	40 gal	40 gal	30 gal
20MRK	24' 3"	11' 3"	96"	735 lb	6,613 lb	5,113 lb	1,500 lb	40 gal	40 gal	30 gal
23MBH	26' 2"	11' 3"	96"	750 lb	6,600 lb	5,108 lb	1,492 lb	40 gal	40 gal	30 gal
25RBH	32' 11"	11' 3"	96"	1,030 lb	7,838 lb	6,338 lb	1,500 lb	40 gal	30 gal	30 gal
25RLSS	29' 0"	11' 3"	96"	850 lb	7,243 lb	5,743 lb	1,500 lb	40 gal	40 gal	30 gal
26BRE	32' 6"	11' 4"	96"	TBD lb	TBD lb	TBD lb	TBD lb	40 gal	60 gal	30 gal
TRAIL26	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
TRAIL28	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
TRAIL31	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

BEAST MODE SPECIFICATIONS

Floorplan	Length	Height	Width	Hitch Weight	GVWR	UVW	CCC	Fresh Water	Grey Water	Black Water
10RK	15' 0"	8' 6"	88"	275 lb	3,594 lb	2,094 lb	1,500 lb	30 gal	0 gal	0 gal
16MBJ	21' 8"	10' 10"	96"	505 lb	5,375 lb.	4,323 lb	1,0527 lb	30 gal	30 gal	30 gal
16MKD	21' 8"	10' 10"	96"	610 lb	5,480 lb.	4,213 lb	1,267 lb	30 gal	30 gal	30 gal
16MKS	20' 6"	11' 3"	96"	510 lb	5,380 lb	4,278 lb	1,102 lb	40 gal	40 gal	30 gal
16MRJ	19' 10"	10' 10"	96"	525 lb	5,395 lb	3,983 lb	1,412 lb	30 gal	30 gal	30 gal
16RKB	14' 11"	10' 10"	96"	415 lb	4,768 lb	3,268 lb	1,500 lb	30 gal	30 gal	30 gal
19BRK	25' 0"	10' 11"	88"	660 lb	6,788 lb	5,288 lb	1,500 lb	30 gal	30 gal	30 gal
19MBH	24' 8"	10' 9"	88"	680 lb	6,414 lb	4,914 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24' 8"	10' 9"	88"	640 lb	6,524 lb	5,024 lb	1,500 lb	30 gal	30 gal	30 gal
19QRB	24' 2"	10' 10"	88"	535 lb	5,385 lb	4,483 lb	902 lb	30 gal	30 gal	30 gal
20FKDS	27' 7"	11' 3"	96"	890 lb	7,178 lb	6,148 lb	1,030 lb	40 gal	40 gal	30 gal
20MDS	24' 3"	11' 3"	96"	630 lb	6,463 lb	4,963 lb	1,500 lb	40 gal	40 gal	30 gal
20MKB	25' 0"	11' 6"	96"	585 lb	6,858 lb	5,358 lb	1,500 lb	40 gal	40 gal	30 gal
20MRK	24' 3"	11' 3"	96"	735 lb	6,613 lb	5,113 lb	1,500 lb	40 gal	40 gal	30 gal
23MBH	26' 2"	11' 3"	96"	740 lb	7,140 lb	5,648 lb	1,492 lb	40 gal	40 gal	30 gal
25RBH	32' 11"	11' 3"	96"	1,030 lb	7,838 lb	6,338 lb	1,500 lb	40 gal	30 gal	30 gal
25RLSS	29' 0"	11' 3"	96"	850 lb	7,243 lb	5,743 lb	1,500 lb	40 gal	40 gal	30 gal
26BRE	32' 6"	11' 4"	96"	570 lb	7,570 lb	6,838 lb	732 lb	40 gal	60 gal	30 gal

STANDARDS & OPTIONS

STANDARD FEATURES

- Platform entry steps with night light
- Enclosed underbelly with forced heat & radiant foil insulation
- 12V heating pads on all tanks
- 60" x 80" Queen Bed
- Large refrigerators
- Premium window treatments
- All terrain tires with TPMS
- Air fryer microwave
- USB-C ports inside and out
- Convenient motion lighting
- 4 speed high powered bath fan
- Hot & cold exterior spray port
- Large kitchen sink with cup washer
- Slam latch cargo doors
- Large holding tanks
- On demand tankless water heater
- 5,000 BTU A/C
- 200 Watt solar panel / 30 AMP solar controller & inverter prep
- Central vacuum system
- Rear accessory hitch (N/A on 19 Series & 16RKB)
- Upgraded shower enclosure
- Ultimate bedroom storage
- 12 Volt TVs
- Welded aluminum structure
- Laminated walls and slide-outs with AZDEL composite panels
- Fully walkable PVC roof
- Extended season ready

OPTIONS

- Black Canyon Beast Mode Package
- Beast Mode Independent Suspension
- 400 Watt Solar Package with 2000W inverter
- Fresh water filter
- Maxxair Roof Vent Cover

SCAN FOR ADDITIONAL INFO,
PHOTOS, AND MORE!



EACH NEW FOREST RIVER PURCHASE PROVIDES:

- ✓ Pre-delivery Inspection.
- ✓ Free Membership to Forest River Owners Group (FROG). Learn more at www.forestriverfrog.com.
- ✓ A Contribution to Care Camps Foundation www.carecamps.org.
- ✓ 1 Year Free Roadside Assistance from Date of Purchase.



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.



SPECIFICATION DEFINITIONS:

Scan this barcode using a QR reader on your smartphone to learn RV terminology and more!



YOUR **IBEX** DEALER