AUGUSTA/LX
2016 | CLASS C GAS

Your adventure awaits.





HOLIDAY RAMBLER

AUGUSTA/LX 2016 | CLASS C GAS

AUGUSTA LX

STUDIO TAUPE



SANDS OF TIME




CHATEAU BROWN

FLOOR PLAN OPTIONS










OPT. 157 DUAL PANEL MONITORS

OPT. 093 EXTERIOR ENTERTAINMENT CENTER

OPT. 351 CABOVER 32" LED TV ENTERTAINMENT CENTER



OPT. 860/864 DINETTE W/ SWING DOWN BUNK 30" X 70" DINETTE / 28" X 70" BUNK



TOP FEATURES

- Hardwood Cabinet Doors w/Hidden Hinges
- LED TVs
- Fold Down Bunk (Select Models)
- One-Piece Molded Front Cap
- High-Gloss Exterior Fiberglass (Select Locations)

- Full Basement Storage
- Flexsteel® Furniture
- Radius Roof with Ducted A/C (Select Models)
- PEX Plumbing System

AUGUSTA



FLOOR PLAN OPTIONS

OPT. 078 FRONT 19" LED TV

OPT. 093 EXTERIOR ENTERTAINMENT CENTER







TOP FEATURES


- Hardwood Cabinet Doors
- High-Gloss Smooth Fiberglass Exterior
- Full Basement Exterior
- LED TVs

- Pass-Through Storage
- PEX Plumbing System
- One-Piece Molded Fiberglass Front End Cap

25G




AVAILABLE OPTIONS: 079, 084, 093, 167, 351




AVAILABLE OPTIONS: 079, 084, 093, 097, 157, 167, 351, 860/864

31A



AVAILABLE OPTIONS: 079, 084, 093, 097, 157, 167, 351, 860/864



AVAILABLE OPTIONS: 079, 084, 093, 167, 351








AVAILABLE OPTIONS: 078, 093



AVAILABLE OPTIONS: 078, 093, 113, 160



AVAILABLE OPTIONS: 093, 113



AVAILABLE OPTIONS: 078, 093, 113, 160

AUGUSTA LX

AUGUSTA

WEIGHTS & MEASUREMENTS

| MODELS | 25G | 31A | 31D | 31W |
|--|--------|--------|--------|--------|
| Wheelbase (inches) | 176" | 214" | 214" | 218" |
| GVWR (lbs) ¹ | 14,500 | 14,500 | 14,500 | 14,500 |
| Front GAWR (lbs) ² | 5,000 | 5,000 | 5,000 | 5,000 |
| Rear GAWR (lbs) ² | 9,500 | 9,500 | 9,500 | 9,500 |
| GCWR (lbs) ³ | 19,500 | 19,500 | 19,500 | 19,500 |
| Hitch Rating Weight (lbs) ^{+, ++} | 5,000 | 5,000 | 5,000 | 5,000 |
| Tongue Weight (lbs) [†] | 500 | 350 | 350 | 350 |
| Fuel Capacity (gal) | 55 | 55 | 55 | 55 |

| WEIGHTS & MEASUREMENTS | E350 | E350/E450 | E450 | E450 |
|--|--------|---------------|--------|--------|
| MODELS | 23B | 25K | 29A | 31M |
| Wheelbase (inches) | 158" | 176" | 206" | 218" |
| GVWR (lbs) ¹ | 12,500 | 12,500/14,500 | 14,500 | 14,500 |
| Front GAWR (lbs) ² | 4,600 | 4,600/5,000 | 5,000 | 5,000 |
| Rear GAWR (lbs) ² | 8,500 | 8,500/9,500 | 9,500 | 9,500 |
| GCWR (lbs) ³ | 17,500 | 17,500/19,500 | 19,500 | 19,500 |
| Hitch Rating Weight (lbs) ^{†, ††} | 5,000 | 3,500/5,000 | 5,000 | 5,000 |
| Tongue Weight (lbs) [†] | 500 | 350/500 | 500 | 350 |
| Fuel Capacity (gal) | 40 | 40/55 | 55 | 55 |

DIMENSIONS & CAPACITIES

| MODELS | 25G | 31A | 31D | 31W |
|--|----------|----------|----------|----------|
| Overall Length ⁴ | 26' 2.5" | 31' 8.5" | 31' 8.5" | 32' 5.5" |
| Overall Height (with A/C) | 11' 6" | 11' 6" | 11' 6" | 11' 6" |
| Overall Width (maximum) ^{5, 6} | 102" | 102" | 102" | 102" |
| Interior Height (maximum) | 82" | 82" | 82" | 82" |
| Interior Width (maximum) | 96" | 96" | 96" | 96" |
| Patio Awning Width | 17' 3" | 10' | 10' | 14' |
| Interior Storage (cu. ft.) | 102 | 110 | 110 | 126 |
| Exterior Storage (cu.ft.) | 100 | 104 | 104 | 102 |
| Fresh Water Holding Tank (gal) | 50 | 60 | 60 | 60 |
| Grey Water Holding Tank (gal) | 37 | 35 | 35 | 35 |
| Black Water Holding Tank (gal) | 36 | 35 | 35 | 35 |
| Appliance Propane Tank (gal) (WC) ⁷ | 14 | 14 | 14 | 14 |
| Water Heater Tank (gal) | 6 | 6 | 6 | 6 |

DIMENSIONS & CAPACITIES

| MODELS | 23B | 25K | 29A | 31M |
|---|----------|----------|----------|----------|
| Overall Length ⁴ | 24' 4.5" | 26' 2.5" | 30' 9.5" | 32' 5.5" |
| Overall Height (with A/C) | 11' 6" | 11' 6" | 11' 6" | 11' 6" |
| Overall Width (maximum) ^{5, 6} | 102" | 102" | 102" | 102" |
| Interior Height (maximum) | 82" | 82" | 82" | 82" |
| Interior Width (maximum) | 96" | 96" | 96" | 96" |
| Patio Awning Width | 11' | 17' 3" | 14' | 14' |
| Interior Storage (cu. ft.) | 74 | 79 | 134 | 119 |
| Exterior Storage (cu.ft.) | 27 | 88 | 98 | 104 |
| Fresh Water Holding Tank (gal) | 50 | 50 | 60 | 60 |
| Grey Water Holding Tank (gal) | 36 | 37 | 35 | 35 |
| Black Water Holding Tank (gal) | 36 | 36 | 35 | 35 |
| Appliance Propane Tank (gal) (WC) | 7 14 | 14 | 14 | 14 |
| Water Heater Tank (gal) | 6 | 6 | 6 | 6 |

FORD® E450 CHASSIS

Model: Ford® E450 Alternator: 120 Amp Engine: 6.8L Triton V10 Horsepower: 305HP

Torque: 420 lb-ft @ 3,250 RPM

Transmission: 5-Speed, Automatic w/Overdrive

FORD® E350 CHASSIS

Model: Ford® E350 (23B/25K) Alternator: 120 Amp Engine: 5.4L Triton V8 Horsepower: 255HP

Torque: 350 lb-ft @ 3,250 RPM

Transmission: 5-Speed, Automatic w/Overdrive

FORD® E450 CHASSIS

Model: Ford® E450 Alternator: 120 Amp Engine: 6.8L Triton V10 Horsepower: 305HP

Torque: 420 lb-ft @ 3,250 RPM

Transmission: 5-Speed, Automatic w/Overdrive

2016 | CLASS C GAS

Visit holidayrambler.com



- Addendums

 1. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motorhome. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargocarrying capacity*.
- 3. GCWR (Gross Combined Weight Rating) is the value specified by the motorhome manufacturer as the maximum allowable loaded weight of this motorhome with its towed vehicle. Towing and braking capacities may be different. Refer to Holiday Rambler and chassis manufacturer's manuals for complete information.

- Motorhomes feature a body width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may affect your usage.
- Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.
- brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

†† The Minimum Towable Load of this vehicle is the available weight capacity, up to GCWR, when the coach is fully loaded to maximum GVWR. However, if the coach is loaded to something less than maximum GVWR, that extra available weight capacity can be added to your Towable Load. For example, if your coach is loaded to 1000lbs less than maximum GVWR, your Towable Load increases accordingly. Do not exceed the hitch rating weight, GVWR or

APORTANT—PLEASE READ

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.holidayrambler. com or contact your local Holiday Rambler dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Holiday Rambler has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

Enjoy your next RV adventure with the peace of mind that comes with a 12 month/24,000 mile basic limited warranty, a 5 year/50,000 mile limited warranty on aluminum or steel frame structure. Review your coach's limited warranty in full for complete terms and conditions.

To locate a dealer near you, visit our website at www.holidayrambler.com or call 1-877-466-6226. We can also be contacted at Holiday Rambler Customer Relations, P.O. Box 1007, Decatur, IN 46733.



