













STORM 32V SHOWN IN BLUSHING BRONZE DÉCOR WITH BUTTERNUT WOOD CABINETRY


TOP FEATURES

- Ford® 18,000lb chassis w/362HP V10 (28MS/30L/32H/32V)
- Ford® 22,000lb chassis w/362HP V10 (35SK)
- One-Piece Fiberglass Rear Cap
- Automatic Hydraulic Levelers Standard
- Aluminum Bus-Style Side Swing Luggage Doors
- Power Awning w/LED Light Strip
- Side-View Camera Package
- LED Interior Task Lighting
- Tinted Frameless Single-Pane Windows
- Exterior LED TV
- Bedroom 19" LED TV Standard

- Hide-A-Loft™ Drop Down Queen Bed w/TV
- F-21 Construction & Manufacturing Technology
- Powerlock System™ w/Interlocking Walls & Ceiling
- Powerframes™ Precision Welding

FLOOR PLANS


28MS



30L



AVAILABLE OPTIONS: 830




AVAILABLE OPTIONS: 097, 157, 860/864

32V



35SK



AVAILABLE OPTIONS: 139, 144, 191

OPTIONS







OPT. 144 RESIDENTIAL REFRIG









OPT. 860/864 DINETTE W/ SWING DOWN BUNK 30" X 70" DINETTE / 28" X 70" BUNK



Visit FleetwoodRV.com









STRATOSPHERE

BLUSHING BRONZE

2016 Storm Décors

BLUSHING BRONZE						CABINETRY
SOFA	ACCENT	BEDSPREAD	COUNTERTOP	FLOORING	CARPET	BARCELONA
						Name of the last o
STRATOSPHE	BUTTERNUT					
SOFA	ACCENT	BEDSPREAD	COUNTERTOP	FLOORING	CARPET	MANAGERINA

PLATINUM ONYX

CHASSIS								
MODELS	28MS	30L	32H	32V	35SK			
Wheelbase (inches)	178"	178"	190"	208"	228"			
GVWR (lbs) ¹	18,000	18,000	18,000	18,000	22,000			
Front GAWR (lbs) ²	7,000	7,000	7,000	7,000	8,000			
Rear GAWR (lbs) ²	12,000	12,000	12,000	12,000	15,000			
GCWR (lbs) ³	23,000	23,000	23,000	23,000	26,000			
Hitch Rating Weight (lbs)†,††	5,000	5,000	5,000	5,000	5,000			
Tongue Weight (lbs)†	500	500	500	500	500			
Fuel Capacity (gal)	80	80	80	80	80			

FORD® CHASSIS

Model: Ford® Engine: 6.8L Triton V10

Transmission: Ford, 5-Speed, Automatic w/Overdrive

Alternator: 175 Amp

Torque: 457 lb-ft @ 3,250 RPM

Horsepower: 362HP

DIMENSIONS & CAPACITIES							
MODELS	28MS	30L	32H	32V	35SK		
Overall Length (inches) ⁴	28' 8"	29' 11"	31'	32' 9"	36' 2"		
Overall Height (with A/C)	12'	12'	12'	12'	12'		
Overall Width (maximum) ^{5,6}	102"	102"	102"	102"	102"		
Interior Height (maximum)	82"	82"	82"	82"	82"		
Interior Width (maximum)	96"	96"	96"	96"	96"		
Patio Awning Width	18'	14'	11.5'	18'	18'		
Interior Storage (cu. ft.)	125	132	116	128	74		
Exterior Storage (cu. ft.)	132	185	104	192	127		
Fresh Water Tank (gal)	60	60	60	60	60		
Grey Water Tank (gal)	35	35	35	37	37		
Black Water Tank (gal)	35	35	35	37	37		
Appliance Propane Tank (gal) (WC) ⁷	14	14	14	14	14		
Water Heater Tank (gal)	6	6	6	6	6		

- GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motorhome. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargo-carrying capacity*
- 2. GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- 3. GCWR (Gross Combined Weight Rating) is the value specified by the motorhome manufacturer as the maximum allowable loaded weight of this motorhome with its towed vehicle. Towing and braking capacities may be different. Refer to Fleetwood and chassis manufacturer's manuals for complete information.
- 4. Length measured from front bumper to rear bumper (excludes accessories).
- 5. Excludes safety equipment and awnings.
- 6. Motorhomes feature a body width over 96" which will restrict your access to certain roads.

 Before purchasing, you should research any state and/or province road laws which may affect your usage.
- 7. Tank manufacturer's listed water capacity (WC), Actual propage capacity is 80% of water listing as required by the safety code
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.
- UVW and OCCC are found on the label containing the federal certification tag in each RV.

†† The Minimum Towable Load of this vehicle is the available weight capacity, up to GCWR, when the coach is fully loaded to maximum GVWR. However, if the coach is loaded to something less than maximum GVWR, that extra available weight capacity can be added to your Towable Load. For example, if your coach is loaded to 1000lbs less than maximum GVWR, your Towable Load increases accordingly. Do not exceed the hitch rating weight, GVWR or GCWR.

IMPORTANT—PLEASE READ

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood RV dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

CONTACT US

To locate a dealer near you, visit our website at www.fleetwoodrv.com or call 1-800-322-8216. We can also be contacted at Fleetwood RV Customer Relations, P.O. Box 1007, Decatur, IN 46733.

assistance membership. For complete info, see your Fleetwood RV dealer.

©2015 Allied Recreation Group Inc. Printed in USA. Inventory Control Number ST16B1, 07/15. Model Year 2016, First Edition.



