



A BUNKHOUSE THAT CAN CONVERT TO A GARAGE.

ELECTRIC BUNK

system. The 2700 features a full size triple bunk with an electric bed lift system. Rear beds are on an electric lift with a large access door for loading bikes, kennels, or whatever equips your trip.








MASTER BEDROOM & KITCHEN

Most Master Bedrooms have walk around queen beds with easy light up storage and large closets. Our Kitchens are loaded with extra storage, including the half barrel storage pantry underneath the counter.



BATHROOMS

Always large! This makes changing, showering, and cleaning easy with full tub surround and spacious layout.



Showing the very popular 2460 model with standard Jackknife sofa and oversized pull out storage drawer. (Reclining Chair Option Available)

2460

A MIX OF EVERYTHING YOU LOVE.

BAY WINDOWS & RECLINERS

Enjoy the view through the wall to wall picturesque rear window. Let the natural light in when you want it, as you relax in the deluxe optional recliners.





KITCHEN

The 2460 kitchen has all the storage you would want while camping, with oversized overhead cabinets and convenient spice rack.



BATHROOM

With modern style bathrooms, most floorplans offer the glass shower door which is not only beautiful but practical.

EVO Standards

PRODUCT FEATURES

2000-lb. Tongue Jack

3,500-lb. EZ Lube Axles (5200# on 3250)

8" Rust Resistant Powder Coated I-Beam Chassis

6" Rust Resistant Powder Coated I-Beam Chassis Non Slides

4-wheel Electric Self Adjusting Brakes

14" or 15" Radial Trailer Special Tires (Per Floorplan)

4" Steel Rear Bumper/Sewer Hose Storage w/end caps

Frame Mounted Dual Battery Rack Schwintec Electric Slide-out Operating

System, Flush Floor per Floor Plan Full through Chassis Electric Slide

Room Support System (Super Slides)

5/8" One-piece Promax OSB waterproof

slide-out floor decking

Slide-out exterior end walls are highgloss gel coat fiberglass

R-7 Johns Mansville Fiberglass

Insulation Roof/Floor/Walls/End Caps Full Walk-On Roof with One-piece

Superflex Polyolefin Roofing

Membrane

Large Water and Up to 115 gal. Holding Tank Capacity (See Specs for Detail)

EXTERIOR

Front Pass-through Storage with LED Light Crowned Roof for Water Drainage Truss Rafters on Slide Models

Black Frame Safety Glass Windows

30-amp. 110v Power Cord

City Water Connection

Cable TV Hook-up

Exterior LED Utility Light

110V Exterior Plug

Two 12v/USB Charging Stations

Radius Entry Door with Window

Radius Compartment Storage Doors

Entry Assist Handle

Dometic Awning w/Retractor Assist Springs

Aerodynamic Aluminum Front Cap

Omni Digital TV Antenna w/Booster

LPG Tank Cover with Easy Access

Exterior Speakers

Extended Rain Gutter Spouts

6-gal. Suburban Gas/Electric DSI Water

Heater w/16-gal/hr. recovery

Water Heater By-Pass for Cold Storage

Hot & Cold Low Drain Points

Front Lower Gravel Guard

Compartment Door Holding Latches

INTERIOR

Vintage Timber Craftsmen Cabinets Stained Wood Cabinet Doors Wood Drawer Fronts

Deluxe Ball Bearing Drawer Guides Home Style Brushed Nickel Cabinet

Hardware

Convenient Storage Areas

Galley Lighting

System Monitor Panel

Systems Control Panel

Laminate Counter Top

Full Access Kitchen Sink w/Sink Covers

Hi-Rise Sink Faucet Brushed Nickel

U-Shaped Dinette Per FP

Dometic Foot Flush Toilet

Full Wall Tub/Shower Surround

Power Vent in Bathroom

Medicine Cabinet with Mirror

Full Length Bedroom Wardrobes

Lift Up Bed for Storage Per FP

Pillow Top Inner Spring Mattress

(Front Bedrooms)

Bedspread and Pillow Shams

110V Electric outlets on both sides of main bed

20K or 30K BTU Suburban Furnace per Floor Plan

48" Pull Out Storage Drawer under Jack Knife Sofa

Shoe Storage under Entertainment Genter

Escape Windows in Sleeping Areas

Knife Holder Behind Range

Solid Doors at Bedroom Entry (Per FP)

Laundry Chutes (Per FP)

APPLIANCES

Suburban 3-Burner Range with 17" oven Range Hood with 12-volt light and Exhaust Fan Range Cover with Exhaust Fan

Dometic 6-cu.ft. Double Door

Refrigerator Wood Grain inserts

Microwave w/Carousel Hi-Point

Suburban 6-gal. Gas Water Heater w/

Dometic 13,500 BTU Air Conditioning

Floor Ducted Heat per Floor Plan

Suburban 20K or 30K BTU Furnace per

Floor Plan

Flush Mounted Speakers in Ceiling AM/FM/CD/ Stereo System Interior/

Exterior Speakers

OPTIONAL FEATURES

12-volt Power Tongue Jack w/Light

LED Lighting Throughout

Solid Surface Countertop in Kitchen W/

Undermount Sink.

Pre-Wired for Solar

Power Stabilizer Jacks upgrade

Power Awning with LED Lighting

Night Shades IPO Mini Blinds

DVD System w/MP3/AM/FM/ w/Remote

Control

Remote Control (Slide/Awning/

Stabilizers/Porch Light)
Ducted Air Conditioning Roof Vents

15,000 BTU Air Conditioner

Jensen HD LED Television with Wall

Bracket

Black Tank Sani Flush

LPG Quick Connect Frame Mount

Bumper Mounted Radial Spare Tire W/Forest River Spare Tire Cover

Deluxe Aluminum Wheels per Model

30# LPG Tanks

4 Stabilizer Jacks

200W GO Power Solar Charging

Package

Glass Enclosure (Showers)

Outside Shower

Roof Ladder

Large Swing-Out Entry Assist Handle

Large Bunk Access Door (2550/2700)

Large Skylight over Shower

Two Deluxe Recliners (2460)

Stainless Steel Appliance Upgrade w/

Refer Front

LPG Under Frame Mount BBQ Quick

Disconnect
Tankless Water Heater

CLIMATE PACKAGE


Enclosed Tanks w/Radiant Foil (R-38 Rnnf/Flnnr)

ARCTIC PACKAGE

Climate Pkg. Plus 12V Heat Strips per Tank (Max 4)

EVO Product Highlights
















U-DINETTE.



T1860

PASE THRU STORAGE
SHOULE
GUREN RED 2



T1850

PASS THRU STORAGE






T2160 T2300

T2050









T2700



T2850



T3250

THE NATION'S TOP CHOICE

EVO brand trailers are becoming America's choice for another reason beyond interior appointments. The quality in construction of this unit makes it the wise choice in "Family Affordability." We start with a foundation of 5/8" tongue and groove residential-grade flooring. This is glued and fastened to 2"x 3" floor joists. This glue is so strong many refer to it as a "wood weld." Here is a list of outstanding construction exterior features.

- Powder Coated Cambered I-Beam Chassis for a more stable tow and maximum strength. Built to handle different terrains and resist rust.
- 2. One Piece Seamless Walk On Roof
- 3. Select E-Z Lube Axles Manufactured to exacting tolerances.
- 4. 40 mil Seamed Aluminum Metal Front Wrap for superior aerodynamics

- 5. Smooth Radius Fiberglass Entry and Compartment doors.
- 6. Built and designed to be ½ ton towable. [CCC] Cargo carrying capacities and towability are maximized with the right combination of balance, axle placement, weight, and aerodynamics.
- 7. Triple seal slideout opening with drip rail and maximum duty perimeter strength.



	T1850	T1860	T2050	T2160	T2250	T2300	T2360	T2460	T2550	T2600	T2700	T2850	T3250
HITCH WEIGHT	477 LBS.	420 LBS.	604 LBS.	504 LBS.	455 LBS.	559 LBS.	548 LBS.	750 LBS.	838 LBS.	853 LBSS	656 LBS.	786 LBS.	904 LBS.
UVW	4115 LBS.	3852 LBS.	4890 LBS.	4490 LBS.	4301 LBS.	5030 LBS.	5308 LBS.	5686 LBS.	5916 LBS.	6447 LBS.	6624 LBS.	6262 LBS.	7822 LBS.
GVWR	7477 LBS.	7420 LBS.	7604 LBS.	7504 LBS.	7455 LBS.	7652 LBS.	7548 LBS.	7750 LBS.	7838 LBS.	7853 LBS.	9980 LBS.	7786 LBS.	9980 LBS.
CCC	3362 LBS.	3568 LBS.	2714 LBS.	3014 LBS.	3154 LBS.	2622 LBS.	2240 LBS.	2064 LBS.	1922 LBS.	1406 LBS.	3356 LBS.	1524 LBS.	2158 LBS.
EXTERIOR LENGTH	21' 11"	22' 7"	25' 11"	24' 8"	26' 6"	27' 6"	27' 11"	29' 6"	28' 9"	30' 5"	32' 0"	31' 7"	36' 0"
EXTERIOR HEIGHT	10' 9"	10' 3"	11' 0"	10' 10"	10' 3"	10' 5"	10' 9"	11' 0"	11' 0"	11' 0"	11' 0"	11' 0"	11' 2"
EXTERIOR WIDTH	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
FRESH WATER	56 GAL.												
GRAY WATER	35 GAL.	35 GAL.	65 GAL.	28 GAL.	35 GAL.	30 GAL.	75 GAL.	40 GAL.	75 GAL.	40 GAL.	75 GAL.	75 GAL.	58 GAL.
BLACK WATER	35 GAL.	35 GAL.	35 GAL.	32 GAL.	35 GAL.	30 GAL.	40 GAL.	35 GAL.	40 GAL.	40 GAL.	40 GAL.	40 GAL.	30 GAL.
AWNING SIZE	14 FT	14 FT	18 FT	14 FT	14 FT	16 FT	18 FT						



YOUR EVO DEALER





Learn More
Scan this barcode using

a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

Forest River, Inc. 255 S. Pepper Ave., Rialto, CA 92376 www.forestriverinc.com/Evo | www.forestriveraccessories.com

All illustrations and specifications contained in this literature are based on the latest product information at time of publication. Forest River reserves the right to make changes in prices, colors, materials, equipment and specifications at anytime without notice and assumes no responsibility for any error in this literature. All units are shipped F.O.B. Goshen, Indiana. CONSULT YOUR LOCAL DEALER FOR WARRANTY INFORMATION. LITHO: U.S.A. FOR 1223 P & W: 2015.29.05

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas.
The LVVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWP minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional enuinment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- Canadian customers must meet requirements to bring an RV purchased out of the country to their home.
 These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one <u> Coach-Net</u>®

RV Technical & Roadside Assistance

Forest River includes one RV Technical & Roadsice year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.