

LTW & CLASSIC A- FRAMES





WWW.CHALETINC.COM

124 41st Ave SE Albany OR 97322 541.791.4610



1505 lbs 15'6"



With over 25 years of history, the Alpine is tried and true. The Alpine floor plan features a dual dinette providing the most seating in its class while conveniently converting into sleeping space for 3 adults. The Alpine comes standard with our patented Lever Lift System, LED lighting, fridge, heater, air exchange fan, two burner cooktop, and sink.



1585 lbs 15'6"



By far the most popular Chalet A-frame, the Arrowhead features a rear gaucho and front dinette providing generous floor space and sleeping space for 3 adults. The Arrowhead comes standard with our patented Lever Lift System, LED lighting, fridge, heater, air exchange fan, two burner cooktop, and sink. For more storage an optional rear permanent bed is available.





The LTW is the smallest, lightest, and most affordable of our A-frame trailers. The LTW's light weight permits easy towing by most vehicles and its small size allows for easy maneuverability around campsites and parking lots. This unique trailer sleeps 2 while including standard features such as a LED lighting, fridge, furnace, two burner cooktop, fan, and cold water sink.





photos needed

dditional

1





Standard Features

		V	- 4	¥	¥	ゼ
Construction / Chassis		×		•		7
One Year Limited Structural Warranty	S	S	S	S	S	S
Patented Ergonomic Manual Lift System	S	S	S	-	-	-
Patented Electronic Power Lift System	-	-	-	S	S	S
Patent High Wind Harness System	S	S	S	S	S	S
High Sidewalls (38")	S	S	S	-	-	-
High Sidewalls (42")	-	-	-	S	S	S
Fully Insulated Composite Walls and Roof	S	S	S	S	S	S
Fully Insulated Composite Floor	S	S	S	S	S	S
Powder Coated Boxed Frame and Bumper	S	S	S	S	S	S
Electric Brakes	S	S	S	S	S	S
Break-Away Switch	S	S	S	S	S	S
Spare Tire Mounted Below Chassis	S	S	S	S	S	S
Folding Entry Step	S	S	S	S	S	S
4 Stabilizer Jacks and Sand Pads (2 on LTW)	S	S	S	S	S	S
Exterior						
Ice Grey Fiberglass Exterior	S	S	S	S	S	S
Panoramic Windows	S	S	S	S	S	S
Smoked Safety Glass Windows	S	S	S	S	S	S
Front and Rear Skylights (Rear only on LTW)	S	S	S	S	S	S
Dormer with Large Window	-	-	-	0	0	S
LED Porch Light and Utility Docking lights	S	S	S	S	S	S
LED Light Hitch Side	S	S	S	S	S	S
Black Mod Wheels (13")	S	S	S	-	-	-
Aluminum Wheels (14")	-	-	-	S	S	S
Diamond Plate Rock Guard	S	S	S	S	S	S
Insulated & Keyed Compartment Door(s)	S	S	S	S	S	S
Porta Potty Access Door	S	S	S	S	S	S
Exterior Graphics	S	S	S	S	S	S



				head	۶ ۲	<mark>8</mark> 49
Interior	4 Th	Albin	Arron	× 10	41 202	4 19.
Durable Wood Grain Vinyl Flooring	S	S	S	S	S	S
Coordinating Interior Décor	S	S	S	S	S	S
Hardwood Cabinet Doors	S	S	S	S	S	S
Single Bowl Stainless Steel Sink	S	S	S	_	_	-
Double Bowl Stainless Steel Sink	_	_	_	S	S	S
Folding Swivel Faucet	S	S	S	_	_	-
Deluxe Chrome Folding swivel Faucet	0	0	0	S	S	S
Portable Table with Folding Legs	S	S	S	S	S	S
6" Innerspring Mattress with Duvet Cover	-	-		-	-	-
Appliances&Equipment						
3.0 cubic foot 3-way Refrigerator	S	S	S	S	S	S
2 Burner Cooktop with Cover	S	S	S	-	-	-
3 Burner Cooktop with Cover	-	0	0	S	S	S
16K BTU Furnace	S	S	S	S	S	S
3-Speed (Reversible) Fantastic Fan	S	S	S	S	S	S
AM/FM, CD/DVD Player with Bluetooth	S	S	S	S	S	S
Opening Roof Vent	S	S	S	S	S	S
Dual 20 Gallon LP Tanks	S	S	S	S	S	S
Fresh Water System						
12 Volt Electric Water Pump	S	S	S	S	S	S
15 Gallon Fresh Water Tank	S	S	S	S	S	S
Electrical	-	~		-	-	-
35 Amp Converter	S	S	S	S	S	S
12 volt and T.V. Cable Outlet	S	S	S	S	S	S
Interior Lighting	S	S	S	S	S	S
Interior and Exterior GFI Outlets Safety	S	S	S	S	S	S
Carbon Monoxide, LPG, and Smoke Alarms	S	S	S	S	S	S
Fire Extinguisher	S	S	S	S	S	S
	0	0	0	0	0	0

				head	<u>ې</u>	<u>ک</u>	,		.0	Series
Options	LTM.	Alpin	Arrow	×1 202	020 2007	×1 2935	Specifications	MLY	Cl _{assic}	K Se
AC 11,500 BTU Ducted Cool Cat w/ Heat Pump	-	0	0	0	0	0	Exterior Length	12' 9"	15' 6"	18'7"
AC 8,000 BTU	0	0	0	0	0	0	Exterior Width	81.75"	81.75"	86.75"
Wet Bath Package (Shower, Cassette Toilet, 20 Gal	-	-	-	0	0	0	Exterior Length + Storage Box	14' 6"	17' 3"	N/A
GreyTank, DSI Water Heater, Outside Shower)							Inside Width x Length	76" x 105.5"	76" x 132"	80" x 168"
Water Heater (6 Gal DSI) + Outside Shower	0	0	0	0	0	0	Travel Height	65"	66"	73"**
Permanent Rear Bed 52"x76", Easy Access Storage	-	-	0	-	S	S	Height After Set Up	118.5"	125"	131"
Front Rugged Roto-Molded Cargo Box	0	0	0	-	-	-	Inside Height After Set Up	94"	101.5"	103.5"
CSA Compliance Package	0	0	0	0	0	0	Rear Bed Dimensions	52" x 76"	52" x 76"	60" x 80"
Expanding Front Hard Sided Dormer	-	-	-	0	0	0	Front Bed Dimensions	25" x 76"	40" x 76"	46"x 80"**
Dormer Skylight 21" x 62"	-	-	-	0	0	S	Axle Dry Weight	1012 lbs	1232 lbs	1755 lbs
Enclosed Cassette Toilet Room	-	-	-	0	0	0	Hitch Dry Weight	138 lbs	168 lbs	240 lbs
Propane With External BBQ Quick Disconnect	0	0	0	0	0	0	Total Dry Weight	1300 lbs	1585 lbs	1995 lbs**
Receiver,Rear 2" (Bolt On)	0	0	0	0	0	0	Load Capacity	700 lbs	1415 lbs	1500 lbs
Solar, 80 Watt Panel, Portable	0	0	0	0	0	0	GVWR	2000 Lbs	3000 lbs	3500 lbs
Speakers, Outdoor (2)	0	0	0	0	0	0	Tire Size	13"	13"	14"
Trail Boss Package*	0	0	0	-	-	-	Hitch Ball Height	18"	19"	21"
Wheels, Aluminum	0	0	0	S	S	S	Hitch Ball Height (Trail Boss)	22"	23"	N/A

*Trailboss : 14" rims, Off Road Tires, 4" raised suspension and spare tire

**XL1935 No Front Bed, Dry Hitch Weight 370, Axle Dry Weight 2165 lbs



WWW.CHALETINC.COM



XL A-FRAMES





The XL line comes standard with our patented Power Lift System. No heavy overhead lifting and no push poles. Set up and take down with the push of a button.



Our A-frame campers are built on powder coated steel frames, providing a sturdy foundation and years of rust protection.

Our unique, high quality vacuum bonded flooring with insulated laminate is lightweight and rot resistant.

30 Second Set up



Hand Crafted In The Heart Of Oregon

WWW.CHALETINC.COM

124 41st Ave SE Albany OR 97322 541.791.4610



The XL 1920 A-frame trailer provides ample sleep or storage space with the addition of a bunk bed to the standard features of our XL line such as 8' of headroom, bathroom with optional shower, and residential height counter tops. With our convertible queen size dinette and bunk bed, the 1920 comfortably sleeps 4 adults. The XL line of trailers provides easy set up with our Patented Electronic Roof Lift System. Optional Wet Bath (cassette toilet and shower) and Dormer are also available



The XL 1930 A-frame trailer is our most popular XL trailer, offering a permanent queen bed, under bed storage, eight feet of headroom, and residential height countertops. The XL line of trailers maintains the essence of an A-frame trailer, a self contained folding trailer with large storage, low maintenance, easy towing, and quick set up with our Patented Electronic Roof Lift System. Optional Wet Bath (cassette toilet and shower) and Dormer are also available



The XL 1935 A-frame trailer offers the most floor space of any Chalet model, and comes standard with a large hard sided dormer and significant counter space and storage. A permanent queen bed is built into this unit, and dinette converts to allow sleeping space for 3 adults. Standard features expanding hard sided dormer, and quick set up with our patented Electronic Roof Lift System. Optional wet bath is available with cassette toilet and shower.





Standard Features

	~	4	· 7	¥	¥	ゼ
Construction / Chassis		•				•
One Year Limited Structural Warranty	S	S	S	S	S	S
Patented Ergonomic Manual Lift System	S	S	S	-	-	-
Patented Electronic Power Lift System	-	-	-	S	S	S
Patent High Wind Harness System	S	S	S	S	S	S
High Sidewalls (38")	S	S	S	-	-	-
High Sidewalls (42")	-	-	-	S	S	S
Fully Insulated Composite Walls and Roof	S	S	S	S	S	S
Fully Insulated Composite Floor	S	S	S	S	S	S
Powder Coated Boxed Frame and Bumper	S	S	S	S	S	S
Electric Brakes	S	S	S	S	S	S
Break-Away Switch	S	S	S	S	S	S
Spare Tire Mounted Below Chassis	S	S	S	S	S	S
Folding Entry Step	S	S	S	S	S	S
4 Stabilizer Jacks and Sand Pads (2 on LTW)	S	S	S	S	S	S
Exterior						
Ice Grey Fiberglass Exterior	S	S	S	S	S	S
Panoramic Windows	S	S	S	S	S	S
Smoked Safety Glass Windows	S	S	S	S	S	S
Front and Rear Skylights (Rear only on LTW)	S	S	S	S	S	S
Dormer with Large Window	-	-	-	0	0	S
LED Porch Light and Utility Docking lights	S	S	S	S	S	S
LED Light Hitch Side	S	S	S	S	S	S
Black Mod Wheels (13")	S	S	S	-	-	-
Aluminum Wheels (14")	-	-	-	S	S	S
Diamond Plate Rock Guard	S	S	S	S	S	S
Insulated & Keyed Compartment Door(s)	S	S	S	S	S	S
Porta Potty Access Door	S	S	S	S	S	S
Exterior Graphics	S	S	S	S	S	S



				ad		
	Ņ		Arrow	102	020 02	1935
Interior	17	4/6	A	セ	¥	¥
Durable Wood Grain Vinyl Flooring	S	S	S	S	S	S
Coordinating Interior Décor	S	S	S	S	S	S
Hardwood Cabinet Doors	S	S	S	S	S	S
Single Bowl Stainless Steel Sink	S	S	S	-	-	-
Double Bowl Stainless Steel Sink	-	-	-	S	S	S
Folding Swivel Faucet	S	S	S	-	-	-
Deluxe Chrome Folding swivel Faucet	0	0	0	S	S	S
Portable Table with Folding Legs	S	S	S	S	S	S
6" Innerspring Mattress with Duvet Cover	-	-	-	-	-	-
Appliances&Equipment						
3.0 cubic foot 3-way Refrigerator	S	S	S	S	S	S
2 Burner Cooktop with Cover	S	S	S	-	-	-
3 Burner Cooktop with Cover	-	0	0	S	S	S
16K BTU Furnace	S	S	S	S	S	S
3-Speed (Reversible) Fantastic Fan	S	S	S	S	S	S
AM/FM, CD/DVD Player with Bluetooth	S	S	S	S	S	S
Opening Roof Vent	S	S	S	S	S	S
Dual 20 Gallon LP Tanks	S	S	S	S	S	S
Fresh Water System						
12 Volt Electric Water Pump	S	S	S	S	S	S
15 Gallon Fresh Water Tank	S	S	S	S	S	S
Electrical						
35 Amp Converter	S	S	S	S	S	S
12 volt and T.V. Cable Outlet	S	S	S	S	S	S
Interior Lighting	S	S	S	S	S	S
Interior and Exterior GFI Outlets	S	S	S	S	S	S
Safety						
Carbon Monoxide, LPG, and Smoke Alarms	S	S	S	S	S	S
Fire Extinguisher	S	S	S	S	S	S

				nead	ତ ,	<mark>0</mark> 40			. (1	'ies
Options	4 Th	Alpin	Arrowit	41 100	020 X	41 1935	Specifications	MLY	Cl _{assic}	XL Series
AC 11,500 BTU Ducted Cool Cat w/ Heat Pump	-	0	0	0	0	0	Exterior Length	12' 9"	15' 6"	18'7"
AC 8,000 BTU	0	0	0	0	0	0	Exterior Width	81.75"	81.75"	86.75"
Wet Bath Package (Shower, Cassette Toilet, 20 Gal	-	-	-	0	0	0	Exterior Length + Storage Box	14' 6"	17' 3"	N/A
GreyTank, DSI Water Heater, Outside Shower)							Inside Width x Length	76" x 105.5"	76" x 132"	80" x 168"
Water Heater (6 Gal DSI) + Outside Shower	0	0	0	0	0	0	Travel Height	65"	66"	73"**
Permanent Rear Bed 52"x76",Easy Access Storage	-	-	0	-	S	S	Height After Set Up	118.5"	125"	131"
Front Rugged Roto-Molded Cargo Box	0	0	0	-	-	-	Inside Height After Set Up	94"	101.5"	103.5"
CSA Compliance Package	0	0	0	0	0	0	Rear Bed Dimensions	52" x 76"	52" x 76"	60" x 80"
Expanding Front Hard Sided Dormer	-	-	-	0	0	0	Front Bed Dimensions	25" x 76"	40" x 76"	46"x 80"**
Dormer Skylight 21" x 62"	-	-	-	0	0	S	Axle Dry Weight	1012 lbs	1232 lbs	1755 lbs
Enclosed Cassette Toilet Room	-	-	-	0	0	0	Hitch Dry Weight	138 lbs	168 lbs	240 lbs
Propane With External BBQ Quick Disconnect	0	0	0	0	0	0	Total Dry Weight	1300 lbs	1585 lbs	1995 lbs**
Receiver,Rear 2" (Bolt On)	0	0	0	0	0	0	Load Capacity	700 lbs	1415 lbs	1500 lbs
Solar, 80 Watt Panel, Portable	0	0	0	0	0	0	GVWR	2000 Lbs	3000 lbs	3500 lbs
Speakers, Outdoor (2)	0	0	0	0	0	0	Tire Size	13"	13"	14"
Trail Boss Package*	0	0	0	-	-	-	Hitch Ball Height	18"	19"	21"
Wheels, Aluminum	0	0	0	S	S	S	Hitch Ball Height (Trail Boss)	22"	23"	N/A

*Trailboss : 14" rims, Off Road Tires, 4" raised suspension and spare tire

**XL1935 No Front Bed, Dry Hitch Weight 370, Axle Dry Weight 2165 lbs



WWW.CHALETINC.COM