

DUNE CHASER™ | 09



MCKENZIE™


behind every adventure.






DUNE CHASER™ 60

303K



343K3



303K


Gross Vehicle Weight Rating	16,950
Unloaded Vehicle Weight	9,360
Ext. Length	32' 6"
Ext. Width	8' 6"
Ext. Height w/ AC	12' 5"
Axle Weight	5,200
Hitch Weight	2,060
Net Carrying Capacity	TBD
Awning Length	TBD
Black/Gray/Fresh Tanks	50/50/130 Gal.

343K3


Gross Vehicle Weight Rating	16,950
Unloaded Vehicle Weight	10,800
Ext. Length	35' 6"
Ext. Width	8' 6"
Ext. Height w/ AC	12' 9"
Axle Weight	5,200
Hitch Weight	2,700
Net Carrying Capacity	6,150
Awning Length	17'
Black/Gray/Fresh Tanks	50/50/130 Gal.

FLOORPLANS

353K3



383K3



353K3

Gross Vehicle Weight Rating	16,950
Unloaded Vehicle Weight	10,400
Ext. Length	37' 10"
Ext. Width	8' 6"
Ext. Height w/ AC	12' 10"
Axle Weight	5,200
Hitch Weight	2,640
Net Carrying Capacity	6,550
Awning Length	19'
Black/Gray/Fresh Tanks	50/50/130 Gal.


383K3

Gross Vehicle Weight Rating	16,950
Unloaded Vehicle Weight	11,215
Ext. Length	39' 10"
Ext. Width	8' 6"
Ext. Height w/ AC	13' 0"
Axle Weight	5,200
Hitch Weight	2,800
Net Carrying Capacity	5,735
Awning Length	17'
Black/Gray/Fresh Tanks	50/50/130 Gal.




DUNE CHASER™ 60

385KT



38FKD



385KT


Gross Vehicle Weight Rating	18,000
Unloaded Vehicle Weight	12,830
Ext. Length	39' 10"
Ext. Width	8' 6"
Ext. Height w/ AC	13' 1"
Axle Weight	5,200
Hitch Weight	2,630
Net Carrying Capacity	5,170
Awning Length	16'
Black/Gray/Fresh Tanks	50/50-50/130 Gal.

38FKD

Gross Vehicle Weight Rating	18,000
Unloaded Vehicle Weight	12,500
Ext. Length	39' 10"
Ext. Width	8' 6"
Ext. Height w/ AC	13' 1"
Axle Weight	5,200
Hitch Weight	2,750
Net Carrying Capacity	5,500
Awning Length	19'
Black/Gray/Fresh Tanks	50/50-50/130 Gal.

FLOORPLANS

40SKT



40SKT

Gross Vehicle Weight Rating	21,000
Unloaded Vehicle Weight	13,620
Ext. Length	42' 11"
Ext. Width	8' 6"
Ext. Height w/ AC	13' 3"
Axle Weight	6,000
Hitch Weight	3,000
Net Carrying Capacity	7,380
Awning Length	16'
Black/Gray/Fresh Tanks	50/50-50/130 Gal.

* Weights may vary by options.

** Variances in the fabrication and installation of the tanks may cause the actual "usable capacity" to be greater or less than the capacities designated above.

*** Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. McKenzie provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local McKenzie dealer for unit availability and further information.

The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole

option, without notice. This includes the substitution of components of a different brand or trade name, which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on McKenzie models. McKenzie, the McKenzie logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders.

While the color of the towable's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure

may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order.

The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated.

Component part and appliance manufacturers issue limited warranties covering those portions of the recreational vehicle not covered by the Limited Warranties issued by Monaco Coach Corporation. To learn which specific component parts and appliances are excluded from the Limited Warranties issued by Monaco Coach Corporation, please contact your selling dealership or Monaco Coach Corporation directly, or review the warranty packet inside the recreational vehicle.



DUNE CHASER™ 60

Due to continuous product improvement, please see the website for the latest in standards and options, specifications, and technical data. **Go to www.mckenzietowables.com.**

BODY AND FRAME CONSTRUCTION FEATURES & OPTIONS

- › 102" Wide Body
- › Z-Frame Platform (N/A: 30SK, 34SKS, 35SKS, 38SKS, 40SKT)
- › Front Molded Fiberglass Cap
- › Spare Tire Prep with Carrier Frame Recessed into Underbelly
- › 1-1/2" Steel Framed Sub-Floor
- › Steel Framed and Insulated Bathroom Floor
- › 9-Flush Mounted Tie-Downs - 2500 lb Capacity (30SK, 34SKS, 35SKS, 38SKS) ((6) 38FKD, 38SKT, 40SKT)
- › Polished Anodized Diamond Plate Cargo Wall Protector
- › Aluminum Roof Structure with Double I-Beam Roof Rafter 16" On-Center
- › 9-Layer Roof and 6-Layer Sidewall Construction
- › Brite TEK™ Exterior Roof Material
- › Shock Absorbers
- › 16" Radial Tires (40SKT)
- › Stylized 16" Aluminum Wheels with Chrome Center Hub
- › Enclosed and Heated Underbelly
- › PVC Floor in Alcove Storage Area (N/A: 30SK, 34SKS, 35SKS, 38SKS)
- › Linoleum Flooring in Alcove Storage Area (30SK, 34SKS, 35SKS, 38SKS)
- › Gel Coat, Insulated Oversized Exterior Storage Door with Gas Struts (N/A: 30SK, 34SKS, 35SKS, 38SKS)
- › Beaver Tail Floor
- › 3000 lb. Rated Ramp Door
- › Smooth Gel Coat Fiberglass Sidewalls
- › Recessed Spare Tire with Sport Wheel (N/A: 40SKT)
- › Flip Over Transition Ramp
- › Electric Winch - With Tether Remote (30SK, 34SKS, 35SKS, 38SKS)

APPLIANCES FEATURES & OPTIONS

- › 8 cu.ft. 2-Way Refrigerator
- › High Output 3-Burner Range with Oven
- › Microwave with Touch Control
- › 10 cu. ft. 2 way Refrigerator
- › Convection Microwave
- › Roll-Out Pantry Cabinet with 3 Baskets (N/A: 30SK, 34SKS, 35SKS)
- › 26" LCD Color TV with Remote and Mounting Brackets Living Area (N/A: 40SKT)
- › 42" LCD Color TV with Remote and Mounting Brackets Living Area (40SKT)
- › 15" LCD Color TV with Remote Control in Bedroom (N/A: 40SKT)
- › 19" LCD Color TV with Remote Control in Bedroom (40SKT)
- › Satellite Radio
- › Cargo Electric Queen Bed with 2-24" Flush Mount Clothes Hangers (N/A: 38FKD, 38SKT)
- › Cargo Double Electric Queen Bunk Bed with Fold-Over Sofa with 2-24" Flush Mount Clothes Hangers (N/A: 38FKD, 38SKT)
- › Built in Vacuum with Deluxe Tools
- › Washer/Dryer Prep (38FKD, 38SKT, 40SKT)

INTERIOR FEATURES & OPTIONS

- › Newport Cherry II Cabinets
- › Laminate Kitchen Countertop - Galley and Lavatory
- › Utility Center by Entrance Door (Systems Monitor Panel, Water Pump, Water Heater, S/O Switches, Fuel Pump Timer, Gauges and Exterior Light Switches)
- › Decors: Copper Beach, Driftwood, Volcano (N/A: 38FKD, 38SKT, 40SKT)
- › Champagne Select
- › Kitchen Countertop Extension
- › Surged Carpet for Cargo Area
- › Cargo Privacy Screen (Standard on 38SKT)
- › Utility Center - Folding Table with Shelves
- › Available with Divider Wall (N/A with Sliding Door Option)
- › Thule Camping Convenience Package (Countertop, Countertop Organizer, Trash Bin)

FURNITURE FEATURES & OPTIONS

- › Side Queen Bed in Slide-Out with Front Wardrobe and Chest of Drawers (N/A: 30SK, 40SKT)
- › Front Queen Bed with Shirt Closet and Nightstand (30SK)
- › Polyethylene Indoor/Outdoor Table (N/A: 38FKD, 38SKT, 40SKT)
- › One (1) 76" Flip-Over Jackknife Sofa with Quick Release and Embroidered Logo - Road Side (N/A: 30SK, 34SKS, 35SKS, 38SKS)
- › One (1) Jackknife Sofa - Roadside (38FKD, 38SKT, 40SKT)
- › Two (2) 24" Flush Mount Clothes Hangers
- › One (1) Booth Dinette (38FKD, 38SKT, 40SKT)
- › 40" x 60" Flip-Over Jackknife Dinette with Quick Release and Embroidered Logo - Curbside (N/A: 38FKD, 38SKT, 40SKT)
- › Queen Bed Slide-Out with Chest of Drawers, Decorative Slide-out Fascia and Overhead Storage (38FKD, 38SKT)
- › Hide-A-Bed Sofa (38FKD, 38SKT)
- › Second Flip-Over Jackknife Sofa with Quick Release and Embroidered Logo - Road Side (38SKS)
- › Flip-Over Jackknife Sofa in Cargo Area with Quick Release and Embroidered Logo - Road Side (38FKD, 38SKT, 40SKT)
- › Two (2) Additional Barrel Chairs (34SKS, 35SKS, 38SKS)
- › U-Shaped Dinette (40SKT)

FEATURES & OPTIONS

ELECTRICAL SYSTEMS AND LIGHTS FEATURES & OPTIONS

- › 12V Sirius Ready AM/FM Weather Band Receiver with CD/DVD Player with 4 Interior 3-Way Speakers, 2 Polypropylene Waterproof Marine Speakers, 720 watt Amplifier, 10" Subwoofer and Interior/Exterior RF Remote Capability
- › Electrical Management System (50AMP/12V With 55 AMP Conv.)
- › Four (4) Exterior Recessed Docking Lights
- › LED Tail Lights
- › Disconnect and Battery Box
- › Cable TV, Telephone and Electrical Outlet Hook-up in Basement Storage
- › Cable TV/DSS/ VCR Ready with Video Box
- › Solar Prep
- › TV Antenna with Cable Box
- › Emergency Pump Station Shut-Off Switch (with Optional Pump Station)
- › Dual Exterior Cable/Satellite Receptacle
- › One 12v Deep Cycle Battery with Disconnect
- › Two 12v Deep Cycle Battery with Disconnect
- › Inverter - 600 watt (Requires Two Batteries)
- › Generator Prep 5.5KW-20 gal** Fuel Tank,
- › Remote Switch with Hour Meter, Fuel Gauge
- › 5.5 kw Marquis Gold Gas Onan Generator with 20 gallon** Tank (Prep Required)
- › Door Side Pump Station with 40 Gallon
- › Tank, Timer Switch and Fuel Gauges in Utility Center
- › Fluorescent Lighting (Living Area and Kitchen)

PLUMBING AND LP FEATURES & OPTIONS

- › Large Stainless Steel Kitchen Sink with Brushed Nickel Single Handle Pull-out Faucet
- › 10-Gallon L.P. Gas/Electric Water Heater with Electronic Ignition (DSI)
- › Stainless Steel Bathroom Sink with Brushed Nickel Faucet
- › Brushed Nickel Shower Hose and Head
- › ABS Shower with One-Piece Surround and Curtain (N/A: 38SKS, 40SKT)
- › Lighted Water management System with Drain, Spray-Port Water Sprayer with 15' Polyurethane Hose, Outside Shower with Hot and Cold, Soap Dispenser, Paper Towel Holder
- › ABS Tub/Shower with Curtain (34SKS, 38SKS)
- › Water Heater By-pass Kit
- › No-Fuss Flush Holding Tank Rinsing System
- › Two 30 lb. L.P. Tanks with Automatic Changeover and Cover
- › Fiberglass One-Piece Radius Shower with Obscure Glass Door (40SKT)
- › Shower with Sliding Glass Door (Standard on 40SKT)

HEATING VENTS AND AIR CONDITIONING FEATURES & OPTIONS

- › One Carrier 13,500 BTU Rooftop Air Conditioner with Remote Control
- › 35M BTU Hydroflame Electronic Ignition Furnace (30SK)
- › 40M BTU Hydroflame Electronic Ignition Furnace (N/A: 30SK)
- › Ducted Heating System
- › Wire Prep and Ducting for 2nd A/C with Optional 50 amp Service
- › One Carrier 15,000 BTU Rooftop A/C ILO 13,500 BTU with Remote Control
- › Second Carrier 13,500 BTU Rooftop A/C with Remote Control in Cargo Area (Requires 50 amp Service Opt.)
- › Attic Fan - Bedroom
- › Second A/C IPO Fan (38FKD, 38SKT, 40SKT)

WINDOW, DOORS AND AWNINGS FEATURES

- › Checkered Flag Texturized Fabric Awning
- › Tinted Skylight in Bathroom
- › Window in Stool Room (38FKD, 38SKT)
- › Rear Entry Door (N/A: 30SK, 34SKS, 35SKS)
- › Electric Patio Awning with Metal Cover
- › Slide-Out Awning (38FKD, 38SKT, 40SKT)
- › Kitchen Slide-out Cover (38SKT, 40SKT)
- › Bedroom Slide-out Cover (N/A: 30SK)
- › Rear Ramp Door Awning
- › Swing-Out Entry Door Handle
- › Sliding Glass Door
- › Dual Pane Windows

WINDOW TREATMENTS OPTION

- › Pleated Day/Blackout Shades in Living Area and Bedroom (38FKD, 38SKT, 40SKT)

ADVANTAGE PACKAGE FEATURES

- › 5 Year Structural Warranty
- › Z-Frame Construction (N/A: 30SK, 34SKS, 35SKS, 38SKS, 40SKT)
- › Steel Framed Floor
- › Recessed Spare Tire Carrier
- › Alaskan Package (Enclosed and Heated Underbelly, Heated Alcove Storage Area, Insulated Bathroom Floor and 9-Layer Roof)
- › Independent Front Power Landing Jacks (N/A: 30SK, 34SKS, 35SKS, 40SKT)
- › Polished Anodized Diamond Plate Cargo Wall Protector
- › Heavy Duty Protective PVC Flooring in Cargo Area



behind every adventure.

Thank you for your interest in McKenzie. As a division of the world's leading RV manufacturer, Monaco Coach Corporation, we have one simple goal: design and build the best fifth wheels and travel trailers in the business. The remarkable Dune Chaser comes with the kind of legendary customer service and technical support you'd expect with a world-class towable. When you're on the road, know that we've got your back.

Whatever your passion, wherever your adventure takes you, McKenzie understands the value of playtime. To have a better RV experience, you've got to have one thing — a better RV, the 2009 Dune Chaser.

MCKENZIERV.COM IS ALWAYS ON

Visit our website anytime to find up-to-date product news and information. Need a dealer? Find one here. Want a listing of club events? Get it here. It's also the fastest way to contact us via e-mail.

WARRANTIES

12 Month basic limited warranty

5 Year limited warranty on aluminum structure of sidewall, roof and front cap

Applies to certain models. See owner's manual for complete details.

MCKENZIERV.COM



MNC
LISTED
NYSE




MONACO COACH CORPORATION



McKenzie, a division of Monaco Coach Corporation
606 Nelson's Parkway, Wakarusa, Indiana 46573
Telephone 800.877.0870 or Fax 574.862.7893
Visit our website at www.mckenzierv.com
Monaco Coach is traded on the NYSE under the symbol MNC.
Litho in USA 0508 BROMCDUNCH