

CRUISER

CrossRonos

GRUISER FIFTH WHEELS



BUILT FOR THE LONG HAUL





DESIGNER INTERIORS WITH TUSCAN MAPLE FINISH





CRUISER WARRANTY


The best warranty in the industry. For details, please visit our web site at www.crossroadsrv.com. We invite you to compare our quality, value, service program and 2+5 Year Warranty plan with those of our competition. You'll find we are unsurpassed in all four.





FIFTH WHEEL FLOOR PLANS









CF30ES NEW











| Specifications | CF28RL | CF30ES | CF30QB | CF30SK | CF31QB | CF31RK | CF31RE | CF32BL | CF32CK |
|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Dry Weight | 7617 | 8568 | 8035 | 8211 | 7930 | 7981 | 7969 | 8556 | 8847 |
| Carrying Capacity | 3670 | 2945 | 3436 | 3062 | 3435 | 3204 | 3246 | 2973 | 2599 |
| Hitch Weight | 1666 | 1882 | 1840 | 1642 | 1734 | 1554 | 1584 | 1898 | 1852 |
| Axle Weight | 5961 | 6686 | 6195 | 6569 | 6196 | 6427 | 6385 | 6658 | 6995 |
| Exterior Length | 30' 11" | 32' 2" | 34' 3" | 32' 10" | 34' 11" | 32' 11" | 32' 11" | 34' 11" | 33' 11" |
| Exterior Height with A/C | 11' 8" | 11' 10" | 12' 4" | 11' 10" | 12' 2" | 11' 8" | 11' 8" | 12' 7" | 12' 7" |
| Tire Sizes | 225/75R15 |



CF33LF Fifth Wheel Lofted Model



Patriot and Provincial Edition Package

(includes Enhancement Package & only available on 28RL, 30SK, 31RE, & 32CK)

- 50 Amp service with bedroom A/C prep
- Mobile comfort pillow top mattress
- Roto Flex pin box
- Power leveling jacks rear
- PolarTec upgrade insulation package
- Additional graphics
- Corian counter tops in kitchen area
- Stainless steel sink
- Sink covers
- 16" Tires on aluminum rims
- Fiberglass Cap
- Freestanding Table and Chairs
- Lounge Chair & Ottoman
- 10 Gallon Water Heater
- 8 Cu. ft. refrigerator IPO 6 cu. ft.
- Electric awning
- Outside shower
- Spare tire and carrier
- 12 Volt ceiling fan
- Gel glass
- HAB Sofa with inner spring mattress
- HAB Sofa with air mattress (optional)

Tanks

- Fresh water capacity:58 gallons
- Black water capacity: 40 gallons
- Grey/galley capacity: 80 gallons

| CF32MK | CF33LF | | | | |
|-----------|-------------|--|--|--|--|
| 8532 | 9117 | | | | |
| 2905 | 2604 | | | | |
| 1806 | 2136 | | | | |
| 6726 | 6981 | | | | |
| 33' 11" | 34' 11" | | | | |
| 12' 2" | 12' 7" | | | | |
| 225/75R15 | 225/75R15 D | | | | |



DÉCOR CHOICES

Persian Sand

Shown on page 2



Thyme



Ocean



Sangria










Our aluminum floors have 16" OC aluminum studs and can hold 50 – 42 lb. tires for grand total of 2,100 pounds!



12 volt ceiling fan



















Ours

Dependability that Lasts

What our competitors don't want you to see! Our aluminum frames are bolted not welded. This makes them much stronger and gives them a longer life. Poorly welded frames come apart and are costly to fix.

Trailair's Equa-Flex™ Equalizer suspension ensures a smoother ride, more stable towing and improved coach and vehicle safety.

On broken pavement at 55mph, Equa-Flex™ reduced G-force up to 89% (360Hz)* at the trailer frame. It's the ultimate rough road remover! (Standard)

CONSTRUCTION STANDARDS

- 1. One-piece, rolled-edge rubber roof with 12 year warranty
- 2. 3/8" Plywood roof decking
- 3. 16" OC Aluminum truss roof rafters and tube floor joists
- 4. R-27 Fiberglass roof and R-28 floor insulation*
- 5. Aluminum radius roof transition wrap
- 6. Full fiberglass front cap
- 7. 13,500 BTU ducted A/C 30,000 BTU floor ducted furnace
- 8. Aluminum tube 16" OC studs for sidewalls, endwalls and slide rooms
- 9. Thermo-Foil (PolarTec Upgrade Insulation Package optional)
- 10. R-15 Sidewall fiberglass insulation*
- 11. 2 Layers of Luan board staggered for seamless walls
- 12. Lamilux fiberglass exterior for easy maintenance
- 13. 8" Steel I-beam frame (except CF32CK, CF33LF and CF32BL have 10" Steel I-beam frame)
- 14. 5/8" Lightweight tongue and groove plywood floor decking
- 15. Residential grade carpet with 1/2" foam carpet pad
- 16. Linoleum bathroom floor
- 17. Power front jacks
- 18. Electric slide system(s) with individual room controls
- 19. 15" Tires with white spoked rims (aluminum option shown)
- 20. 5,200 lb Axles
- 21. Fully enclosed, insulated underbelly with radiant heat

EXTERIOR STANDARDS

- 22. Tinted glass windows
- 23. Scare light
- 24. Extended pin box
- 25. Swing-out entry assist handle
- 26. Roof ladder
- 27. Extra large capacity cargo storage
- 28. Sunchaser patio awning
- 29. 30" Radius entry door with screen
- 30. Triple entry step
- 31. Dual 30 lb LP tanks
- 32. Aluminum bumper cover
- 33. Back-up mirror

EZ lube hubs Black tank flush

Enclosed gate valves



Living Room Standards

- Booth dinette with drawer storage underneath
- Hide-a-bed sofa with inner spring mattress
- Flush floor slide-out with large dinette window
- Lighted entertainment center
- LCD TV mounting bracket
- Satellite/cable hook-up
- 60 lb ball bearing drawer guides
- 12 volt Dolby digital surround system (MP3/IPod plug in)
- Colored day/night shades
- Lounge chair with foot stool (varies by floor plan)

Kitchen Standards

- 6 cu ft Double door refrigerator
- Self-igniting 22" chef range with 3 burners, cover, hood & microwave
- Formica self-edge countertop
- Solid wood drawer fronts with full extension ball bearing drawer guides
- Wood panel switch key cabinet
- Knife rack
- Skylight

Bedroom Standards

- Deluxe innerspring mattress
- Full 60x80 queen bed
- Lift-up bed with gas struts for extra storage
- 2 Night stands
- Spacious closets
- TV shelf and hook-up
- LCD flip down TV bracket
- Extra tall chest of drawers
- Colored day/night shades

Bathroom Standards

- Corner shower with glass doors in double and triple slide
- Bathroom storage (varies by model)
- Laundry chute to cargo storage (varies by model)
- Skylight in tub/shower
- Water heater bypass and EZ winterize kit
- 6 Gallon gas/electric water heater with DSI
- Porcelain foot flush toilet

Construction Standards

- One-piece, rolled-edge rubber roof with 12 yr warranty
- 3/8" Plywood roof decking
- 16" OC Aluminum truss roof rafters and tube floor joists
- R-14 Fiberglass roof and floor insulation
- Aluminum radius roof transition wrap
- Full fiberglass front cap
- 30,000 BTU floor ducted furnace
- Aluminum tube 16" OC studs for sidewalls, endwalls and slide rooms

- R-7 Sidewall fiberglass insulation
- 2 Layers of Luan board staggered for seamless walls
- Lamilux fiberglass exterior for easy maintenance
- 8" Steel I-beam frame (except CF32BL 10" Steel I-beam frame)
- 5/8" Lightweight tongue and groove plywood floor decking
- Residential grade carpet with 1/2" foam carpet pad
- Linoleum bathroom floor
- Power front lacks
- Electric slide system(s) with individual room controls
- 15" Tires with white spoked rims (aluminum option shown)
- 5,200 lb Axles
- Fully enclosed, insulated underbelly with radiant heat

Exterior Standards

- Tinted glass windows
- Scare light
- Extended pin box
- Extra large capacity cargo storage
- 30" Radius entry door with screen
- Triple entry step
- Dual 30 lb LP tanks
- Aluminum bumper cover
- EZ lube hubs
- Heated enclosed gate valves
- Water management utility compartment
- Gel coat front cap with enhanced turning radius
- Backup mirror on fifth wheels

Enhancement Package Standards

- Ducted 13,500 BTU A/C
- Patio awning
- Tuscan raised panel arch upper and lower cabinet doors
- Roof ladder
- TV antenna
- AM/FM/CD/DVD player/MP3 and IPod plug in
- Dolby digital surround sound
- Black tank flush
- Swing-out entry assist handle
- 65 Amp converter
- Outdoor speakers
- Black formed refrigerator front
- LP quick disconnect
- Equa-Flex™

your local dealer

Popular Optional Features

- Slide-out awnings
- Rain sensor fans
- Spare tire and carrier
- Chrome center caps
- Rear leveling jacks
- PolarTec upgrade insulation package
- Aluminum rims
- 15,000 BTU A/C
- 10 Gallon gas/electric water heater with DSI
- Outside shower
- I CD TV
- Air mattress hide-a-bed sofa
- Free-standing table and 4 chairs
- Tuscan refrigerator front
- 8 cu ft Double door refrigerator
- Sink covers
- Bi-fold shower door
- 12 volt battery
- Electric awning
- Fireplace w/A & B switch (varies by floor plan)
- 30" stabilizer lacks
- Gel glass
- Safety glass
- 12 volt ceiling fan
- 16" Tires on aluminum rims



888-226-7496 www.crossroadsrv.com

CROSS ROADS





to protect tomorrow

facebook Confidence



Thor Industries' strong financial position and industry leadership are your assurance that we will be here to serve you for years to come.

Dry & hitch weight based on standard equipment only. Carrying capacity reduced to reflect maximum available options per unit. Standards, options & specifications subject to change without notice. 01/10 © 2010 CrossRoads RV