

# VIKING

Hybrid Camping Trailers



*Camping on Easy Street*



# VIKING

Presenting the all new 2011 Viking Hybrid Camping Trailer. Rebuilt from the ground up in ways you can see – new aerodynamic styling for ease of towing, full width stone guard to protect your investment, and radial tires for the safety you need and desire. These are but a few of the new features you will enjoy with your new Viking!



## Features You Can't Live Without



Sliding Storage Trunk (SST)



New E-Z Swing Galley



Optional Sony® AM/FM/CD Stereo with MP3 Hook Up



Exterior Utility Shelf

◀ **NEW One-Piece Entry Door**  
The one-piece door features a friction lock door panel that allows finite adjustment for air and sunlight.



E-Z Swing Stepper Door



Stabilizer Jack



Optional Power Lift



Optional Weber® Q® Grill



Optional Dometic® Refrigerator



Optional Modular Cassette Potti with Electric Flush



Retractable Clothes Bar

THE VIKING

# Difference.

Construction & Features Competitors Can't Match

## Dura Tuff Roof

### A. One Piece Seamless Skin

### B. Dura Tuff Wood Protective Layer

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

### C. Foam Roof Structure

### D. Steel Reinforced Wood Frame

The roof is framed with steel supports to accept A/C on all models without extra reinforcement.

- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.




## Wide Trac Suspension

Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with automotive E-coat finish. E-Coat is a 12 step cleaning and finishing process that applies multiple layers of protection to fully penetrate and coat INSIDE and OUT. Powder coating used by some competitors cannot cover inside surfaces.

## Roof Side Z-Rail Channels water away.

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



1. Roof's Outside Skin
2. Body's Outside Skin
3. Water tight Seal
4. Z-Rail channels water away from wood

## 1-1/4" Laminated Insulated Bunkend

- Double the industry standard thickness
- Solid wood, steel reinforced frame filled with 1" thick high density foam and laminated with wood panel on top and bottom
- Yields a more stable bedend vs. chipboard or spliced plywood used by other brands
- Insulation improves comfort and warmth



Optional 20M BTU Suburban® Furnace with forced air, electronic ignition and thermostat control. **Largest heating capacity of any folding camper.**

## Viking Standard



## Competition



## VIKING FEATURES

**VRX-14 Supreme Tent with storm cuff and tinted windows (no cuff on 1706)**

**Portable in/out dinette table**

**4" upholstered cushions**

**Z-rails channel water away**

**Patio light (except 1706)**

**Fantastic Fan™ power roof vent is standard on all models (except 1706).**

**Low profile tongue jack**

**One piece undercoated floor**

**Lined drapes for improved privacy**

**Heated mattress option features a Sunbeam® heating element.**

**"Glide-N-Lock" bed system is the only cable-supported bed system in the industry. Simply pull out the beds until they lock into place. No more awkward poles to contend with!**


**Goshen Stamping double-wide lifter post with limited lifetime warranty**

**Aluminum wheels (option Epic/standard Legend)**


**AL-KO® Ultralube axle bearing. Easier maintenance for improved safety.**

**INDUSTRY BEST**


# Epic




1706




2109




1906




2385 ST




1906 ST




2406




2107



2407 ST




2108 ST




2308 ST


# Legend




2465 ST



2485 ST



2465 SST



2865

## Standard Features

E | L | V

CHASSIS			
Powdercoated Tubular Steel Frame	■	■	■
Wide Trac AL-KO® Leaf Spring Axles	■	■	■
Wide Trac AL-KO® Torsion Axles		■	■
Radial Tires	■	■	■
Electric Brakes	12'	■	■
E-Z Crank Tongue Jack	■	■	■
Heavy Duty Safety Chains	■	■	■
Battery Rack	■	■	■
Double Wide Goshen Lift System W/Limited Lifetime Warranty (N/A 1706)	■	■	■
4 Heavy Duty Easy Crank Scissor Jacks (2 on 1706)	■	■	■
EXTERIOR			
Laminated Aluminum Skin Walls	■		
Laminated Hi-Gloss Fiberglass Walls		■	■
One Piece Undercoated Floor	■	■	■
Diamond Plate Front Wall Protector (N/A 1706)	■	■	■

E | L | V

4 Layer Laminated Seamless Fiberglass Roof (1706 3 Layer)	■	■	■
Fantastic Fan™ Power Roof Vent (N/A 1706)	■	■	■
20 Cu. Ft. Lighted Front Storage Compartment (All ST Models)	■	■	■
25 Cu. Ft. Patented Super Sliding Storage (2465SST)		■	■
110v GFI Exterior Recept (N/A 1706)	■	■	■
Exterior Utility Shelf (N/A 1706)	■	■	■
E-Z Swing Stepper Door (N/A 1706)	■	■	■
E-Z Set One Piece Entry Door (N/A 1706)	■	■	■
Patio Light	■	■	■
Glide-N-Lock Cable Supported Bed System (N/A 1706)	■	■	■
Laminated/Insulated Bed Platforms (N/A 1706)	■	■	■
VRX-14 Sectionalized Tent W/Storm Cuff and Sunbrella 302 Windows (Storm Cuff N/A 1706)	■	■	■

E | L | V

INTERIOR			
Residential Grade Linoleum Flooring	■	■	■
Cinnamon Pecan Cabinetry W/Hardwood Doors	■	■	■
Radiused High Pressure Laminated Countertops	■	■	■
E-Z Swing Galley W/Drawer		■	■
Indoor/Outdoor Dinette Table	■	■	■
Lined Privacy Drapes and Bed End Curtains	■	■	■
Quilted E-Z Rest Mattresses	■	■	■
Extra Thick 4" Dinette Cushions	■	■	■
On Demand Kitchen Faucet W/Extra Deep Sink	■	■	■
3 Burner Wedgewood Range W/Cover (2 Burner on 1706, 1906, 1906ST)	■	■	■
6 Gal. Water Heater W/Ext. Shower (2107, 2465SST,2485ST, V-Trec)	■	■	■
Bed End Light W/Fan 1		■	■
Retractable Clothes Hanging Bar		■	■

## Popular Options

E | L | V

3-Way Dometic® Refrigerator (1.9 Cu. Ft. Epic, 2.5 Cu. Ft. Legend)	■	■	■
20,000 BTU Furnace	■	■	■
Awning	■	■	■
Screenroom W/Privacy Flaps	■	■	■
Modular Cassette Potti W/Electric Flush (N/A 1706 & 2308ST)	■	■	■
Hot Water Heater W/Ext. Shower (Epic ST Models)	■		

E | L | V

Electric Brakes	■		
Spare Tire, Carrier and Cover	■	■	■
2nd LP Bottle W/Double Cover	■	■	■
Single Bottle Cover	■	■	■
Sony® AM/FM CD Player W/2 Interior & 2 Exterior Speakers	■	■	■
Hanging Storage Cabinet	■	■	■
Hanging Wardrobe	■	■	■

E | L | V

Roof Mount Bike Rack	■	■	■
Ultra Comfort Heated Mattress System	■	■	■
Power Lift	■	■	■
Entrance Door Caddy	■		
Weber® Q® Portable Gas Grill and Stand	■	■	■
Cutting Board Sink Cover	■	■	■
Aluminum Rims	■	■	■
Water Filter	■	■	■

E = Epic    L = Legend    V = V-Trec    ■ = Available    ■ = New Feature    ■ = Standard Run Option

## Specifications

	1706	1906	1906 ST	2107	2108 ST	2109	2308 ST	2385 ST	2406	2407 ST	2465 ST	2465 SST	2485 ST	2865
	Epic										Legend			
Interior Box Size	8'	8.5'	8.5'	10'	10'	10'	12'	12'	12'	12'	12'	12'	12'	14'
Travel Length	12' 2"	12' 8"	14' 10"	14' 2"	16' 4"	14' 2"	18' 3"	18' 5"	16' 2"	18' 3"	18' 5"	18' 5"	18' 5"	TBD
Travel Width	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"
Travel Height	54"	56"	56"	58"	58"	58"	58"	58"	58"	58"	55"	55"	55"	55"
Interior Open Length	16' 11"	17' 11"	17' 11"	20' 5"	20' 9"	20' 5"	23' 5"	24' 5"	TBD	24' 5"	24' 5"	24' 5"	24' 5"	TBD
Interior Open Height	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"
Sleeping Capacity	6	6	6	7	7	6	8	6	7	7	7	6	6	TBD
Front Sleeping Area	48 X 80	54 X 80	54 X 80	58 X 80	58 X 80	58 X 80	70 X 80							
Rear Sleeping Area	48 X 80	48 X 80	48 X 80	54 X 80	58 X 80	54 X 80	58 X 80	58 X 80	70 X 80					
Dinette Area	38 X 64	38 X 64	38 X 64	38 X 70	38 X 70	38 X 70	38 X 64	TBD	38 X 70	38 X 70	45 X 73	45 X 73	45 X 73	TBD
"U" Dinette	N/A	N/A	N/A	N/A	N/A	N/A	42 X 80	N/A	42 X 80	N/A	N/A	N/A	N/A	TBD
Lounge Area	N/A	N/A	N/A	80"	N/A	N/A	N/A	N/A	80"	N/A	N/A	N/A	N/A	TBD
Sofa Bed	N/A	N/A	N/A	N/A	34 X 76	N/A	N/A	34 X 76	N/A	34 X 70	N/A	N/A	34 X 76	TBD
Radial Tire Size	4.80 X 12	4.80 X 12	4.80 X 12	5.30 X 12	ST175/80D13	5.30 X 12	ST175/80D13							
Tire Load Range	4 Bolt C	4 Bolt C	4 Bolt C	4 Bolt C	5 Bolt D	4 Bolt C	5 Bolt D							
Hitch Weight # (approx.), (lbs./Kg)	111 / 50	116 / 53	220 / 100	200 / 91	202 / 93	200 / 91	244 / 111	TBD	TBD	261 / 118	TBD	287 / 130	TBD	TBD
Axle Weight # (approx.), (lbs./Kg)	1138 / 517	1338 / 607	1381 / 627	1448 / 657	1667 / 756	1448 / 657	1859 / 843	TBD	TBD	1913 / 868	TBD	2408 / 1093	TBD	TBD
Dry Weight # (approx.), (lbs./Kg)**	1249 / 567	1454 / 660	1601 / 727	1648 / 748	1869 / 849	1648 / 748	2103 / 954	TBD	TBD	2174 / 986	TBD	2695 / 1223	TBD	TBD
Cargo Capacity # (approx.), (lbs./Kg)	849 / 385	642 / 291	599 / 272	752 / 341	833 / 378	752 / 341	1361 / 617	TBD	TBD	1307 / 593	TBD	812 / 368	TBD	TBD
GVWR (lbs./Kg)	2098 / 952	2096 / 951	2200 / 999	2400 / 1089	2702 / 1227	2400 / 1089	3464 / 1571	TBD	TBD	3481 / 1579	TBD	3507 / 1591	TBD	TBD
Coupler Ball Size	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"

\* Dry Weight is the total weight of the standard unit (hitch + axle) without optional equipment and empty tanks.

# V-Trec

Heavier Duty Than Other Toy Hauler Folding Campers!


## Specs | Model 2465 SC

Interior Box Size	12'
Travel Length	21' 4"
Travel Width	85"
Travel Height	65"
Interior Open Length	24' 5"
Interior Open Height	6' 10"
Sleeping Capacity	6
Front Sleeping Area	70 X 80
Rear Sleeping Area	70 X 80
Dinette Area	45 X 73
"U" Dinette	N/A
Lounge Area	N/A
Sofa Bed	N/A
Radial Tire Size	LT235/75R15
Tire Load Range	5 Bolt C
Hitch Weight # (approx.), (lbs./Kg)	410/186
Axle Weight # (approx.), (lbs./Kg)	2700/1225
Dry Weight # (approx.), (lbs./Kg) **	3115/1413
Cargo Capacity # (approx.), (lbs./Kg)	1265/574
GVWR (lbs./Kg)	4380/1987
Coupler Ball Size	2-5/16"



- 5" Tube Frame
- 4000 Lb. Torsion Axle for Heavy Cargo Capacity
- Reinforced Diamond Plate Front Deck

### 2465 SC



See your Viking Dealer for a complete list of parts and accessories.

[www.vikingrv.com](http://www.vikingrv.com)

269.467.6321

## VIKING

Viking Recreational Vehicles  
A Forest River Company  
580 West Burr Oak Street  
P.O. Box 549  
Centreville, MI 49032



A Berkshire-Hathaway Company

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Viking reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Viking dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

### Limited Warranty

- Lift System - Lifetime
- Vinyl Tent - 5 years
- Roll Out System - 5 years
- Frame - 5 years
- Roof Assembly - 5 years
- AL-KO® Ultralube Spring Axle - 1 year
- AL-KO® Ultralube Rubber Suspension Axle - 5 years
- Refrigerator - 3 years
- Plumbing System - 10/25 years
- Electronic Converter- 2 years
- Roof Exterior - 2 years

Your Dealer: