# Eagle Super Lite HT

LITE-WEIGHT HALF-TON FIFTH WHEELS BY JAYCO



AMERICA'S MOST LIVEABLE RVS.

## Eagle Super Lite HT

Specifically designed for today's smaller trucks

- 60/40 deep bowl kitchen sinks

## ▲ LIVEABLE FEATURES





#### **MODERN KITCHEN**



## EYE-CATCHING EXTERIOR The new full-body grey-colored



## 🚹 CERTIFIED GREEN

All Jayco products are green certified by TRA Certification Inc., an independent, third-party certification agency. Eagle earned gold certification through the use of sustainable materials, environmentallyfriendly production methods, energy-efficient components and reduction of waste.

## 🚹 JAYCO CONSTRUCTION



Vacuum-bonded lamination joins our welded aluminum frame with bead-foam insulation and decking to create one of the industry's strongest foundations (R-9).



#### WALLS

TuffShell vacuum-bonded lamination combines welded aluminum frames, bead-foam insulation, metal backers, decorative interior wall panels and fiberglass exterior siding, creating a durable structure designed to withstand use and travel (R-7).





A combination of 3/8" plywood decking, wood rafters with 4 <sup>1</sup>/<sub>2</sub>" arched trusses, fiberglass insulation and a seamless rubber shield protect against moisture and resist aging (R-8).

## Eagle Super Lite HT | STANDARDS AND OPTIONS

#### STANDARD BATHROOM EQUIPMENT

	Bath hardware items
î	Enlarged sink bowl
î	Glass shower door
	Hallway linen
	Marine toilet with foot flush
	Medicine cabinet with mirror
	Switches for all lights
	Vinyl flooring

#### STANDARD BEDROOM EQUIPMENT

t	60"x 80" mattress			
	Decorative padded headboard			
	Full trunk storage under bed			
	Solid passage door to main bedroom			
	Suite-style closet slide in bedroom			
Î	TV area prepped for LCD mounting bracket			
	Under-bed storage, bed lifts easily on gas struts			

#### STANDARD KITCHEN EQUIPMENT

	3-burner range and 17" oven		
	6-cu. ft. flush-mount refrigerator		
	12" decorative backsplash		
î	60/40 deep bowl kitchen sinks		
î	Concord Cherry raised-panel refrigerator front		
î	Countertop extension		
	Door access to dinette storage bases		
	Drawer for silverware, divided for utensils		
î	Dual pots and pans drawers in kitchen		
	Extra large picture window at dinette		
	High-rise mixing faucet		
	Pantry		
	Bange hood with light and exhaust fan		

#### STANDARD CONSTRUCTION FEATURES

	4 1/2" arched truss roof rafters with 3/8" screwed		
	plywood roof decking (R-8)		
t	Aerodynamic gel-coat front cap		
î	Electric powered slideout(s)		
	Extended pin box		
î	Heated and enclosed fresh water and holding tanks		
î	I-Class structural steel I-beam frame		
	Poly Flex one-piece moisture barrier underbelly covering		
î	Reflective foil insulation in slideout roof and floor		
	Seamless one-piece rubber roof		
î	TuffShell vacuum-bonded laminated sidewalls, slide rooms		
	and rear wall		
î	TuffShell vacuum-bonded laminated floor		
î	Welded tubular aluminum floor, sidewall, slide room		
	and floor framework		

#### STANDARD EXTERIOR EQUIPMENT

Ì	15" Goodyear brand radial tires			
	ABS fender skirts			
	Amber patio light with inside switch			
Ì	Big Easy entry step with 10" tread			
Ì	Black-framed 30" radius-cornered laminated main entry door			
Ì	Door-side security light			
	E-Z Lube axles			
	Electric powered front jacks with extended quick			
	release pins			
Ì	Exterior kitchen			
<b>1</b>	Exterior speakers, high-output marine grade (2)			
	Folding exterior grab handle			
	Painted bottom radius skirting			
	Pass-through storage compartment			
	Rain guttering, molded with extended drip spouts			
	Rear stabilizer jacks (2)			
Ì	Torq-N-Go wheel nuts			

#### STANDARD INTERIOR EQUIPMENT

26" LCD HDTV with 180-degree viewing angle

Ball bearing drawer guides throughout, 50-lb. capacity with full-drawer extension

#### Cable and satellite TV prep Concord Cherry stained cabinetry

Wallpaper border

	Crank-up HDTV antenna with signal boost			
	J-Steel convertible sofa			
	Linoleum floor in entry, kitchen and bath			
	Nickel cabinet hardware and lighting			
	Overhead cabinet in slideout room			
t	Pleated night shades			
î	Pre-drilled and screwed Lumbercore cabinetry construction			
	Raised-panel arched cabinet doors throughout			
î	Residential furniture, designed and made by Jayco			
	Roof-mounted antenna for radio			
	Swivel rocker(s)			
	Trackless carpeting with pad			

### STANDARD HEAT, POWER & WATER EQUIPMENT

Ì	🚹 6-gal. gas/electric water heater with DSI				
12V demand water pump					
	12V electrical system with deluxe 120V 45-amp power converter				
	30-amp power cord				
	120V G.F.C.I. protected exterior receptacle				
	ABS holding tanks				
	Auto-ignition furnace with wall thermostat				
Ì	Black holding tank sprayer				
	Gravity fill for water				
	Hookup for city water				
	In-floor ducted heating				
	Outside shower				

Outside shower
Rotocast fresh water holding tank
Single battery box
Systems monitor panel
Water system winterization kit

#### STANDARD SAFETY EQUIPMENT

Breakaway switch
Deadbolt lock on entry door
Egress window
Fire extinguisher
Propane/carbon monoxide alarm
Smoke alarm
Finted safety-glass windows
OPTIONS Air bide-a-bed sofa

#### OPTIONS

	Air hide-a-bed sofa				
Ì	Aluminum rims (mandatory option)				
Ì	Customer Value Package (mandatory option)				
	Customer Value Package with 15,000-BTU A/C				
	Electric stabilizer jacks				
	Free standing table and (4) chairs				
	Linoleum in living area				
	Reese Revolution pin box				
	Satellite kit				
	Spare tire and carrier				
	Thermo-pane window package				
	Water purifier				

#### CUSTOMER VALUE PACKAGE

30-lb. propane bottles
13,500-BTU A/C with Chillgrille
Electric patio awning
Microwave oven with carousel
Multi-Media Premium Sound System (CD/DVD/AM/FM/MP3)
Quilted bedspread
Shirt closets in bedroom
Sink covers
Skylight in tub/shower
Tub surround
Water heater bypass

## Eagle Super Lite HT | FLOORPLANS



#### EAGLE SL HT | 26.5RKS

Ext. Lgth.: TBD Ext. Ht.: TBD Unloaded Wt. (lbs.): TBD



#### EAGLE SL HT | 26.5RLS

Ext. Lgth.: 29' 9" Ext. Ht.: 147" Unloaded Wt. (lbs.): 6,800



#### EAGLE SL HT | 27.5BHS

Ext. Lgth.: TBD Ext. Ht.: TBD Unloaded Wt. (lbs.): TBD

#### FLOORPLAN OPTIONS



#### FLOORPLAN KEY

s	STORAGE	OHC	OVERHEAD CABINETS
Ð	TRAILER HITCH	FRIDGE	REFRIGERATOR
LAV	BATHROOM SINK	WARD	WARDROBE
MICRO	MICROWAVE		

## Eagle Super Lite HT | SPECIFICATIONS

FLOORPLAN	EXTERIOR LENGTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT (LBS.)	DRY HITCH WEIGHT (LBS.)	GROSS VEHICLE WEIGHT RATING (LBS.)	CARGO CARRYING CAPACITY (LBS.)	FRESH WATER CAPACITY (GAL.) (WITH WATER HEATER)	GRAY WASTEWATER CAPACITY (GAL.)	TOILET/BLACK WASTEWATER CAPACITY (GAL.)
26.5RKS	TBD	TBD	TBD	TBD	TBD	TBD	TBD	54	65	32.5
26.5RLS	29' 9"	147"	77"	6,800	1,435	9,950	3,150	54	65	32.5
27.5BHS	TBD	TBD	TBD	TBD	TBD	TBD	TBD	54	65	32.5





#### INDUSTRY-LEADING WARRANTY

The Jayco Co-Pilot Warranty is a manufacturer's limited warranty. It comes from the people who build Jayco recreation vehicles to the people who buy them. Each Jayco is warranted to the original purchaser for twenty-four (24) months or twenty-four thousand (24,000) miles (mileage limitation applies to motorized products only), whichever occurs first, from the original date of purchase against defects in materials and workmanship. Jayco's limited warranty is not transferable. Go ahead and compare the Jayco warranty with other manufacturers' warranties. You'll find it's the best in the business!

For a copy of the limited warranty with full terms and conditions, ask your local Jayco dealer.



#### **OVER 300 LOCAL DEALERS**

Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support.

Jayco dealers are required to deliver all products at the site of the sale to provide a full product orientation and walkthrough at the time of delivery. It's a good way to become familiar with your Jayco and to meet the service, parts and warranty staff members who will be assisting you. If you live in Canada, there are regulations that must be met when buying a Jayco RV. Your local Canadian dealer is a professional at meeting these requirements and regulations. There simply is no substitute for a good relationship with your local Jayco dealer.



#### **1-YEAR ROADSIDE ASSISTANCE**

Travel worry-free with Jayco's Customer First Roadside Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net, the largest RV emergency road service in the country, and gives you immediate access to dependable roadside assistance and support services with a simple phone call.

- Free jump starts
- Free tire changes
- Free fuel delivery
- Free lockout service
- Free travelers checks
- Toll-free nationwide service appointment assistance
- 24-hour toll-free emergency message service
- Free custom trip routing and full-color map service
- Free dispatch of on-site mechanical service
- \$2,000 trip-interruption reimbursement
- RV technical assistance hotline
- Free towing to nearest qualified service

Your Jayco Dealer

## tread lightly!

Jayco proudly sponsors Tread Lightly!, a nonprofit organization whose mission is to empower generations to enjoy the outdoors responsibly through education and restoration.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UWV means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.



From RV insurance to extended warranties, JayPlus has it covered. Ask your Jayco dealer about our exclusive JayPlus program today.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.



As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco or visit our website.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GWNF of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayoc affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart inside.

#### Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com @ 💵

See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2011 Jayco, Inc. 11-ESLH-PL 0111-20K Printed in U.S.A.