Discover the difference!







Designed to withstand extreme weather changes-excessive cold or heat. Plus it is more durable than any other vinyl floor.

Residential glazed cabinetry highlights the warm interior appearance of your Dutchmen. Combined with residential styled furniture and Beauflor® floor coverings, you have unparalleled elegance inside your Dutchmen





by over 40%!

# **Construction Features**



Real Weights! All Dutchmen models are weighed as they leave the factory. Plus our weights include options!



Easy to store. Easy to hookup. Plus,"sure power"feature on both ends.



Large storage areas (up to 30% larger than competitors) and large access storage doors on both sides.



An LP quick connect line for a grill or other patio accessories is standard on all models.





## WALL CONSTRUCTION

- 1 .024 Gauge Heavy Duty Aluminum Finish
- 2 16" on Center Wall Studs
- 3 Steel Straps Tie Walls to Roof & Floor
- 4 R7 Fiberglass Insulation
- Durable Vinyl Decor Board
- Open Tint Safety Glass Windows
- Diamond Plate Rock Guard
- 3 ABS LP Bottle Cover with Quick Access
- 9 "Super Slide" Slide Rooms

## **FLOOR CONSTRUCTION**

- Steel I-Beam Powder Coated Chassis
- 2 Four Corner Stabilizer Jacks (Slide Models)
- 3 Folding Entry Door Steps
- Radial Tires (Mandatory Option)
- Water Resistant Floor Liner
- 6 12" on Center Floor Joists
- Aluminum Heat Ducting in Floor (See Floor Plan)
- 8 R7 Fiberglass Insulation
- Pex Hot and Cold Water Lines
- 10 5/8" Tongue and Groove Floor Decking
- 1 Beauflor® Residential Vinyl Flooring
- Residential Carpeting

### **ROOF CONSTRUCTION**

- 1 EPDM Rubber Roof with 12 Year Manufacturer's Warrantv
- 2) 3/8" "Walk-On" Roof Decking
- 3 5" Truss-Style Crowned Roof Rafters-16" on Center
- R7 Fiberglass Insulation
- 5 Vinyl Decorator Ceiling Board
- 6 13.500 BTU Roof A/C
- Foam Core A/C Ducting System



Destination Trailers are designed to be towed to a campground, parked and used throughout the season. Dutchmen Destination travel trailers are warm, spacious and provide you with a pleasant retreat when you need one.




Large floor to ceiling kitchen pantry provides ample storage. Spacious dinette area with real hard wood table and chairs.



Expansive views will be enjoyed through the numerous windows and sliding patio door.



Lots of storage space. Large cabinets with multiple drawers, lots of counter space, residential refrigerator, microwave and three-burner range provide all the amenities of home.



Large floor to ceiling pantry, deep slide-out with oversized U-shaped dinette and hide-a-bed sofa provide extra sleeping accommodations.



All bedrooms have a king bed with reading lights. Closet and cabinets provide ample storage.



3901	Unloaded Weight (lbs) 9,668 Hitch Weight (lbs) 1,445 Cargo Capacity (lbs) 1,508 Overall Height w/AC 12' 2" Overall Length 42' 8"	Fresh Water Capacity
------	--	----------------------



3905	Unloaded Weight (lbs)       8,839         Hitch Weight (lbs)       1,470         Cargo Capacity (lbs)       2,337         Overall Height w/AC       12' 2"	Fresh Water Capacity         .60           Black Water Tank(s)         .38           Grey Water Tank(s)         .114           Furnace BTU Output         .34,000
	Overall Length 40' 8"	Tire Size ST205/75R15(D)



3908	Unloaded Weight (lbs) 9,039 Hitch Weight (lbs) 1,686	
က	Cargo Capacity (lbs) 2,137	
	Overall Height w/AC 12' 1"	
	Overall Length 42' 3"	

<sup>\*</sup> Shown with Optional Skylight



100 Y	3	
4	Unloaded Weight (lbs)	2,596
814	Hitch Weight (lbs)	.300
	Cargo Capacity (lbs)	.804
	Overall Height w/Opt AC	9' 7"
	Overall Length	17' 6"
	Overall Width	06"

<b>Fresh Water Capacity</b>	20.5
Black Water Tank(s).	28
Grey Water Tank(s)	28
Furnace BTU Output.	18,000
Tire SizeS	T205/75R14(C)

HALF-TON TOWABLE

SHIRT CLOSET

## SOFA BED QUEEN BED DINETTE MICRO OHC


96RD	Unloaded Weight (lbs) 3,926 Hitch Weight (lbs)
_	Overall Height w/AC 10' 7"
	Overall Length 22' 11"

Fresh Water Capac	ity52
Black Water Tank(	s)42
Grey Water Tank(s	)42
Furnace BTU Outpo	ıt 18,000
Tire Size	ST205/75R14(C)



S	Unloaded Weight (lbs) 6,442	Fr
꿆	Hitch Weight (lbs) 846	BI
#	Cargo Capacity (lbs) 3,238	Gı
2611	Overall Height w/AC 11' 4"	Fu
•	Overall Length 31' 9"	Ti

Fresh Water Capa	city52
Black Water Tank	s)42
Grey Water Tank(s	3)42
Furnace BTU Outp	ut 30,000
Tire Size	. ST225/75R15(D)



	·
2	Unloaded Weight (lbs) 2,715
<b>∞</b>	Hitch Weight (lbs) 326
	Cargo Capacity (lbs) 1,085
	Overall Height w/Opt AC 9' 11"
	Overall Length 18' 9"
	Overall Width96"

Fresh Water Capacity 2	20.5
Black Water Tank(s)	.28
Grey Water Tank(s)	.28
Furnace BTU Output 18,	000
Tire Size ST205/75R14	1(C)



Overall Height w/AC
---------------------



<b>5BH</b>	Unloaded Weight (lbs) Hitch Weight (lbs)	
	Hitch Weight (lbs) Cargo Capacity (lbs)	3,954
76	Overall Height w/AC  Overall Length	


Fresh Water Capa	city52
Black Water Tank	s)42
Grey Water Tank(s	3)42
Furnace BTU Outp	ut 30,000
Tire Size	. ST225/75R15(D)



Unloaded Weight (lbs)	3,072
Hitch Weight (lbs)	352
Cargo Capacity (lbs)	
Overall Height w/Opt AC	. 9' 9"
Overall Length	21' 5"
Overall Width	96"
	Hitch Weight (lbs)

Fresh Water Capacity	20.5
Black Water Tank(s)	28
Grey Water Tank(s)	28
Furnace BTU Output	. 18,000
Tire Size ST205/7	5R14(C)

## HALF-TON TOWABLE



<b>5R</b>	Unloaded Weight (lbs) 4,1 Hitch Weight (lbs)	11 86 5"
	Overali Length	Z.,

Fresh Water Capacity	
Black Water Tank(s).	
Grey Water Tank(s)	42
Furnace BTU Output .	18,000
Tire SizeS	T205/75R14(C)



8	Unloaded Weight (lbs) 4,646 Hitch Weight (lbs) 604 Cargo Capacity (lbs) 3,054 Overall Height w/AC 10' 4" Overall Length 28' 7"	Fresh Water Capacity
---	--	----------------------



œ	Unloaded Weight (lbs)	4,137
900	Hitch Weight (lbs)	.512
<u>ത</u>	Cargo Capacity (lbs)	3,463
~	Overall Height w/AC	10' 7"
	Overall Length	24' 1"

Fresh Water Capacity	52
Black Water Tank(s)	42
Grey Water Tank(s)	42
Furnace BTU Output	18,000
Tire Size ST205	/75R14(C)



S	Unloaded Weight (lbs) 4,984
Ö	Hitch Weight (lbs)
2	Cargo Capacity (lbs) 2,716
27	Overall Height w/AC 10' 5"
2	Overall Length 26' 3"

Fresh Water Capac	ity52
Black Water Tank(s	s)42
Grey Water Tank(s)	42
Furnace BTU Outpu	ıt 25,000
Tire Size	ST205/75R15(C)



S	Unloaded Weight (lbs) 6,368
æ	Hitch Weight (lbs)
5	Cargo Capacity (lbs) 3,312
27	Overall Height w/AC 11' 4"
	Overall Length 30'

Fresh Water Capacity52	
Black Water Tank(s) 42	
Grey Water Tank(s)42	
Furnace BTU Output 30,000	
Tire Size ST225/75R15(D)	





Hito Care Ove	baded Weight (lbs) 5,476 th Weight (lbs) 676 th Gapacity (lbs) 2,224 the compact of	Fresh Water Capacity
---------------------	---	----------------------




	Unloaded Weight (lbs) 7,826	Fresh Water Capacity
웊	Hitch Weight (lbs) 1,064	Black Water Tank(s) 42
亩	Cargo Capacity (lbs) 1,854	Grey Water Tank(s)42
	Overall Height w/AC 11' 6"	Furnace BTU Output 34,000
က	Overall Length	Tire Size ST225/75R15(D)



Unloaded Weight (lbs)	Fresh Water Capacity
-----------------------	----------------------

QUEEN BED



Real Weights!
All Units Weighed at the Factory-Includes Options

## HALF-TON TOWABLE

 Fresh Water Capacity
 52

 Black Water Tank(s)
 42

 Grey Water Tank(s)
 78

 Furnace BTU Output
 34,000

 Tire Size
 ST225/75R15(D)

Optional	Front	Bedr	oon
----------	-------	------	-----

Vehicle tow ratings vary by model and manufacturer. Check your owners manual for the exact tow rating of your vehicle before purchasing your next travel trailer.

*	Shown	with	Ontiona	Skylight

3550BDS


Unloaded Weight (lbs) . . . . . 8,192

Hitch Weight (lbs) . . . . . . . . . . . . 960

Cargo Capacity (lbs) . . . . . . 2,984

Overall Height w/AC . . . . . . . 11' 7"

Overall Length . . . . . . . . . . . . . . . . 39' 8"





S	Unloaded Weight (lbs) 6,628
ğ	Hitch Weight (lbs) 963
2	Cargo Capacity (lbs) 3,052
3	Overall Height w/AC 11' 4"
(4)	Overall Length

Fresh Water Capaci	ty52
Black Water Tank(s)	42
Grey Water Tank(s).	42
Furnace BTU Output	34,000
Tire Size	ST225/75R15(D)

Grey Water Tank(s).....42

Furnace BTU Output . . . . . . 30,000

Tire Size..... ST205/75R15(C)





**Fabrics** 

**BURDOCK BARK** 

**VALIANT BROWN** 









<sup>\*</sup> Shown with Optional Skylight

## Standard and Optional Features

## **DUTCHMEN VALUE ADDED PACKAGE EXTERIOR FEATURES**

Steel Rims Easy Lube Axles Diamond Plate Front Rock Guard Dark Tinted Safety Glass Window Front and Rear Colored Metal **Dual Outside Speakers** Backed for Rear Ladder Front & Rear Stab Jacks (Slide Models) Dual LP Bottles w/Quick Access Cover LP Quick Disconnect Window on Entry Door Manual Patio Awning **Upgraded Front Radius Profile** Digital TV Antenna Double/Triple Entry Step **Detachable Power Cord** 

### **INTERIOR FEATURES**

82" Interior Ceiling Height Beauflor® Flooring Interior Speakers Chair Rail in Galley Bunk over Double (See Floor Plan) Residential Flip Sofa Medicine Cabinet with Mirror Curved Shower Rod - Tub Models Neo Angle Shower with Glass Enclosure 12V Bath Exhaust Fan Valance w/Soft Curtains Under Bed Storage with Gas Struts Rangehood with 12V Fan/Light Full Extension Drawer Guides Throughout 6 Gallon Gas/DSI WH AM/FM/CD Player Cable TV Hookup with Booster Bedroom TV Hookup Microwave 13.500 BTU AC 6 Cubic Foot Double Door Refer Black Refer Insert Foot Flush Toilet Three Burner Range Top **Tub Surround** Interior Convenience Center

#### **MANDATORY OPTIONS**

**Dutchmen Value Added Package Radial Tires** 

## **EXTERIOR OPTIONS**

**Fiberglass** Fully Enclosed Underbelly Spare Tire and Carrier Adjustable Electric Awning Stabilizer Jacks (Non-Slides) **Aluminum Rims** Gas/Electric/DSI Water Heater 30 lb. LP bottles w/cover **Exterior Spray Port** Folding Entry Assist Handle Polar Package (West Coast Only)

### **INTERIOR OPTIONS**

26" LCD TV with DVD Player Bath Skylight Sink Cover Oven Night Shades Throughout 15,000 BTU AC Free Standing Dinette

#### LARGE SLIDE OPTIONS

Air Mattress Hide-A-Bed Sofa Free Standing Dinette

### OPTIONAL POWER PACKAGE

Power Adjustable Awning Power Stabilizer Jacks Power Tongue Jack



PO BOX 2164 • 2164 Caragana Court Goshen, Indiana 46527 Sales: 574.537.0600 • Fax: 574.975.0626 www.Dutchmen-RV.com

## Follow "DutchmenRV" on









Product information is as accurate as possible as of the date of publication of this brochure. Features, floorplans and specifications are subject to change without notice. Please also consult Dutchmen's website at www.Dutchmen-RV.com for more current product information and specifications.

Tow Vehicle Disclaimer CAUTION: Owners of Dutchmen Manufacturing, Inc., recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Dutchmen products. Dutchmen disclaims any liability or damages suffered as a result of the selection, operations, use or misuse of a tow vehicle. Dutchmen's limited warranty does not cover damage to the recreational vehicle or the tow vehicle as a result of the selection, operation, use or misuse of the tow vehicle.



Your Local Dealer