
# tango







Pacific Coachworks<sup>®</sup>











## **Exterior Features**

- Six Sided Aluminum Frame Construction ......
- Laminated Fiberglass Exteriors ......
- Seamless One Piece Rubber Roof.....
- Block Foam Insulation ......
- Tinted Windows ......
- Radial Tires......
- Electric Brakes on All Wheels......
- Welded Entry Step ......
- Welded LPG Tray ......
- Dual LPG Bottles with Cover ......
- 50 Gallon Fresh Water Tank......
- 30 / 30 Holding Tanks.....
- TV Cable Hook-Up......
- 6 Gallon DSI Water Heater ......
- Entry Door Assist Handle......

#### Interior Features

- Beauflor Upgrade......
- Upgraded Appliances......
- Large Double Door Refrigerator......
- Furnace......
- CO Leak Detector ......
- Mini Blinds Throughout ......
- Upgraded Window Treatments .....
- Laminated Counter Tops .....
- Three Burner Cook top .....
- Microwave Ready ......
- Power Bath Vent78" Ceiling Height
- Maple Leaf Package
- Beauflor Upgrade.....
- Heated & Enclosed Tanks ......
- Winterizing Kit ......

## **Popular Options**

- Air Conditioner 13.5 BTU .....
- Awning Manual ......
- Awning Power......
- Front Window w/ Rock Guard ......
- Microwave Oven ......
- Outside Shower ......
- Oven Replacing Cook top ......
- Skylight Bath......
- Spare Tire & Carrier......
- Stab Jacks (2) Rear ......
- Stereo AM/FM/CD/DVD.....
- TV LCD Living Room ......
- Tub Surround......
- TV Antenna ......

#### Ultra Lite Specifications

the second secon	The second second				
MODEL	17UL	18UL	19UL	20UL	
EXT LENGTH	21'-4"	25'-8"	23'-4"	24'-1"	
EXT WIDTH	90"	90"	90"	90"	
INT HEIGHT	78"	78"	78"	78"	
GVWR	7,000	7,000	7,000	7,000	
<b>AXLE WEIGHT</b>	3,580	3,540	3,440	3.940	
HITCH WEIGHT	380	360	400	480	
UVW	3,960	3,900	3840	4,420	
PAYLOAD	3,000	3,060	3,120	2,580	
FRESH WATER	50gal	50gal	50gal	50gal	
GRAY WATER	30gal	30gal	30gal	30gal	
BLACK WATER	30gal	30gal	30gal	30gal	

NOTES: Exterior Heights Do Not Include Air Conditioner.

#### **Exterior Features**

- Aluminum Frame Construction ......
- Awning Manual ......
- Custom Built I Beam Chassis .....
- Dual LPG Bottles with Cover .......
- DSI Water Heater.....
- Electric Brakes on All Wheels......
- Front Diamond Plate Metal ......
- Full Weld Outriggers and Entry Step .....
- Furnace 30,000 BTU ......
- Holding Tanks 50/50/50 ......
- Outside Shower ......
- Radius Entry Door with Assist Handle ............
- Radius Front Profile ......
- Raised Panel Doors Upper Galley.....
- Seamless One Piece Rubber Roof......
- TV Cable Hook-Up......

## Maple Leaf Package

- Beauflor Upgrade......
- Heated & Enclosed Tanks ......
- Winterizing Kit ......

The 28RLS shown below in Window's • Earth interior is available with corian • counter tops adding luxury and class to an already stylish coach.

#### Interior Features

- A/C 13.5 BTU Ducted .....
- Beauflor Floor Covering......
- Furnace 30,000 BTU .....
- Laminated Counter Tops with Edge......
- Large Double Door Refrigerator......
- Large Oven with Cook top ......
- Microwave Oven ......
- Power Bath Vent ......
- Tub Surround......
- Upgraded Window Treatments ......
- 81" Ceiling Height .....

## **Popular Options**

- A/C 15.0 BTU Upgrade ......
- Awning Electric ......
- Exterior Ladder ......
- Front Window w/ Rock Guard ......
- Skylight Bath......
- Spare Tire & Carrier......
- Stereo AM/FM/CD/DVD......
- TV Antenna .....
- TV LCD Living Room 22"......
- Thermal Dual Pane Windows .....




















Towlite Specifications

Townite specifications								
21FBS	24BB	26BB	25FBS	26FBS	27BBS	28BBSS	28RLS	
25'-9"	26'-9"	29'-9"	29'-1"	28'-0"	30'-9"	31'-4"	31'-11"	
96"	96"	96"	96"	96"	96"	96"	96"	
81"	81"	81"	81"	81"	81"	81"	81"	
7,500	7,500	7,500	7,500	7,500	7,500	9,000	9,000	
4,740	4,300	4,860	5,100	5,000	5,100	5,880	5,820	
820	580	660	560	620	680	880	900	
5,560	4,880	5,520	5,660	5,620	5,780	6,760	6,720	
1,940	2,620	1,980	1,840	1,880	1,720	2,240	2,280	
50gal	50gal	50gal	50gal	50gal	50gal	50gal	50gal	
50gal	50gal	50gal	50gal	50gal	50gal	50gal	50gal	
50gal	50gal	50gal	50gal	50gal	50gal	50gal	50gal	
	21FBS 25'-9" 96" 81" 7,500 4,740 820 5,560 1,940 50gal 50gal	21FBS         24BB           25'-9"         26'-9"           96"         96"           81"         7,500           4,740         4,300           820         580           5,560         4,880           1,940         2,620           50gal         50gal           50gal         50gal	21FBS         24BB         26BB           25'-9"         26'-9"         29'-9"           96"         96"         96"           81"         81"         81"           7,500         7,500         7,500           4,740         4,300         4,860           820         580         660           5,560         4,880         5,520           1,940         2,620         1,980           50gal         50gal         50gal           50gal         50gal         50gal	21FBS         24BB         26BB         25FBS           25'-9"         26'-9"         29'-9"         29'-1"           96"         96"         96"         96"           81"         81"         81"         81"           7,500         7,500         7,500         7,500           4,740         4,300         4,860         5,100           820         580         660         560           5,560         4,880         5,520         5,660           1,940         2,620         1,980         1,840           50gal         50gal         50gal         50gal           50gal         50gal         50gal         50gal	21FBS         24BB         26BB         25FBS         26FBS           25'-9"         26'-9"         29'-9"         29'-1"         28'-0"           96"         96"         96"         96"           81"         81"         81"         81"           7,500         7,500         7,500         7,500           4,740         4,300         4,860         5,100         5,000           820         580         660         560         620           5,560         4,880         5,520         5,660         5,620           1,940         2,620         1,980         1,840         1,880           50gal         50gal         50gal         50gal         50gal           50gal         50gal         50gal         50gal         50gal	21FBS         24BB         26BB         25FBS         26FBS         27BBS           25'-9"         26'-9"         29'-9"         29'-1"         28'-0"         30'-9"           96"         96"         96"         96"         96"           81"         81"         81"         81"         81"           7,500         7,500         7,500         7,500         7,500           4,740         4,300         4,860         5,100         5,000         5,100           820         580         660         560         620         680           5,560         4,880         5,520         5,660         5,620         5,780           1,940         2,620         1,980         1,840         1,880         1,720           50gal         50gal         50gal         50gal         50gal         50gal           50gal         50gal         50gal         50gal         50gal         50gal	21FBS         24BB         26BB         25FBS         26FBS         27BBS         28BBSS           25'-9"         26'-9"         29'-9"         29'-1"         28'-0"         30'-9"         31'-4"           96"         96"         96"         96"         96"         96"           81"         81"         81"         81"         81"         81"           7,500         7,500         7,500         7,500         7,500         9,000           4,740         4,300         4,860         5,100         5,000         5,100         5,880           820         580         660         560         620         680         880           5,560         4,880         5,520         5,660         5,620         5,780         6,760           1,940         2,620         1,980         1,840         1,880         1,720         2,240           50gal         50gal         50gal         50gal         50gal         50gal         50gal           50gal         50gal         50gal         50gal         50gal         50gal         50gal	

NOTES: Exterior Heights Do Not Include Air Conditioner.





## **Exterior Features**

- Aluminum Frame Construction ......
- Aluminum Wheels ......
- Awning Power......
- Centrex Front Cap ......
- Custom Built I Beam Chassis ......
- DSI Water Heater......
- Full Weld Outriggers and Entry Step .....
- High Gloss Fiberglass Exterior .....
- Large Holding Tanks......
- Outside Shower ......
- Power Front Tongue Jack......
- Radius Entry Door with Assist Handle .............
- Slam Latch Compartment Doors......
- Spare Tire & Carrier......
- Stab Jacks (4)......
- TV Antenna w/TV Cable Hook-Up ......

#### Interior Features

- A/C 13.5 BTU Ducted ......
- Beauflor Floor Covering......
- Corian Counter Top ......
- Conair Counter Top
- Day / Night Shades .....Freestanding Dinette with Chairs .....
- Furnace 30,000 BTU .....
- Glass Shower Door w/ Surround ......
- Large Double Door Refrigerator......
- Large Oven with Cook top ......
- Microwave Oven ......
- Raised Panel Doors......
- Stereo AM/FM/CD/DVD......
- Upgraded Window Treatments......

## **Popular Options**

- A/C 15.0 BTU Upgrade ......
- A/C 2nd in Bedroom......
- Exterior Ladder ......
- TV LCD L/R 26" .....
- 50 Amp 2nd A/C Ready .....
- Sleeper Sofa ......
- Thermal Dual Pane Widows ......


## Maple Leaf Package

- Beauflor Upgrade.....
- Heated & Enclosed Tanks ......
- Winterizing Kit ......

#### Elite Specifications

AND ASSESSMENT OF THE PARTY OF					
MODEL	29RLS	30RES	30SLS	31BBS	
EXT LENGTH	34'-10"	33'-5"	35'-2"	34'-11"	
EXT WIDTH	96"	96"	96"	96"	
INT HEIGHT	81"	81"	81"	81"	
GVWR	11,000	11,000	11,000	11,000	
<b>AXLE WEIGHT</b>	tbd	tbd	tbd	7,000	
HITCH WEIGHT	tbd	tbd	tbd	1,350	
UVW	tbd	tbd	tbd	8,350	
PAYLOAD	tbd	tbd	tbd	2,650	
FRESH WATER	50gal	80gal	80gal	50gal	
GRAY WATER	50gal	65gal	50gal	60gal	
<b>BLACK WATER</b>	50gal	50gal	50gal	40gal	

NOTES: Exterior Heights Do Not Include Air Conditioner.



**About Us** 

acific Coachworks was founded in 2006 as a manufacturer of high quality recreational vehicles. Pacific Coachworks proudly boasts luxury travel trailers, luxury fifth wheel units, and outstanding toy haulers, all designed to meet your recreational needs. Our Pacific Coachworks team combines decades of top-notch experience in RV management,

design, manufacturing, and sales. This quality experience is incorporated into every Pacific Coachworks recreational vehicle we produce. Pacific Coachworks is proud to be a debt-free, financially sound company, positioned to provide high quality recreational vehicles for decades to come.

## Our Mission

e are committed to providing the highest quality travel trailers, fifth wheel units, and toy haulers at an unsurpassed value. We are dedicated to establishing lasting partnerships with trusted RV dealers, vendors, and

suppliers, all of which are committed to conducting business with your best interests in mind. The Pacific Coachworks team is focused on exceeding customers expectations by providing the highest level of customer support and service.

## Pacific Coachworks, Inc. Encourages Our Retail Customers To Purchase From Their **Local Dealership Whenever Possible For The Following Reasons:**

nacific Coachworks dealers are independently owned and operated businesses. They are not contractually purchased elsewhere. There could be a customers who are in transit. situation that would require your trailer be returned to the point of purchase to satisfy warranty requirements.

↑ Ithough many dealerships will eventually service products not purchased at their place of business, to bring home an RV purchased out of obligated to perform warranty service on they generally give preference to their the country. These requirements involve Pacific Coachworks products that were customers and to Pacific Coachworks

or our Canadian customers, there are also requirements which must be met such things as additional inspections, certifications, taxes and fees that your local Canadian Dealer is a professional at in regard to meeting these requirements.

Dealer info

# www.pacificcoachworks.com or visit us on Facebook

All information included in this brochure is the latest at the time of publication approval. Pacific Coachworks reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment or props used for photography purposes only.