

Hybrid Camping Trailers

Camping on Easy Street VIKING KING Certified GREEN by TRA Certification



Presenting the all new 2012 Viking Hybrid Camping Trailer. Rebuilt from the ground up in ways you can see – new aerodynamic styling for ease of towing, full width stone guard to protect your investment, and radial tires for the safety you need and desire. These are but a few of the new features you will enjoy with your new Viking!



Features You Can't Live Without





New E-Z Swing Galley (Legends and V-Trec)






Optional Sony® AM/FM/CD Stereo with MP3 Hook Up



Exterior Utility Shelf

NEW One-Piece Entry Door The one-piece door features a friction lock door panel that allows finite adjustment for air and sunlight.





E-Z Swing Stepper Door





Optional Weber® Q® Grill





Optional Dometic[®] Refrigerator



Optional Modular Cassette Potti with Electric Flush



Retractable Clothes Bar (Legends and V-Trec)



Dura Tuff Roof

A. One Piece Seamless Skin

B. Dura Tuff Wood Protective Layer No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

A

VIKING WIDE TRAC

COMPETITORS

C. Foam Roof Structure

- **D. Steel Reinforced Wood Frame** The roof is framed with steel supports to accept A/C on all models without extra reinforcement.
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

VININ

D

C

Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with automotive E-coat finish.
 E-Coat is a 12 step cleaning and finishing process that applies multiple layers of protection to fully penetrate and coat INSIDE and OUT. Powder coating used by some competitors cannot cover inside surfaces.

Roof Side Z-Rail Channels water away.

VIKING

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.
- 1. Roof's Outside Skin

1

4

2

- 2. Body's Outside Skin
- 3. Water tight Seal
- Z-Rail channels water away from wood


1-1/4" Laminated Insulated Bunkend

- Double the industry standard thickness
- Solid wood, steel reinforced frame filled with 1" thick high density foam and laminated with wood panel on top and bottom
- Yields a more stable bedend vs. chipboard or spliced plywood used by other brands
- Insulation improves comfort and warmth

Viking Standard

4" E-Z Sleep Quilted Mattress

Competition



Cold Outside Air

with forced air, electronic ignition and thermostat control. *Largest heating capacity of any folding camper.*

Optional 20M BTU Suburban® Furnace



Cold Outside Air


1-1/4" Laminated Insulated Bunkend

Z-rails channel VRX-14 Supreme Tent with Portable in/out 4" upholstered Patio light cushions (except 1706) storm cuff and tinted dinette table water away windows (no cuff on 1706) NKING Fantastic Fan[™] power roof vent is standard on all models (except 1706). VIKING One piece Low profile undercoated tongue jack floor Lined drapes Standard heated mattress for improved features a Sunbeam® privacy BEST heating element. AL-KO[®] Ultralube (Opt. on 1706, 1906 & 1906ST) axle bearing. Easier

"Glide-N-Lock" bed system is the only cablesupported bed system in the industry. Simply pull out the beds until they lock into place. No more awkward poles to contend with! Goshen Stamping doublewide lifter post with limited lifetime warranty


Aluminum wheels (Standard on Legend & V-Trec) maintenance for improved safety.

Epic




Legend


2108 ST




2107




1906 ST




1906




1706




2485 SST



2308 ST




2407 ST



2406

STORAGE SEATING W/STORAGE STORAGE IN/OUT TABLE 42 x 80 U DINETTE KING SIZE 1 1/4" Insulated Bunk KING SIZE 1 1/4" INSULATED BUNK SEATING W/STORAGE SEATING W/STORAGE 38 x 70 Dinette In/out Table STORAGE SEATING W/STORAGE

2385 ST



FULL SIZE 1 1/4" INSULATED BUNK	SEATING W/STORAGE	38 x 70 DINETTE IN/OUT TABLE	SEATING	W/STORAGE	ſ	STORAGE	1 INSU	IN SIZE 1/4" Ilated UNK	13
.09				SEATING W/STORAGE	45 x 74 DINETTE IN/OUT	SEATING W/STORAGE			
QUEEN SIZE	Ŀ			SE W/S	TABLE	W/S	STORAGE		KING SI 1 1/4

STORAGE CABINET W/SEAT CUSHION

2465 SST

Standard Features

E|L|V

	· ·		
CHASSIS			
Powdercoated Tubular Steel Frame			
Wide Trac AL-KO® Leaf Spring Axles			
Wide Trac AL-KO® Torsion Axles			
Radial Tires			
Aluminum Rims			
Electric Brakes (Opt. on 1706)	12'		
E-Z Crank Tongue Jack			
Heavy Duty Safety Chains			
Battery Rack			
Double Wide Goshen Lift System W/Limited Lifetime Warranty (N/A 1706)			
4 Heavy Duty Easy Crank Scissor Jacks (2 on 1706)	-	-	-
EXTERIOR			
Laminated Aluminum Skin Walls			
Laminated Hi-Gloss Fiberglass Walls			
One Piece Undercoated Floor			

Popular Options

Essentials Package			
✓ 3-Way Dometic [®] Refrigerator (1.9 Cu. Ft. Epic, 2.5 Cu. Ft. Legend)			
✓ 20,000 BTU Furnace			
✓ Awning			
✓ Spare Tire, Carrier and Cover			
Screenroom W/Privacy Flaps			
Modular Cassette Potti W/Electric Flush (N/A 1706, 1906, 1906ST, 2406)			

			v
Diamond Plate Front Wall Protector (N/A 1706)	=		-
4 Layer Laminated Seamless Fiberglass Roof (1706 3 Layer)	-		
Fantastic Fan™ Power Roof Vent (N/A 1706)			
20 Cu. Ft. Front Storage Compartment (All ST Models)	-		
25 Cu. Ft. Patented Super Sliding Storage (2465SST, 2485SST)			
110v GFI Exterior Recept (N/A 1706)			
Exterior Utility Shelf (N/A 1706)			
E-Z Swing Stepper Door (N/A 1706)			
E-Z Set One Piece Entry Door (N/A 1706)			
Patio Light (N/A 1706)			
Glide-N-Lock Cable Supported Bed System (N/A 1706)			
Laminated/Insulated Bed Platforms (N/A 1706)	-	-	
VRX-14 Sectionalized Tent W/Storm Cuff and Sunbrella 302 Windows (Storm Cuff N/A	-	-	

E | L | V

INTERIOR			
Residential Grade Linoleum Flooring			
Cinnamon Pecan Cabinetry W/Hardwood Doors	-		=
Radiused High Pressure Laminated Countertops	-	=	-
E-Z Swing Galley W/Drawer			
Indoor/Outdoor Dinette Table			
Lined Privacy Drapes and Bed End Curtains			
Quilted E-Z Rest Mattresses			
Extra Thick 4" Dinette Cushions			
On Demand Kitchen Faucet W/Extra Deep Sink	-	-	=
3 Burner Wedgewood Range W/Cover (2 Burner on 1706, 1906, 1906ST)		-	=
6 Gal. Water Heater (2407ST, 2465SST, 2485SST, V-Trec)	-	-	=
Bed End Light W/Fan 1			
Retractable Clothes Hanging Bar			
Ultra Comfort Heated Mattress System (Opt. on 1706, 1906, 1906ST)			=

	E	L	۷
Power Lift	-		
Weber [®] Q [®] Portable Gas Grill and Stand			

Hot Water Heater (N/A 1706, 1906, 1906ST)		
Electric Brakes (1706)		
2nd LP Bottle W/Double Cover		
Single Bottle Cover		
Sony® AM/FM CD Player W/2 Interior & 2 Exterior Speakers	-	
Hanging Storage Cabinet		
Ultra Comfort Heated Mattress System (1706, 1906, 1906ST)		

E = Epic L = Legend V = V-Trec

= Available

1706)

ELLV

= New Feature

E|L|V

= Standard Run Option

2465 551 2308 51 2485551 1906 51 2108 51 2385 51 2407 51 1906 1706 2107 2109 2406 **Specifications** Epic Legend **Interior Box Size** 8' 8.5' 8.5' 10' 10' 10' 12' 12' 12' 12' 12' 12' **Travel Length** 12' 2" 12' 8" 14' 10" 14' 2" 18' 3" 18' 5" 16' 2" 18' 3" 18' 5' 14' 2" 16'4" 18' 5' **Travel Width** 85" 85" 85" 85" 85" 85" 85" 85" 85" 85" 85" 85" Travel Height 54" 56" 56" 58" 58" 58" 58" 58" 58" 58" 55" 55" 17' 11" 20' 9" **Interior Open Length** 16' 11" 17' 11" 20' 5" 20' 5" 23' 5" 24' 5" TBD 24' 5" 24' 5" 24' 5" 6' 10" 6' 10" 6' 10" 6' 10" 6' 10" 6' 10" 6' 10" 6' 10" **Interior Open Height** 6' 10" 6' 10" 6' 10' 6'10" **Sleeping Capacity** 7 7 6 6 6 7 6 8 6 7 6 6 **Front Sleeping Area** 48 X 80 54 X 80 54 X 80 58 X 80 58 X 80 58 X 80 70 X 80 **Rear Sleeping Area** 48 X 80 48 X 80 48 X 80 54 X 80 58 X 80 54 X 80 58 X 80 58 X 80 70 X 80 70 X 80 70 X 80 70 X 80 38 X 64 38 X 70 38 X 70 38 X 70 38 X 64 **Dinette Area** 38 X 64 38 X 64 TBD 38 X 70 38 X 70 45 X 73 45 X 73 "U" Dinette 42 X 80 N/A 80" 80" N/A Lounge Area N/A N/A N/A N/A N/A N/A N/A N/A Sofa Bed N/A N/A N/A N/A 34 X 76 N/A N/A TBD N/A 34 X 70 N/A TBD 4.80 X 12 ST175/80D13 ST175/80D13 ST175/80D13 ST175/80D13 4.80 X 12 4.80 X 12 5.30 X 12 5.30 X 12 ST175/80D13 ST175/80D13 ST175/80D13 **Radial Tire Size** 5 Bolt D 4 Bolt C 4 Bolt C 4 Bolt C 5 Bolt D 5 Bolt D 5 Bolt D **Tire Load Range** 4 Bolt C 5 Bolt D 4 Bolt C 5 Bolt D 5 Bolt D 111/50 116/53 220 / 100 200/91 202/93 200/91 244/111 243 / 110 287 / 130 282 / 128 Hitch Weight # (approx.), (lbs./Kg) 175/79 261/118 Axle Weight # (approx.), (lbs./Kg) 1138/517 1338/607 1381/627 1448 / 657 1667 / 756 1448 / 657 1859/843 2229 / 1011 1722/781 1913 / 868 2408 / 1093 2403 / 1090 Dry Weight # (approx.), (lbs./Kg) ** 1249/567 1454/660 1601/727 1648/748 1869 / 849 1648/748 2103/954 2404 / 1090 1965 / 891 2174/986 2695 / 1223 2685 / 1218 752/341 833/378 1361/617 974 / 442 761/345 1307 / 593 812/368 800/363 Cargo Capacity # (approx.), (lbs./Kg) 849/385 642/291 599/272 752/341 GVWR (lbs./Kg) 2098/952 2096 / 951 2200 / 999 2400 / 1089 2702 / 1227 2400 / 1089 3464 / 1571 3395 / 1540 2743 / 1244 3481 / 1579 3507 / 1591 3502 / 1588 **Coupler Ball Size** 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" 2" 2"

* Dry Weight is the total weight of the standard unit (hitch + axle) without optional equipment and empty tanks.

E|L|V

V-Trec Heavier Duty Than Folding Campers!


Heavier Duty Than Other Toy Hauler

Specs | Model 2465 SC

Interior Box Size	12'
Travel Length	21' 4"
Travel Width	85"
Travel Height	65"
Interior Open Length	24' 5"
Interior Open Height	6' 10"
Sleeping Capacity	6
Front Sleeping Area	70 X 80
Rear Sleeping Area	70 X 80
Dinette Area	45 X 73
"U" Dinette	N/A
Lounge Area	N/A
Sofa Bed	N/A
Radial Tire Size	LT235/75R15
Tire Load Range	5 Bolt C
Hitch Weight # (approx.), (lbs./Kg)	410/186
Axle Weight # (approx.), (lbs./Kg)	2700/1225
Dry Weight # (approx.), (lbs./Kg) **	3115/1413
Cargo Capacity # (approx.), (lbs./Kg)	1265/574
GVWR (lbs./Kg)	4380/1987
Coupler Ball Size	2-5/16"



- 5" Tube Frame
- 4000 Lb. Torsion Axle for Heavy Cargo Capacity
- Reinforced Diamond Plate Front Deck



Forest River Encourages You to Buy Locally

Forest River, Inc. strongly encourages our retail customers to purchase from their local dealership whenever possible due to the following factors:

- Our dealers are, as a rule, independently owned and operated businesses. Outside of those customers they personally sold products to, they are not contractually obligated to perform warranty service on Forest River products that were purchased elsewhere. There **may** be an occasion that you would be required to return to the point of purchase to satisfy warranty requirements.
- Although many dealerships will eventually service products not purchased at their place of business, they will usually take care of their customers and other Forest River customers who are traveling away from their local dealer as they would their own.
- Local purchases allow a customer to establish a relationship with a dealer close to home. This relationship provides the customer with a convenient location for service and support from a "home town professional.

See your Viking Dealer for a complete list of parts and accessories.

www.vikingrv.com

269.467.6321 VIKING

Viking Recreational Vehicles A Forest River Company 580 West Burr Oak Street P.O. Box 549 Centreville, MI 49032

• The opportunity for a thorough PDI (Pre-Delivery Inspection) and product orientation is an additional benefit of buying from your local dealer, further providing the opportunity for refresher courses or the ability to get questions answered much more conveniently.

 For our Canadian customers, there are also requirements which must be met to bring an RV purchased out of the country to their home. Although not insurmountable, these requirements may involve such things as additional inspections and certifications, taxes and fees. Your local Canadian dealer is a professional at meeting these requirements.

Forest River's goal is for all RV owners to fully enjoy their RV experience. In light of this goal, and considering the advantages of buying local, we encourage you to be thorough when determining what product to purchase and which dealer to purchase it from as both are key to your ultimate satisfaction and the realization of your dreams.

> Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire-Hathaway Company

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Viking reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Viking dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

Limited Warranty

- Frame 5 years
- Roof Assembly 5 years
- AL-KO[®] Ultralube Spring Axle 1 year
- AL-KO[®] Ultralube Rubber Suspension Axle - 5 years
- Plumbing System 10/25 years
- Roof Exterior 2 years

Your	Dealer:		

Vikina RV