2013 CLASS A DIESEL EXCURSION





EXPERIENCE THE FREEDOM YOU DESERVE

Engage in the luxurious craftsmanship of the Excursion, bath in the beauty of the contemporary decor and embrace the freedom of the open road. Your Excursion awaits you.







WHY BUY EXCURSION?

State-of-the-art Components The Hide-Away 40" LCD HDTV in the 33A galley provides extra counter top space when it's hidden in the "up" position. The 33A Conver-Table transitions from dinette to coffee table in 3 simple steps and the optional Hide-A-Loft adds a drop-down queen bed to any Excursion Floorplan.

Lavish Living Space The wide body interior and 84" ceiling height are designed to maximize your available living space.

Luxurious Gallery The spacious galley shows off polished volcanic series solid-surface countertops, residential refrigerator and glass-tile backsplash.

Low Profile Design With a lower profile design, the Excursion comfortably fits under a 12 ft. garage door but still maintains the interior height and space you've come to expect.

Cummins® 300 HP Diesel Engine The compact Excursion diesel pusher is equipped with 300 HP Cummins ISB 6.7L engine with exhaust brake, providing exceptional performance.







2013 GRAPHICS AND DÉCOR





COCOA PEARL



COPPER JAVA



GOLD STARFIRE



PLATINUM FROST

Both inside and out, there is a wide selection of colors, styles and finishes. From the moment you lay your eyes on an Excursion, the high-style graphics and décor collection welcome you with gracious beauty and contemporary design. We've paid attention to every detail. So wherever you are, you'll feel right at home.



STANDARD FEATURES AND OPTIONS

STANDARD FEATURES

INTERIOR THROUGHOUT

- 120V/12V AC/DC Converter
- 34,000 BTU Furnace
- 6 Gallon Quick Recovery Water Heater
- Dual 6V Deep-Cycle House Batteries
- Dual Lo-Pro A/C High Efficiency, Chill Grills & Bedroom Heat Pump
- Energy Management System
- Halogen Lighting
- Full HD Video System
- Centralized Control Monitoring
- Soft-Touch Vinvl Ceiling
- 1200-Watt Inverter (33A)
- 84" Interior Ceiling Height
- PEX Plumbing System
- Crown Molding Fabric Lined Storage
- Spacious Wide Body Design
- Day/Night Pleated Shades
- Deluxe Roller Bearing, Full-Extension Drawer Guides & Transit-Ship Locks
- Demand Water Pump w/Filter
- Waterpump Switches in Multiple Locations
- Raised-Panel Hardwood Cabinet Doors &
- Hardwood Cabinet Drawers
- Wall-to-Wall Vinyl Tile Flooring
- Wall Sconce Lighting
- Wall Switch Convenience
- Water Heater Bypass
- Whole Coach Water Filtration System Wood Finish Return Air Intake for Furnace

DRIVER CONVENIENCE

- Automotive Style Wrap Around Dash
- 3-Point Seatbelts at Driver & Front Passenger Seats (w/Adjustable Shoulder Straps)
- Auxiliary Start Circuit Switch
- Battery Disconnect System
- Cruise Control
- Power Driver/Front Passenger Shade/Sun Visor
- Driver/Front Passenger Soft-Touch Captain's
- Chairs w/Manual Reclining Back/Slide Controls
- Denso High-Output Auto A/C Heater Combo
- Passenger Cup Holder Console w/Integrated Magazine Rack
- Radio Switch Main/Auxiliary Power
- Air Suspension Dump Switch
- Power & Remote Heated Mirrors
- Driver Console Cup Holders
- Tilt/Telescoping Steering Wheel
- 110-Volt Power Outlet at Dash
- 2 12-Volt Power Outlets at Dash
- Pre-wired for Automatic Generator Start Radio with AM, FM, CD and DVD

Stainless Steel Microwave Convection Oven

- Color Back-up Monitor
- Mirror-Mounted Side Cameras
- Intermittent Wiper Control

w/Built-in Range Hood & Light

- Soft-Touch Automotive Dash
- GALLEY

- Adjustable Cabinet Shelves (Select Cabinets)
- Fan-Tastic[®] Power Roof Vent
- Dometic[®] 8 cu.ft. 2-Door Refrigerator (33A)
- Single-Handle Galley Faucet w/Pullout Sprayer

Multiple Seatbelt Locations

Propane Detector/Alarm

Smoke Detector/Alarm

• 30" Wide Entry Door

EXTERIOR THROUGHOUT

120V/12V AC/DC Converter

Awning Rail/Drip Molding

Door-side 110v Patio Receptacle

Fiberglass Wheel-Well Trims

LED Clearance Lights

Fiberglass Front Cap

Water Pump Switch

Heat Pump in 2nd A/C

(located in Basement)

Under-hood Utility Light

• 22.5" Aluminum Wheels

Automotive Safety Glass

Daytime Running Lights

• 20' Sewer Hose

4-Wheel ABS Brakes

Entry Assist Handle

Porch Light (Door-side)

Pass-Through Storage

Steel Hinges

Compartments

Power Entry Step

STORAGE

• Park Cable Receptacle

Brake Light

AUTOMOTIVE

Fog Lamps

• Mud Flaps

Hydraulic 4-Point Automatic Levelers

6.0 kW Onan[®] Quiet Diesel Generator

50-Amp Service w/LED Power Cord Indicators

Pre-Wired For Easy DSS Antenna Installation

Power Patio Awning w/Wind Sensor Retract

Fiberglass Rear Cap w/High-Mounted Center

Pre-Wired for Exterior Entertainment System

Single-Motor Windshield Wipers w/Wet Arm

Heated Power Exterior Mirrors w/Turn Signals

Utility Compartment w/Exterior Shower

Large One-Piece Bonded Windshield

SAFETY/CONVENIENCE (EXTERIOR)

Easy-Sweep Flooring at Entry Step

Toilet Tank San-T-Flush™ System

Two 6V/Deep-Cvcle House Batteries

Touch Sensor Tank Monitoring System

Entry Door w/Screen Door & Deadbolt Lock

Rear, Front and Side Marker Lights (Select LED)

• Large Egress Window in Bedroom (2 in 33A)

Continuous One-Piece Compartment Seals

Insulated Aluminum Luggage Doors w/Single

Paddle Metal Latches & Corrosion-Resistant

Lighted Roto-Molded Polyethylene Luggage

Large Side Swinging Luggage Doors

Single-Pane Tinted Windows w/Screens

• Full-Body Paint w/Color & Graphics

(located in service compartment)

• Fire Extinguisher

BODY STRUCTURE

Basement Storage

Walls & Ceilings

Power Driver Seat

Washer/Drver Combo

& Passenger Curtains

Framing

OPTIONS

INTERIOR

GALLEY

(33A)

BEDROOM

EXTERIOR

Aluminum Interlocking Floor/Wall/Ceiling

• Radius Roof with Ducted A/C

Basement Floor Configuration

Vacu-Bond[®] Upper/Lower Floors,

CSA Package (Canadian Specs)**

Driver/Passenger Pedastal Table

& 2 additional House Batteries

(Standard on 35B/35C)

Sony® 32" LCD HDTV

Dual Glazed Windows

Sonv[®] LCD HDTVs

w/Surround Sound

Throughout Coach

Exterior Fiberglass

Pass-Through Storage

• 84" Interior Ceiling Height

Power Bridge[®] Construction

(Fleetwood RV Exclusive)

Drawer Guides

Operation Pre-Wired

110AC Outlet in Dash Area

FLEETWOOD ADVANTAGES

Sony® 5.1 Home Theatre System

HDMLA/V Components/Cables

TV & Home Theater Remote Control

• Built-In HDMI, Satellite AV Input Jack

50-Amp Energy Management System

Vacu-Bond[®] Walls w/Smooth High-Gloss

• 11Ft. 7 In. Exterior Height (Suspension Deflated)

**CSA Standards may require substitution or

deletion of features to achieve conformance.

• 300HP Cummins® ISB 6.7L Engine

Large One-Piece Bonded Windshield

Large Side Swinging Luggage Doors

Deluxe Roller Bearing, Full-Extension

Power Passenger Seat w/Power Foot Rest

Hide-A-Loft Drop Down Oueen Bed w/Driver

• Ice Maker for 8 cu. ft. Standard Refrigerator

Queen Bed with Memory Foam Mattress

Diamond Shield Clear Front Protective Mask

Electrical System w/ Neutral Loss Protection

Residential Refrigerator w/2000 Watt Inverter

Central Vacuum System

Manual Footrest - Passenger

Heated Water & Holding Tank Compartments

B

LEETWOOD

5

- Hardwood Overhead Face Frames
- Designer Volcanic Series Polished
- Solid-Surface Countertop w/Deco Edge Solid-Surface Sink & Range Covers
- Full Mosaic Glass Tile Backsplash
- Under-Galley Shelving & Wastebasket
- Window Over Sink
- Hi-Def Laminate Dinette Tabletop
- Cabinet Toe Kicks
- Large, 50/50 Dual Stainless-Steel Sink
- Halogen Task Lighting
- Galley Window w/Mini Blinds
- Pull Out Pantry
- 3-Burner High-Output Cooktop
- LIVING ROOM
 - Sony[®] 40" LCD HDTV Blu-ray[®] Ready
 - Sony[®] 5.1 Home Theater System w/Built-in
 - AM/FM/DVD & Surround Sound Speakers
 - Flexsteel[®] Soft Touch Residential Seat Styling • TV Antenna w/Signal Booster

 - Entry Assist Handle Hardwood Overhead Face Frames

BEDROOM

- Overhead Cabinets
 - Designer Reversible Comforter
- Décor Pillows
- Deluxe Pillow-Top Innerspring Mattress
- Day/Night Shades
- Rear Speakers
- 110V Outlets
- Chair Rail Molding
- Dual-Tone Wall Accents
- Full Length Hanging Wardrobe
- w/Adjustable Shelves
- Under Bed Storage
- Hydro-Lift Bed Top
- Night Stands w/110V Outlets

BATHROOM

A/C Venting

Brushed Nickel Towel Bars & Rings

SAFETY/CONVENIENCE (INTERIOR)

Carbon Monoxide Detector/Alarm

• Energy Management System (EMS)

- Fan-Tastic[®] Power Roof Vent w/Wall Switch
- Glass Shower Enclosure w/Skylight
- Brushed Nickel Single-Handle Faucet
- One Piece Fiberglass Shower w/Convenience Shelf

Hardwood Bath Door/Trims

Porcelain Toilet w/Water Saver

Adjustable Shelving

Stainless Steel Sink

Halogen Task Lighting

w/Soft-Start

FLOOR PLANS



35B



INTERIOR STORAGE CAPACITY: 166 CU. FT. EXTERIOR STORAGE CAPACITY: 140 CU. FT. Available options: 084, 126, 144, 146, 186, 217, 853

INTERIOR STORAGE CAPACITY: 170 CU. FT. EXTERIOR STORAGE CAPACITY: 161 CU. FT.

Available options: 084, 126, 186, 217, 853

35C



FLOOR PLAN OPTIONS



OPT. 144

RESIDENTIAL REFRIG

OPT. 186 DRIVER/PASSENGER PEDESTAL TABLE



OPT. 146 DOMETIC 8 CU. FT. REFRIG W/ICE MAKER





OPT. 217 HIDE-A-LOFT DROP DOWN QUEEN BED 60" X 80"

INTERIOR STORAGE CAPACITY: 170 CU. FT. EXTERIOR STORAGE CAPACITY: 161 CU. FT.

Available options: 084, 126, 186, 217, 853

WEIGHTS & MEASUREMENTS

POWER BRIDGE [®]		
33A	35B	35C
208"	242"	242"
26,000	26,000	26,000
10,500	10,500	10,500
17,500	17,500	17,500
30,000	30,000	30,000
10,000	10,000	10,000
90	90	90
	33A 208" 26,000 10,500 17,500 30,000 10,000	33A 35B 208" 242" 26,000 26,000 10,500 10,500 17,500 17,500 30,000 30,000 10,000 10,000

POWER BRIDGE® CHASSIS

Model: Freightliner* XCS Series Engine: Cummins* ISB 6.7L w/Exhaust Brake Transmission: Allison* 2100 MH 6-Speed w/Electronic Shifter Alternator: Delco Remy 160 Amp Torque: 660 lb-ft @ 1,600 RPM Horsepower: 300HP

DIMENSIONS & CAPACITIES

MODELS	33A	35B	35C
Overall Length (inches) ⁴	33' 11"	36' 9"	36' 9"
Overall Height (suspension inflated)	11' 10"	11' 10"	11' 10"
Overall Height (suspension deflated)	11' 7''	11' 7"	11' 7"
Overall Width (maximum) ^{5, 6}	102"	102"	102"
Interior Height (maximum)	84"	84"	84"
Interior Width (maximum)	96"	96"	96"
Fresh Water Holding Tank (gal)	88	88	88
Grey Water Holding Tank (gal)	60	60	60
Black Water Holding Tank (gal)	32	32	32
Appliance Propane Tank (gal) (WC) ⁷	28.2	28.2	28.2
Water Heater Tank (gal)	6	6	6

Liquid Weight Reference:

Water (gal) = (8.3 lbs/3.8 kgs) Fuel (gal) = (7.1 lbs/3.2 kgs) Propane (gal) = (4.2 lbs/1.9 kgs)Metric Conversion:

Multiply pounds x 0.453 to obtain kilograms. Multiply gallons x 3.785 to obtain liters. Multiply liters x 61 to obtain cubic inches.

ADDENDUMS

- 1. GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motor home. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (OCCC) occupant cargo-carrying capacity.^{*}
- 2. GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- 3. GCWR (Gross Combined Weight Rating) is the value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed vehicle. Towing and braking capacities may be different. Refer to Fleetwood and chassis manufacturer's manuals for complete information.
- 4. Length measured from front bumper to rear bumper (excludes accessories).
- 5. Excludes safety equipment and awnings.
- 6. Motor homes feature a body width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may affect your usage.
- 7. Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.
- ††Minimum Towable Load is the available weight, up to GCWR, when the coach is fully loaded to maximum GVWR. However, if the coach is loaded to something less than maximum GVWR, that extra available weight can be added to your Towable Load. For example, if your coach is loaded to 1000lbs less than maximum GVWR, your Towable Load increases accordingly.
- * UVW and OCCC are found on the label containing the federal certification tag in each RV.

IMPORTANT—PLEASE READ: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at *www.fleetwoodrv.com* or contact your local Fleetwood RV dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

WHY FLEETWOOD RV?



Quality

There's no cutting corners. Skilled craftsmen build every Fleetwood RV for maximum durability and longevity.



Trust

More people trust Fleetwood RV. After all, we've spent over 60 years perfecting RVs, earning the loyalty of generations of RVers.



Passion

We're truly passionate about the RV lifestyle. Fleetwood RV was founded by RV enthusiasts, and that tradition continues today.



Safety

You've got precious cargo. So we've engineered dozens of innovative safety features into our motor homes to give you more peace of mind.



Service

Help is nearby with 24/7 emergency Fleetwood RV Trusted Roadside Assistance⁺ And when you need an upgrade or repair, you'll find Fleetwood RV dealers all across North America ready to assist you.



Warranty

Exclusive RV ownercare warranty. See your Fleetwood RV dealer for details.

* All 2013 Fleetwood RV motorhomes include a 1-year emergency Fleetwood RV Trusted Roadside Assistance membership. For complete info, see your Fleetwood RV dealer.

**For complete info, see your Fleetwood RV dealer.



RV OWNERCARE**

Limited one-year/15,000-mile coach warranty and three-year/45,000-mile structural warranty, whichever occurs first, and it is fully transferable for the first 12 months. RV OWNERCARE is one of the RV industry's most comprehensive programs and includes systems, appliances, components and construction, with no deductible and no service charge. RV OWNERCARE coverage is provided by a company that will be around in the future to service your needs. See your nearest Fleetwood RV dealer for a full explanation of benefits and restrictions.

CONTACT US

To locate a dealer near you, visit our website at *www.fleetwoodrv.com* or call 1-800-322-8216. We can also be contacted at Fleetwood RV Customer Relations, P.O. Box 1007, Decatur, IN 46733.

IMPORTANT—PLEASE READ

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at *www.fleetwoodrv.com* or contact your local Fleetwood RV dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood RV has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.





FLEETWOOD RV IS AN ALLIED SPECIALTY VEHICLE COMPANY.



YOUR LOCAL FLEETWOOD RV DEALER IS:

©2012. Fleetwood RV, Inc. Printed in the USA. Inventory Control Number EXC13B2, 08/12. Model Year 2013, Second Edition.