

Keystone



SUPER LITE TRAVEL TRAILERS



SUPER LITE FIFTH WHEELS



LIFE-SIZE FIFTH WHEELS



LIFE-SIZE FEATURES

LARIEDO

By Keystone



SUPER LITE TRAVEL TRAILERS

Aerodynamically designed, feature-packed light weight travel trailer.

.....see page 3



SUPER LITE FIFTH WHEELS

Aerodynamically designed, feature-packed light weight fifth wheel.

.....see page 6



LIFE-SIZE FIFTH WHEELS

Aerodynamically designed, "best in class" easy to tow luxury fifth wheel.

.....see page 10

MORE BEST IN CLASS FEATURES
THAN THE COMPETITION







Laredo front caps are designed to aggressively deflect wind from all angles (see FIGURE A). With a 20% more aerodynamic front cap, wind drag is reduced and fuel mileage is increased.





- **Gel Coated Filon Exterior**
- Luan Layer
- **Hi-Density Block Foam Insulation**
- Interior Wallboard
- **Total Aluminum Frame**
- **Residential Grade Carpet and Linoleum**
- **Carpet Padding**
- 1st Layer Floor Decking

- 9 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame
- 17 One Piece Rubber Roof

- 18 Roof Decking
- 19 R-11 Insulation
- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Air Glyde Front Cap w/LP Storage
- 25 EZ Lube Axles
- 26 Radial Tires
- 27 Radius Entry Steps














255RB





296RL

5305 1895 590	TBD TBD	TBD	6535	6780	6720	7365	7265
	TBD						. = 0 -
F00		TBD	1665	1720	1780	1635	1735
290	TBD	TBD	860	850	820	820	760
27' 7"	28' 11"	30' 8"	33' 3"	34' 8"	33' 9"	35' 8"	35' 6"
8'	TBD	TBD	8'	8'	8'	8'	8'
10' 11"	TBD	TBD	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"
43	TBD	TBD	43	43	43	43	43
30	TBD	TBD	30	30	30	30	30
30	TBD	TBD	30	60	30	60	30
60	TBD	TBD	60	60	60	60	60
	8' 10' 11" 43 30 30	8' TBD 10' 11" TBD 43 TBD 30 TBD 30 TBD	8' TBD TBD 10' 11" TBD TBD 43 TBD TBD 30 TBD TBD 30 TBD TBD	8' TBD TBD 8' 10' 11" TBD TBD 11' 1" 43 TBD TBD 43 30 TBD TBD 30 30 TBD TBD 30	8' TBD TBD 8' 8' 10' 11" TBD TBD 11' 1" 11' 1" 143 TBD TBD 43 43 30 TBD TBD 30 30 30 TBD TBD 30 60	8' TBD TBD 8' 8' 8' 8' 10' 11" TBD TBD 11' 1" 11' 1" 11' 1" 11' 1" 43 TBD TBD 43 43 43 43 30 TBD TBD 30 30 30 30 30 30 TBD TBD 30 60 30	8' TBD TBD 8' 8' 8' 8' 8' 10'11" TBD TBD 11'1" 11'1" 11'1" 11'1" 11'1" 43 TBD TBD 43 43 43 43 43 30 TBD TBD 30 30 30 30 30 30 30 TBD TBD 30 60 30 60









SUPER-LITE FIFTH WHEELS



INTERIOR FEATURES

- A. 8 CU. FT. Refrigerator with Raised Panel Fronts
- Raised Panel Cabinet Throughout
- 40" LCD HDTV
- 12V DVD/CD/AM/FM/MP3 Player
- Crown Molding
- 50" Wide, 6' 7" Tall Shower
- 60" x 80" Queen Size Pillow Top Mattress
- High Rise Faucet
- Kitchen Backsplash
- 50 amp service
- Arched roof rafters

EXTERIOR FEATURES

- Water Works Utility Center
- Electric Awning
- Equa-Flex Suspension
- Heated Pass-Thru Storage
- Hitch Assist Mirror w/2 LED Lights
- Electric Jacks and Landing Gear
- Separate Battery Compartment

SUPER-LITE FIFTH WHEELS



- 1 Gel Coated Filon Exterior
- 2 Luan Layer
- 3 Hi-Density Block Foam Insulation
- 4 Interior Wallboard
- 5 Total Aluminum Frame
- 6 Residential Grade Linoleum
- 7 Carpet Padding
- 8 1st Layer Floor Decking

- 9 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame
- 17 One Piece Rubber Roof
- 18 Roof Decking
- 19 R-11 Insulation

- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Max Turn Aerodynamic Front Cap
- 25 EZ Lube Axles
- 26 Equa-Flex Suspension System
- 27 Radial Tires
- 28 Radius Entry Steps













L FIFTH WHEELS	270SRL	278SRL	280SBH	293SBH	290SRE
HIPPING WEIGHT	TBD	TBD	TBD	TBD	7855
ARRYING CAPACITY	TBD	TBD	TBD	TBD	2145
HITCH WEIGHT	TBD	TBD	TBD	TBD	1605
EXTERIOR LENGTH	31'	31' 6"	31' 3"	33'	31' 7"
EXTERIOR WIDTH	TBD	TBD	TBD	TBD	8'
EXT. HEIGHT - A/C TOP	TBD	TBD	TBD	TBD	12' 4"
FRESH WATER (GAL.)	TBD	TBD	TBD	TBD	45
WASTE WATER (GAL.)	TBD	TBD	TBD	TBD	30
GRAY WATER (GAL.)	TBD	TBD	TBD	TBD	40
LP CAPACITY (LBS.)	TBD	TBD	TBD	TBD	60









LIFE-SIZE FIFTH WHEELS



INTERIOR FEATURES

- A. 40" LCD HDTV
- B. Stainless Steel Sink
- C. Flooring with 2 Year Cold Crack Warranty and 7 Year Performance Warranty
- D. Flush Mount Sink with High Rise Faucet
- E. Huge 60" Shower (select models)
- F. King Size Pillowtop Mattress (select models)
- G. Solid Surface Countertops

EXTERIOR FEATURES

- Fiberglass Front Cap with Max
 Turn Technology
- Power Adjustable Awning
- 50 AMP Service
- "Saddle" Style Pass-Thru Storage
- 16" Radial Tires
- 8 Lug Aluminum Wheels
- 10" Main Frame Rails
- Heated Storage Compartment

WALL CONSTRUCTION (R-9)

- 1. Gel-coated fiberglass exterior
- 2. 1/8" Luan wood backer
- 3. Hi-density block foam insulation
- 4. Radius window corner blocks
- 5. 2" Welded aluminum sidewall studs
- 6. High-gloss front fiberglass cap
- 7. Metal backing strips

ROOF CONSTRUCTION (R-28)

- 8. One-piece EPDM rubber roof with 12-year warranty
- 9. 3/8" Fully walkable roof decking
- 10. Fiberglass batten insulation 2 layers
- 11. Heat reflective Astro foil insulation
- 12. 5" "Snow Load" roof trusses
- 13. Ceiling decking with vinyl protection
- 14. Vented attic

FLOOR CONSTRUCTION (R-30)

- 15. Residential grade carpet with stain protection
- 16. Residential grade carpet padding
- 17. 5/8" Seamless wood floor decking
- 18. Residential grade linoleum
- 19. In-floor ducted heat
- 20. Darco wrap (main floor)
- 21. Astro foil bubble insulation
- 22. Fiberglass batten insulation 2 layers
- 23. One-piece, fluted polypropylene fully enclosed sub-floor
- 24. 3" floor joists on 16" centers
- 25. Therma Shield 37 holding tank enclosure

TIRE & CHASSIS

- 26. 10" steel powder coated I-beam frame
- 27. 16" radial tires
- 28. EZ Lube axles
- 29. E-Z Flex Suspension

















300RL



FIFTH WHEELS	250RL	266RL	292RL	300RL	302BH	321BH	329RE	335T0
SHIPPING WEIGHT	8435	8515	9970	9465	9925	10815	10815	10559
CARRYING CAPACITY	3065	2985	2530	2535	2575	2185	2185	2441
HITCH WEIGHT	1910	1900	2100	1900	1860	1925	1935	1925
EXTERIOR LENGTH	30'3"	30'5"	34' 4"	34' 11"	34' 11"	34' 11"	37' 2"	37' 8
EXTERIOR WIDTH	8'	8'	8'	8'	8'	8'	8'	8'
EXT. HEIGHT - A/C TOP	12' 4"	12' 4"	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"	12' 7
FRESH WATER (GAL.)	55	55	55	55	55	55	55	55
WASTE WATER (GAL.)	40	40	40	40	40	40	40	40
GRAY WATER (GAL.)	40	40	72	40	40	40	75	110
LP CAPACITY (LBS.)	60	60	60	60	60	60	60	60

LARIEDO

SUPER HITHERTH WHEELS

Our heated and enclosed underbelly helps extend the camping season while also improving fuel mileage by reducing drag under the coach.

Aluminum alloy wheels offer light weight, durability, and look great traveling down the open road.

50 amp and wired/braced for 2nd A/C













The large single basin kitchen sink allows enough size and depth for washing pots& pans.

Residential 60 x 80 queen beds are a luxury not offered by most light weight travel trailers.

The high rise faucet allows larger items to fit into the sink, plus adds a modern look and a touch of elegance to the kitchen.









Huge 50" shower really makes you feel at home.

40" LCD HDTV that makes it easy to view from all angles

80" Wide u-shaped booth dinette

The vaulted ceiling adds 5" of interior height to the Laredo travel traiers.

Solid surface countertops with matching sink covers are paired with a faucet with pullout sprayer.

Residential queen beds (60"X80"), and flush floor upper decks are a luxury not offered by most other mid-profile fifth wheels.

40" LCD HDTV that makes it easy to view from all angles















30" Wide entry door

No need to worry about running out of hot water with our 12 Gallon DSI hot water heater.

Huge 60" shower is a best in its class feature that really makes you feel at home.

Get 12 cu. ft. of cool food storage space without sacrificing all of the square footage in your kitchen.









6,000 lb. axles

50 AMP service, ready for second air conditioner

16" 8-lug aluminum alloy wheels, offer light weight strength, and a great look traveling down the highway.

Heated pass-thru storage with wet storage bin. Easy to access with slam latches on doors and about 100 cu. ft. of pass-through storage (N/A on Super Lites).

PURCHASING YOUR RV LOCALLY

It's up to you where you purchase your new Laredo, but may we suggest your local dealer? Not only does it help your local economy and provide jobs, but it will also give you an opportunity to develop a service relationship with someone that will come to know you and your coach. Congratulations on finding the best built, best equipped, best value in the industry, and happy travels!



HAZELNUT



SUNSET



NEW EARTH

STANDARDARDS AND OPTIONS

EXTERIOR			
ThermaShield 37 holding tank enclosure			FW
Fully enclosed underbelly	П	SF	FW
Heated, enclosed holding tanks & gate valves	П	SF	FW
Oversized lighted pass-thru storage	П	SF	FW
Roto-cast storage for wet or greasy items			FW
Exterior shower w/hot & cold water	П	SF	FW
Folding entry assist handle	П	SF	FW
Exterior marine grade speakers	П	SF	FW
Rain gutters w/downspouts	П	SF	FW
Security light	П	SF	FW
Motion sensor light	П	SF	FW
Rear ladder			FW
Triple entrance steps	П	SF	FW
Electric front jacks w/adjustable snap pins		SF	FW
Aerodynamic front cap with Hitch Assist Mirror		SF	FW
& 2 LED lights w/Max Turn Technology	1		
Outside 110V outlet & TV connection	П	SF	FW
TIRES & CHASSIS			
Powder-coated I-beam frame	Пπ	SF	FW
Tube style bumper w/sewer hose storage	П	SF	FW
Electric slideout system w/manual override	П	SF	FW
Adjustable extended hitch pin		SF	FW
Radial tires	П	SF	FW
EZ lube axles	П	SF	FW
12" electric brakes			FW
Full-size spare tire	П	SF	FW

TT = TRAVEL TRAILER

SF = SUPER LITE FIFTH WHEELS

FW = FIFTH WHEELS

INTERIOR

Living Area

Living Alea			
Dinette w/storage below		SF	FW
Extra wide 80" u-shaped dinette w/storage below	v π		
6' 3" slide room height			FW
Ventilating windows on slideout end walls	Тπ	SF	FW
Overhead cabinets in slide rooms	Тπ	SF	FW
Residential grade carpet and padding	П	SF	FW
Stain resistant fabrics	П	SF	FW
Pleated shades	П	SF	FW
Designer window treatments	П	SF	FW
Raised panel mortise & tenon cabinet doors	П	SF	FW
Entertainment center w/TV cabinet	π	SF	FW
Kitchen			
Residential-size overhead cabinets	Пπ	SF	FW
Dual sink covers	П	SF	FW
Single basin sink	П	SF	
60/40 deep-bowl sink			FW
High-rise faucet	π	SF	FW
Linoleum floor with cold crack warranty	π	SF	FW
Ball bearing full extension drawer guides	π	SF	FW
Bathroom			
Oversized shower (select models)	π	SF	FW
Tub surround w/shelves	π	SF	FW
Foot pedal flush porcelain toilet	π	SF	FW
Medicine cabinet	π	SF	FW
Skylight over bath	π	SF	FW
Power roof vent	π	SF	FW
Bedroom			
60" x 80" innerspring mattress	Π	SF	FW
Bedspread w/matching headboard		SF	FW
Wardrobe storage	П	SF	FW
TV hook-up	П	SF	FW
Reading lights	П	SF	FW
APPLIANCES	1		H
12V AM/FM/CD/DVD home theater system	VIII.	19	
w/ surround sound effect speakers	П	SF	FW
Double door refrigerator w/wood inserts	П	SF	FW
Microwave with carousel	П	SF	FW
Range hood and light	П	SF	FW
13,500 BTU ducted A/C	П	SF	FW
High output range w/auto igniter	π	SF	FW

UTILITIES

UTILITIES			
2-30 lb. LP bottles w/auto changeover	Π	SF	FW
35,000 BTU high-output furnace w/auto ignition			FW
Water heater bypass kit	Π	SF	FW
Systems monitor panel	Π	SF	FW
Cable & satellite connections	П	SF	FW
SAFETY			
Break away switch	π	SF	FW
Tinted safety glass windows	π	SF	FW
GFI receipts	π	SF	FW
Carbon monoxide detector	π	SF	FW
Smoke alarm	π	SF	FW
Propane gas leak detector	Π	SF	FW
Fire extinguisher	П	SF	FW
HEE OITE DAGVAGE			
LIFE-SIZE PACKAGE			
12 cu ft refer (most floorplans)			FW
16" Radial Tires			FW
12 Gallon gas/electric water heater			FW
6,000 lb axles			FW
King Bed (292RL, 300RL)			FW
LED Ceiling Lights			FW
Oversize Stainless Steel Sink (select floorplans)			FW
High-Arch pull down kitchen faucet			FW
60" Residential Shower (most floorplans)			FW
40" LCD TV (most floorplans)	Π	SF	FW
8 cu ft refer with hardwood face	Π	SF	
6'3" Slide out height			FW
80" Residential Queen Mattress	-	SF	FW
50 Amp Service		SF	FW
Arched Ceiling	Π	SF	
50" Residential Shower (most floorplans)	Π	SF	
Aluminum Wheels		SF	
Radial Tires	П	SF	

^{*}Mandatory Package







2642 Hackberry Drive | PO BOX 2000 Goshen, Indiana 46527-2000 (574) 535-2100



and scan this tag.

Product information is as accurate as possible at the date of publication of this brochure. Features, floor plans, and specifications are subject to change without notice. Please also consult Keystone's web site at keystonery.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT, OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. 11/2012