

DUTCHMEN Travel Trailers

DUTCHMEN

Discover the difference!



Model
261BHS



Model 261BHS
in Espresso

Ready To Go When You Are

Congoleum Flooring — Designed to withstand extreme weather changes and excessive cold or heat. Plus it's more durable than any other vinyl floor.

Residential glazed cabinetry highlights the warm interior appearance of your Dutchmen. Combined with residential styled furniture and congoeum floor coverings, you have unparalleled elegance inside your Dutchmen.



Model 245RKS in Sand

Store-More Galley Design

Store-More Cabinetry

Expansive storage in every Dutchmen makes it a consumer favorite year after year. Here you see Dutchmen's full extension drawer guides for full access and they hold up to **75 lbs!** Dutchmen also features Store-More Cabinetry which increases cabinet storage by over 40%!



Large Pantry & Under Dinette Storage

You'll be amazed at the amount of storage space every Dutchmen offers.



Model 245RKS in Sand



Premium Media Entertainment Center

- AM/FM/CD/IPOD Player
- Interior and Exterior Speakers
- Digital TV Antenna with Interior and Exterior Cable Hookups
- Optional LCD/HD TV with DVD Player



Model 245RKS

Fold Down Sofa

Dutchmen's fold down sofa provides extra seating and sleeping space.



Model 261BHS

Pull Out Sofa

Within seconds, it converts to an extra large 54" x 74" bed.



Model 355QBDS
in Twilight



Model 355QBDS

Bunk Beds w/Entertainment Center

The bunk beds are ideal for children and guests. The entertainment center provides TV hookups and storage for games, toys and other items. Plus, large drawers and wardrobe storage help keep everything in its place.



Model 355QBDS

Super Slide Slide Rooms

Dutchmen's 13' Super Slide slideout makes for a great living space. Longer and taller than most competitors, you get an 83" x 48" oversized u-shaped dinette that has room for the whole family. Also, our 68" full sized sofa will seat 3 people comfortable.



Model 355QBDS
in Twilight

Master Bedroom & Wardrobe

Large hanging wardrobe space, dual reading lights, deluxe mattress and designer bedding package are standard features with Dutchmen. Most include dual night stands with 110V outlets.



Model 355QBDS

Construction Features



Acu-Weight Certification

Real Weights! All Dutchmen models are weighed as they leave the factory. Plus our weights include options!



Power Awning
Optional



Command
Center



The Polar Package option is now available.

WALL CONSTRUCTION

- 1 .024 Gauge Heavy Duty Aluminum Finish
- 2 16" on Center Wall Studs
- 3 Steel Straps - Tie Walls to Roof & Floor
- 4 R7 Fiberglass Insulation
- 5 Durable Vinyl Decor Board
- 6 Deep Tint Safety Glass Windows
- 7 Diamond Plate Rock Guard
- 8 ABS LP Bottle Cover w/Quick Access
- 9 Super Slide - Slide Rooms

FLOOR CONSTRUCTION

- 1 Steel I-Beam Powder Coated Chassis
- 2 Four Corner Stabilizer Jacks (slide models)
- 3 Folding Entry Door Steps
- 4 Radial Tires (mandatory option)
- 5 Water Resistant Floor Liner
- 6 12" on Center Floor Joists
- 7 Aluminum Heat Ducting in Floor (see floorplan)
- 8 R7 Fiberglass Insulation-Polar Package Option Available
- 9 Pex Hot & Cold Water Lines
- 10 5/8" Tongue & Groove Floor Decking
- 11 Congoleum Residential Vinyl Flooring
- 12 Residential Carpeting

ROOF CONSTRUCTION

- 1 EPDM Rubber Roof w/12 Year Manufacturer's Warranty
- 2 3/8" Walk-On Roof Decking
- 3 5" Truss-Style Crowned Roof Rafters-16" on Center
- 4 R7 Fiberglass Insulation-Polar Package Option Available
- 5 Vinyl Decorator Ceiling Board
- 6 13,500 BTU Roof A/C
- 7 Foam Core A/C Ducting System



LP Quick Connect

An LP quick connect line for a grill or other patio accessories is standard on all models.



Detachable Power Cord

Easy to store. Easy to hook up. Plus, "sure power" feature on both ends.



Storage Plus


Dutchmen offers large storage areas (up to 30% larger than competitors) and huge access storage doors on both sides.

Outside Kitchen

282RBS & 315BHDS Only




Dutchmen Travel Trailers



190QB


Unloaded Weight (lbs) 4,137	**Fresh Water Capacity 52
Hitch Weight (lbs) 492	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,463	Grey Water Tank(s) 42
Overall Height w/AC 10' 7"	Awning Length 14'
Overall Length 24' 1"	Tire Size ST205/75R14(C)



245RKS

NEW FLOORPLAN!


Unloaded Weight (lbs) 5,829	**Fresh Water Capacity 52
Hitch Weight (lbs) 534	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,851	Grey Water Tank(s) 42
Overall Height w/AC 11' 4"	Awning Length 16'
Overall Length 27' 8"	Tire Size ST225/75R15(D)



261BHS


SUPERSLIDE

Unloaded Weight (lbs) 6,442	**Fresh Water Capacity 52
Hitch Weight (lbs) 846	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,238	Grey Water Tank(s) 42
Overall Height w/AC 11' 4"	Awning Length 18'
Overall Length 31' 9"	Tire Size ST225/75R15(D)




196RD

Unloaded Weight (lbs) 3,926	**Fresh Water Capacity 52
Hitch Weight (lbs) 453	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,674	Grey Water Tank(s) 42
Overall Height w/AC 9' 11"	Awning Length 11'
Overall Length 22' 11"	Tire Size ST205/75R14(C)



255RB


Unloaded Weight (lbs) 4,114	**Fresh Water Capacity 52
Hitch Weight (lbs) 411	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,486	Grey Water Tank(s) 42
Overall Height w/AC 10' 5"	Awning Length 14'
Overall Length 26' 2"	Tire Size ST205/75R14(C)



265BHS


SUPERSLIDE

Unloaded Weight (lbs) 5,730	**Fresh Water Capacity 52
Hitch Weight (lbs) 714	Black Water Tank(s) 42
Cargo Capacity (lbs) 3,950	Grey Water Tank(s) 42
Overall Height w/AC 11'	Awning Length 16'
Overall Length 28' 10"	Tire Size ST225/75R15(D)




202RBS

Unloaded Weight (lbs) 5,050	**Fresh Water Capacity 52
Hitch Weight (lbs) 682	Black Water Tank(s) 42
Cargo Capacity (lbs) 2,550	Grey Water Tank(s) 42
Overall Height w/AC 11' 4"	Awning Length 11'
Overall Length 23' 11"	Tire Size ST205/75R15(C)



257RBGS


Unloaded Weight (lbs) 4,984	**Fresh Water Capacity 52
Hitch Weight (lbs) 444	Black Water Tank(s) 42
Cargo Capacity (lbs) 2,616	Grey Water Tank(s) 42
Overall Height w/AC 10' 5"	Awning Length 15'
Overall Length 26' 3"	Tire Size ST205/75R15(C)



275BH

Unloaded Weight (lbs) 4,646	**Fresh Water Capacity 52
Hitch Weight (lbs) 604	Black Water Tank(s) 42
Cargo Capacity (lbs) 2,954	Grey Water Tank(s) 42
Overall Height w/AC 10' 4"	Awning Length 14'
Overall Length 28' 7"	Tire Size ST205/75R14(C)


* Shown with optional skylight **Includes hot water heater



278RLS

SUPERSLIDE


Unloaded Weight (lbs) 6,312 **Fresh Water Capacity 52
 Hitch Weight (lbs) 706 Black Water Tank(s) 42
 Cargo Capacity (lbs) 3,368 Grey Water Tank(s) 42
 Overall Height w/AC 11' 3" Awning Length 18'
 Overall Length 30' 1" Tire Size ST225/75R15(D)



282RBS


SUPERSLIDE

Unloaded Weight (lbs) 6,461 **Fresh Water Capacity 52
 Hitch Weight (lbs) 758 Black Water Tank(s) 42
 Cargo Capacity (lbs) 3,219 Grey Water Tank(s) 42
 Overall Height w/AC 11' 4" Awning Length 18'
 Overall Length 31' 5" Tire Size ST225/75R15(D)




285RETS

Unloaded Weight (lbs) 7,959 **Fresh Water Capacity 52
 Hitch Weight (lbs) 822 Black Water Tank(s) 42
 Cargo Capacity (lbs) 3,217 Grey Water Tank(s) 42
 Overall Height w/AC 11' 3" Awning Length 12'
 Overall Length 35' 7" Tire Size ST225/75R15(D)




286BHGS

Unloaded Weight (lbs) 5,476 **Fresh Water Capacity 52
 Hitch Weight (lbs) 676 Black Water Tank(s) 42
 Cargo Capacity (lbs) 2,124 Grey Water Tank(s) 42
 Overall Height w/AC 10' 3" Awning Length 18'
 Overall Length 29' 11" Tire Size ST205/75R15(C)



295BHGS


Unloaded Weight (lbs) 6,026 **Fresh Water Capacity 52
 Hitch Weight (lbs) 726 Black Water Tank(s) 42
 Cargo Capacity (lbs) 1,574 Grey Water Tank(s) 42
 Overall Height w/AC 10' 4" Awning Length 18'
 Overall Length 31' 8" Tire Size ST205/75R15(C)



315BHDS

SUPERSLIDE


Unloaded Weight (lbs) 7,826 **Fresh Water Capacity 52
 Hitch Weight (lbs) 1,064 Black Water Tank(s) 42
 Cargo Capacity (lbs) 1,854 Grey Water Tank(s) 42
 Overall Height w/AC 11' 6" Awning Length 16'
 Overall Length 34' 11" Tire Size ST225/75R15(D)



316FKDS

SUPERSLIDE


Unloaded Weight (lbs) 7,393 **Fresh Water Capacity 56
 Hitch Weight (lbs) 1,042 Black Water Tank(s) 42
 Cargo Capacity (lbs) 2,287 Grey Water Tank(s) 84
 Overall Height w/AC 11' 8" Awning Length 19'
 Overall Length 34' 2" Tire Size ST225/75R15(D)



317QBS

SUPERSLIDE

Unloaded Weight (lbs) 6,628 **Fresh Water Capacity 52
 Hitch Weight (lbs) 963 Black Water Tank(s) 42
 Cargo Capacity (lbs) 3,052 Grey Water Tank(s) 42
 Overall Height w/AC 11' 4" Awning Length 18'
 Overall Length 33' Tire Size ST225/75R15(D)





318RKDS

SUPERSLIDE

Unloaded Weight (lbs) 7,358 **Fresh Water Capacity 52
 Hitch Weight (lbs) 706 Black Water Tank(s) 42
 Cargo Capacity (lbs) 2,322 Grey Water Tank(s) 42
 Overall Height w/AC 11' 4" Awning Length 16'
 Overall Length 34' 2" Tire Size ST225/75R15(D)

355QBDS Optional Front Bedroom



355QBDS

SUPERSLIDE

Unloaded Weight (lbs) 8,192 **Fresh Water Capacity 52
 Hitch Weight (lbs) 960 Black Water Tank(s) 42
 Cargo Capacity (lbs) 2,984 Grey Water Tank(s) 78
 Overall Height w/AC 11' 7" Awning Length 16'
 Overall Length 39' 8" Tire Size ST225/75R15(D)

* Shown with optional skylight **Includes hot water heater

Standard and Optional Features

DUTCHMEN

VALUE ADDED PACKAGE

EXTERIOR FEATURES

Steel Rims
Easy Lube Axles
Diamond Plate Front Rock Guard
Dark Tinted Safety Glass Window
Front & Rear Colored Metal
Dual Outside Speakers
Backed for Rear Ladder
Front & Rear Stab Jacks (slide models)
Dual LP Bottles w/Quick Access Cover
LP Quick Disconnect
Window on Entry Door
Manual Patio Awning
Upgraded Front Radius Profile
Digital TV Antenna
Double/Triple Entry Step
Detachable Power Cord
Awning Light



Scan our quick response code to open our website, and explore the many products we have to offer!

INTERIOR FEATURES

82" Interior Ceiling Height
Congoleum Flooring
Interior Speakers
Chair Rail in Galley
Bunk over Double (see floorplan)
Residential Flip Sofa
Medicine Cabinet w/Mirror
Curved Shower Rod - Tub Models
Neo Angle Shower
12V Bath Exhaust Fan
Valance w/Soft Curtains
Under Bed Storage
Rangehood w/12V Fan/Light
Full Extension Drawer Guides Throughout
6 Gallon Gas/DSI WH
AM/FM/CD Player
Cable TV Hookup w/Booster
Bedroom TV Hookup
Microwave
13,500 BTU AC
6 Cubic Foot Double Door Refer
Black Refer Insert
Foot Flush Toilet
Three Burner Range Top
Tub Surround
Interior Command Center

MANDATORY OPTIONS

Dutchmen Value Added Package
Radial Tires

EXTERIOR OPTIONS

2-Tone Fiberglass
Fully Enclosed Underbelly
Spare Tire & Carrier
Adjustable Electric Awning
Stabilizer Jacks (non-slides)
Aluminum Rims
Gas/Electric/DSI Water Heater
30 lb. LP bottles w/cover
Exterior Spray Port
Folding Entry Assist Handle
Polar Package

OPTIONAL POWER PACKAGE

Power Adjustable Awning
Power Stabilizer Jacks
Power Tongue Jack

INTERIOR OPTIONS

26" LCD TV w/DVD Player (most)
Bath Skylight
Sink Cover
Oven
Night Shades Throughout
15,000 BTU AC
Free Standing Dinette
Tri-Fold Sofa Bed

LARGE SLIDE OPTIONS

Free Standing Dinette

FABRICS



TWILIGHT



SAND



ESPRESSO



PO BOX 2164 • 2164 Caragana Court
Goshen, Indiana 46527
Sales: 574.537.0600 • Fax: 574.975.0626

Your Local Dealer

Disclaimer: Product information is as accurate as possible as of the date of publication of this brochure. Features, floorplans and specifications are subject to change without notice. Please also consult our website for more current product information and specifications.

Tow Vehicle Disclaimer CAUTION: Owners of Dutchmen Manufacturing, Inc., recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Dutchmen products. Dutchmen disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. Dutchmen's limited warranty does not cover damage to the recreational vehicle or the tow vehicle as a result of the selection, operation, use or misuse of the tow vehicle.