Springdale



Eastern Edition

Springologe | Travel Trailer





Springdale has so many features that offer the best value in the market and the best floorplans to fit your specific camping needs. Take a look at these action packed campers that offer exactly what you are looking for in front living spaces, bunks for the kids, plenty of storage, Super Slide Rooms (SSR), and roomy open spaces. If you have a need or a want, Springdale has the camper for your next Adventure!



ACCONTING Begins Here.



gdale



At Springdale we know that convenience and comfort are very important when you are on your Adventure and we strive to make that a reality for you. Prep work and cleanup is effortless in a Springdale and all Springdales have full extension pull out drawers and deep sinks that make the most experienced camper happy. Large bedrooms and room to roam in the main living areas make the Springdale easy to navigate for the entire camping crew!







Springing Decor Options







Cordovan Morel Redwood

Summer | Travel Trailer



Why not have exactly what you want to go camping and do it with style and grace? Summerland by Springdale offers a great look and awesome features at a price that will fit any budget. Versatile floorplans, a variety of sizes, and packed with so many features you will not want to stay home! Summerland has what you want to begin your Adventure!



MEDINE Begins Here.



As you can see, we made the new Summerland both beautiful and functional. With an abundance of cabinets, overheads, and closets, there is plenty of room to stow all your gear. And the Super Slide Room is spacious enough for you to stretch out and relax. The Summerland 2820BH shown here in Morel decor will whisk you into an adventure and memories you will not soon forget.



VISIT OUR ALL NEW **WEBSITE TO VIEW** INTERIOR PHOTOS AND MUCH MORE AT KEYSTONERV.COM









Springolik | Fifth Wheel Floorplans





Springdale Fifth Wheel Specifications

Fifth Wheel	242FWRLSSR	247FWRLLS	249FWBHSSR	253FWRLLS	280FWIKSSR	284FWBHSSR
Shipping Weight	6268	6415	6380	6975	7260	7985
Carrying Capacity	1712	1560	1715	1195	2765	2125
Hitch Weight	980	975		1170	1225	1310
Exterior Length*	26'3"	27′8″	27′2″	29′9″	31′3″	32′5″
Ext Height	11′7″	12′3″	11′11″	11′11″	11′10″	12′5″
Fresh Water	50	50	50	50	50	50
Waste Water	34	34	30	34	34	34
Grey Water	34	64	64	34	64	64
LPG Capacity	60	60	60	60	60	60

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. 01/13

Summerland Travel Trailer Specifications

Travel Trailer	1790QB	1890FL	2100RB	2560RL	2570RL	2600TB	2670BH	2800BH	2820BH	2890BH	3030BH
Shipping Weight	3928	4059	5247	4657	5628	4712	5820	6320	6455	6328	7310
Carrying Capacity	2138	2351	2273	2958	1977	2833	1825	2080	3040	3187	2345
Hitch Weight	490	410	520	615	605	545	645	730	695	715	855
Exterior Length*	20′ 10″	23′7″	25′11″	27′11″	28'8"	28' 10"	28′11″	31′9″	32′1″	32'7"	34′11″
Ext Height	10'6"	10′6″	10′6″	10′ 6″	10'6"	10′ 6″	10′11″	10′11″	11′3″	10′11″	10'11"
Fresh Water	50	50	50	50	50	50	50	50	45	50	50
Waste Water	30	34	34	34	34	34	30	34	34	30	30
Grey Water	30	30	64	34	30	30	34	64	64	34	34
LPG Capacity	40	40	40	40	40	40	40	40	60	40	40







2600TB

Springolde | Travel Trailer Floorplans



292RLGL

297BHSSR

ACOUNT Begins Here.



Springdale Travel Trailer Specifications

Travel Trailer 266RLSSR 267BHSSR 275FL 282BHSSR 292RLGL 293RKGL 294BHSSR Shipping Weight 6458 6420 7470 7000 7095 7095 7135 Carrying Capadity 1282 1295 2115 2515 2360 2570 2525 Hitch Weight 740 715 785 715 655 865 860 Exterior Length** 29'9" 33'4" 32'1" 33'1" 33'3" 33'5" Ext Height 11'3" 11'3" 10'11" 11'3" 11'4" 11'4" <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>								
Carrying Capacity 1282 1295 2115 2515 2360 2570 2525 Hitch Weight 740 715 785 715 655 865 860 Exterior Length* 29'6" 29'9" 33'4" 32'1" 33'1" 33'3" 33'5" Ext Height 11'3" 11'3" 10'11" 11'3" 11'3" 11'3" 11'3" Fresh Water 50 45 50 50 50 50 50 Waste Water 34 34 30 34 30 34 30 Grey Water 34 68 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 66 60 60 60 60 60 60 85 85 8215 8492 8492 8492 8492 8492 8492 8492 8492 8492 8492	Travel Trailer	266RLSSR	267BHSSR	275FL	282BHSSR	292RLGL	293RKGL	294BHSSR
Hitch Weight 740 715 785 715 655 865 860 Exterior Length* 29'6" 29'9" 33'4" 32'1" 33'1" 33'3" 33'5" Ext Height 11'3" 11'3" 10'11" 11'3" 11'3" 11'3" 11'3" Fresh Water 50 45 50 50 50 50 50 Waste Water 34 34 30 34 30 34 30 Grey Water 34 68 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 64 34 34 64 34 34 84 64 34 34 34 32 311REGL 312RLGL 312RLGL 312RLGL 312RLGL 312RLGL	Shipping Weight	6458	6420	7470	7000	7095	7095	7135
Exterior Length* 29'6" 29'9" 33'4" 32'1" 33'1" 33'3" 33'5" Ext Height 11'3" 11'3" 10'11" 11'3" 11'3" 11'3" 11'3" Fresh Water 50 45 50 50 50 50 50 Waste Water 34 34 30 34 30 34 30 Grey Water 34 68 34 64 34 64 34 LPG Capacity 60 60 60 60 40 60 60 Travel Trailer 295RBSSR 296BHSSR 297BHSSR 299FKGL 303BHSSR 311REGL 312RLGL Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025	Carrying Capacity	1282	1295	2115	2515	2360	2570	2525
Ext Height 11'3" 11'3" 10'11" 11'3" 30 34 30 31REGL 31REGL 31REGL 312RIGL 312RIGL 312RIGL 312RIGL 313REGL 313REGL 312RIGL 312RIGL 3133 311REGL 312RIGL 3133 312RIGL 3133 312RIGL	Hitch Weight	740	715	785	715	655	865	860
Fresh Water 50 45 50 50 50 50 50 Waste Water 34 34 30 34 30 34 30 Grey Water 34 68 34 64 34 64 34 LPG Capacity 60 60 60 60 40 60 60 Travel Trailer 295RBSSR 296BHSSR 297BHSSR 299FKGL 303BHSSR 311REGL 312RLGL Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" Fresh	Exterior Length*	29'6"	29′ 9″	33′4″	32′1″	33′1″	33′3″	33′5″
Waste Water 34 34 30 34 30 34 30 Grey Water 34 68 34 64 34 64 34 LPG Capacity 60 60 60 60 40 60 60 Travel Trailer 295RBSSR 296BHSSR 297BHSSR 299FKGL 303BHSSR 311REGL 312RLGL Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50	Ext Height	11′3″	11′3″	10′11″	11′3″	11′3″	11′3″	11′3″
Grey Water 34 68 34 64 34 64 34 34 34 34 164 34 34 164 34 34 164 34 34 164 34 34 164 34 34 164 34 34 164 34	Fresh Water	50	45	50	50	50	50	50
LPG Capacity 60 60 60 60 60 40 60 60 Travel Trailer 295RBSSR 296BHSSR 297BHSSR 299FKGL 303BHSSR 311REGL 312RLGL Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	Waste Water	34	34	30	34	30	34	30
Travel Trailer 295RBSSR 296BHSSR 297BHSSR 299FKGL 303BHSSR 311REGL 312RLGL Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	Grey Water	34	68	34	64	34	64	34
Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	LPG Capacity	60	60	60	60	40	60	60
Shipping Weight 7180 7090 7235 7555 8050 8215 8492 Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64								
Carrying Capacity 2365 2420 2315 2205 1635 1545 1333 Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4"	Travel Trailer	295RBSSR	296BHSSR	297BHSSR	299FKGL	303BHSSR	311REGL	312RLGL
Hitch Weight 745 710 750 960 885 960 1025 Exterior Length* 32'8" 33'10" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" 11'4" Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	Shipping Weight	7180	7090	7235	7555	8050	8215	8492
Exterior Length* 32'8" 33'10" 34'3" 35'8" 35'7" 36'6" Ext Height 11'3" 11'3" 11'4" 11'4" 11'4" 11'4" 11'4" 11'4" 50 <th< td=""><th>Carrying Capacity</th><td>2365</td><td>2420</td><td>2315</td><td>2205</td><td>1635</td><td>1545</td><td>1333</td></th<>	Carrying Capacity	2365	2420	2315	2205	1635	1545	1333
Ext Height 11'3" 11'3" 11'4"	Hitch Weight	745	710	750	960	885	960	1025
Fresh Water 50 45 50 44 50 50 50 Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	Exterior Length*	32'8"	33′ 10″	33′10″	34′3″	35'8"	35′7″	36′ 6″
Waste Water 30 30 34 34 30 34 34 Grey Water 64 34 34 64 34 68 64	Ext Height	11′3″	11′3″	11′3″	11′4″	11′ 4″	11′4″	11′4″
Grey Water 64 34 34 64 34 68 64	Fresh Water	50	45	50	44	50	50	50
	Waste Water	30	30	34	34	30	34	34
LPG Capacity 60 40 60 60 60 60 60	Grey Water	64	34	34	64	34	68	64
	LPG Capacity	60	40	60	60	60	60	60

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. 01/13

Standards & Options	oringdale	fth Whee	Summerlar
CONSTRUCTION	ν̈́,	正	์ ดั
2 - 30# LP Bottles w/auto change over (with cover TT)	•		
Manual Stabilizer Jacks (4)*	•		ਰ
Stabilizer Jacks (2)*		•	
Electric Front Landing Gear		•	
Fiberglass Exterior*		•	
Spread Axle (models w/Slides)	•	•	
E-Z Open Entry Step	•	•	•
Radial Tires	•	•	
13.5K Ducted A/C (all Springdale most Summerland models)	•	•	
Tub Surround	•	•	
2x3 Floor Construction 12" OC with 5/8ths Decking	•	•	•
16" on Center Side Walls	•	•	
16" on Center Raised Roof Truss System	•	•	
R-7 Insulation-Floor, Roof, Walls	•		•
Fully Enclosed Underbelly	•	ě	
Powder Coated I-Beam Frame	•		_
Diamond Plate*	•	=	ĭ
Tinted Safety Glass	•	•	•
ENTERTAINMENT			
2 Exterior Speakers*		-	
4 Interior Speakers*	H		님
2 Interior Speakers	_	=	_
AM/FM/CD/DVD MP3 Player*			=
AM/FM/CD/BUD MF3 Flayer		-	
Cable and Satellite Prep			H
26" LCD HD TV*	H	H	_
KITCHEN	_		Н
Wallpaper Border	H	8	片
High Impact Acrylic Sink	2	9	爿
Steel Ball Bearing Drawer Guides	Ц		
Residential Lighting in Slide	Ч	Ч	
Spice Rack below sink	9	9	•
22" Oven with 3 Burner Cooktop	•	•	
18" Oven with 3 Burner Cooktop		_	<u> </u>
6 cu. ft. 110V/LP Refrigerator		0	<u> </u>
Residential Microwave	•	•	•
Do More Dinette Table	•		
Plantation Blinds in Galley Area			
Vented Range Hood w/Light	•	•	•
Sink Cover*	•	•	
Stove Cover*		•	
Outside Shower*		•	
Fabric Pleated Night Shades through out			

ACIONIMO Begins Here.	Springdale	Fifth Wheels	Summerland
BED BATH & MORE			
Night Stand w/Drawer in Bedroom	•	•	
Night Stand			
Skylight Over Tub/Shower		•	
Forced Air DSI Furnace w/Thermostat (ducted most models)		•	•
6 Gal. Gas/Electric DSI Water Heater		•	
55 amp Converter		•	
Water Heater Bypass		•	
Manual Patio Awning			
Jack Knife Sofa Bed			
Porcelain Foot Flush Toilet		•	
SUMMERLAND			
Summer Package*			
Tub Surround			
6 Gal. Gas DSI Water Heater			•
2-30# LP Gas Bottles w/Cover	\top		
Outside Shower			
SPRINGDALE	\top	Г	
Advantage Package			
Electric Awning		•	П
Vaulted Ceiling			
Power Tongue Jack	•		П
Sofa with Air Mattress Hide-A-Bed	0	•	П
Aluminum Rims	0	•	Н
XL Entry Assist Handle	0		П
SAFETY			П
Fire Extinguisher			
Smoke Detector			ŏ
LP Detector	•		Ö
CO Detector	ě		ŏ
Safety Chains			
Emergency Brake-a-way switch			•
*Standard Build or Forced option Package			

Springdale Popular Options

15K BTU A/C Spare Tire

Connect with Keystone RV Company











Summerland

keystonerv.com/summerland

Your Local Dealer is:









