MOUNTAINERR ^{by} Montana

QUALITY, VALUE AND STYLE BY THE PEOPLE WHO KNOW RVING You know what you want in a fifth wheel. So why compromise? If customers and implementing their preferences for contemporary style have become legendary for those customers that want the amenities and premium construction, all at a friendly price in the M

1 -

-

362RLQ IN WALNUT DECOR

02

1334

375FLF IN SABLE DECOR

2 -----

Mountaineer's unique appeal results from listening closely to our residential styling and comfort. Mountaineer's quality, value and best while pursuing the RV lifestyle. Treat yourself to luxurious Mountaineer fifth wheel. .

ĥÎ

The 345DBQ (Above) and the 346LBQ (Below) are designed with spacious, well-planned bunk rooms that accommodate family and friends on long leisurely vacations. Flush floor slide-outs, ample storage and three High Definition televisions make life on the road a breeze. The optional air mattress hide-a-bed sofa with fold up bunk above is the most popular configuration in both bunk house floor plans.

346LBQ OUTDOOR KITCH

346LBQ IN WALNUT DECOR

04



Selul

337

The spacious 337RET features a rear entertainment center positioned for optimal viewing angles from every seat in the living area and kitchen while the corner desk with optional hi back desk chair is the perfect work station. The 337RET also offers an L-shaped kitchen workspace for ultimate convenience in storage, meal preparation and entertaining. Residential faucet with pull out sprayer, deep stainless steel sinks, Corian® countertops and deluxe appliances complete the perfect kitchen.

and the second second

337RET KITCHEI

The Mountaineer side aisle bathroom offers space and privacy with full access to the bedroom and living areas while the bathroom is in use. Residential 60" x 80" queen bed, washer/dryer prep and 19" High Definition television are standard while the 72" wide king bed is optional on every Mountaineer floor plan. The exquisite arched ceiling provides extra head room and the deep bedroom slide-out creates generous walk space at the foot of the bed.

RET BEDROOM

THROOM

1.1 [.]

Ant

FLOORPLANS



295RKD

The roomy garage accommodates your favorite toys or extra gear. After unloading, the dual Euro recliners and entertainment center turns the garage area into a cozy living area



SPECIFICATIONS

n Bed (Std

16' Awning

358RLT









MODEL 285RLD **290RLT** 295RKD **337RET** 345DBQ 346LBQ 357THT 358RLT 362RLQ 375FLF 10137 10780 12052 12127 11657 11335 11546 11916 SHIPPING WEIGHT 9678 10139 **CARRYING CAPACITY** 4507 3906 4008 3445 2228 2373 3993 2720 2509 3704 2185 2045 2145 2225 2280 2250 2700 2055 2055 2120 **HITCH WEIGHT EXTERIOR LENGTH*** 32'1" 32'1" 34' 2" 35' 6" 38' 10" 39'1" 39'1" 37' 7" 37' 7" 38' 4" **EXTERIOR HEIGHT** 12' 9" 12'9" 12' 9" 12'9" 13' 4" 13' 4" 13' 4" 12' 9" 12'9 12'9 **FRESH WATER** 64 64 64 64 64 64 64 64 64 64 WASTE WATER 50 50 50 50 93 93 50 50 50 50 **GRAY WATER** 93 93 93 93 93 93 93 93 93 93 LPG CAPACITY LB. 60 60 60 60 60 60 60 60 60 60 ST235/80R16E **TIRE SIZE** ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E ST235/80R16E

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. Add 6 inches for extended pin box. ** Add 6 inches for second A/C. 01/2013





19' Awning

345DBQ



346LB0

STANDARD FEATURES

- » Medallion hi-gloss sidewalls
- » Aluminum wheels with MOR/Ryde™ CRE 300 suspension
- » Aluminum wheels with MOR/Ryde™ LRE 4000 suspension (357 and 375 only)
- » Corian® kitchen countertop with flush mount sink covers
- » 30-inch Over-The-Range microwave with built-in range hood
- » Power vent fan in kitchen or living room
- »19-inch Bedroom HD TV
- » 32-inch Garage HD TV (357 only)
- »6-feet 6-inch tall main slide-outs
- » Welded, aluminum framed walls, floors and slide-outs

HICKORY EDITION PACKAGE

- » Max Turn Front Cap with Hitch Vision
- » Enormous drop frame pass thru storage compartment
- » Insulated slam latch pass thru storage compartment doors with gas struts
- » Electric rear stabilizer jacks
- » Adjustable electric patio awning
- » Wood slide-out fascia
- » Full extension drawer guides
- » Hickory cabinet doors and drawers
- » Corian® flush mount sink covers
- » 32-inch HD TV (285, 290, 295, 345, 346, 357, 362)
- »40-inch HD TV (337, 358, 375)
- »75 Amp converter
- » Exterior convenience center

MOVING TO MONTANA PACKAGE

- »5" Arched roof rafters
- » Washer/Dryer prep in every floor plan
- » Queen bed (60 by 80-inch mattress)
- » Fabric bedroom headboard
- » Two bedside windows in bedroom slide-out
- » Reading light over bed
- » Air mattress hide-a-bed sofa
- »12v FM/CD/DVD home entertainment system with living area surround sound, bedroom speakers and exterior speakers
- »HD Digital TV antenna with booster
- »RG-6 satellite prep
- » Deep tint safety glass windows
- »15,000 BTU air conditioner with quick cool
- » Wire and frame for 2nd air conditioner

- »50 Amp service with detachable cord
- »10 Gallon DSI gas/electric water heater
- »8 Cubic foot double door refrigerator
- »12 Cubic foot 4 door refrigerator (358 only)
- » High output range with automatic igniter
- »Range cover
- »22-inch Oven with broiler
- » Stainless steel kitchen sink with single lever pull out sprayer faucet
- »Cabinet toe kicks
- » Ceiling fan with light kit
- » Deluxe porcelain toilet
- » Sky dome over tub
- »Electric front jacks
- »Fold away entry handle
- »Rear roof ladder
- »Dual patio security lights
- »Black tank flush
- » Water heater bypass
- » Outside shower with quick connect hose
- » Dexter™ E-Z Lube axles with self adjusting brakes
- » Undermount spare tire and carrier

MOUNTAINEER OPTIONS

- » Painted front cap with metallic finish*
- » Glacier package with R-38 roof and R-21 floor insulation*
- »Dual pane windows
- »Slide awning package
- »12 Cubic foot four door refrigerator (290, 357, 362, 375)
- » Electric fireplace (290, 295, 337, 345, 357, 358, 362, 375)
- »2nd 13,500 BTU air conditioner
- »Generator ready (Onan 5.5 KW Specifications)
- »Onan Marquis Gold 5.5 KW LP generator
- »King bed
- » Free standing dinette with four chairs
- »Hi back desk chair
- » Air mattress hide-a-bed sofa in place of bottom bunk (346 only)
- » Two air mattress hide-a-bed sofas in place of bottom bunks (345 only)
- » Additional power vent fan in rear bathroom (345, 346, 375 only)*
- » Additional power vent fan in garage (357 only) *
- »1st Euro recliner (357 only)
- »2nd Euro recliner (357 only)
- »MOR/Ryde™ hitch pin (357 and 375 only)*

*Mandatory option

WALL CONSTRUCTION (R-10)

- 1 30" Wide x 78" Tall Entry Door with Window
- 2 Deep Tint Safety Glass Windows with UV Inhibitor
- ③ Adjustable Electric Patio Awning
- ④ Medallion Hi-Gloss Fiberglass Exterior Walls, Baggage Doors & Entry Doors
- 5 Dual 1/8" Luan Backers with Staggered Seams
- ⁽⁶⁾ High Density Block Foam Insulation
- 2" Welded Aluminum Wall Studs
- 8 Electro-Galvanized Sheet Metal Backing Strips
- Max Turn Fiberglass Front Cap with Improved Turning Radius, & Hitch Vision Mirror
- 10 Rear Ladder

ROOF CONSTRUCTION (R-38)

- (1) One-Piece EPDM Roof with 12-year Warranty
- Aluminum Radius Roof Corner Molding Wrap

CONNECT WITH KEYSTONE RV | 🚹 🎔 🛗 🛠

- (1) 3/8" Fully Walkable Roof Decking
- ¹⁴ Radiant Technology Insulation
- 15 Fiberglass Insulation
- 16 5" Arched Roof Rafters
- 1 Dometic 15,000 BTU A/C

FLOOR CONSTRUCTION (R-21)

- 18 Residential Carpet with Stain Protection
- (19) Residential Carpet Padding
- **20** Residential Linoleum
- 2) 5/8 Seamless Floor Decking
- 2 3" Welded Aluminum Floor Joists
- Enclosed & Insulated Water Lines Between Floor Joists
- 24 Large Capacity Heat Duct
- 25 Fiberglass Insulation
- 26 Astro-Foil Insulation Below Holding Tanks
- Fully Enclosed Underbelly with One Piece Fluted Polypropylene

TIRES & CHASSIS

- 28 10" Steel "Powder Coated" I-Beam Frame with Drop Frame Pass Through Storage
- Ø MOR/Ryde™ CRE 3000 Suspension 8-Lug Dexter E-Z Lube Axles with Nev-R-Adjust™ Brakes 16" E-Range Radial Tires



ULTIMATE TOWABILITY BY APPLYING "MAX TURN" TECHNOLOGY

E X^BP^UE^IR^IE^BN^YCE



LOW HITCH WEIGHTS

While other fifth wheels put tremendous strain on the tow vehicle with hitch weights exceeding 2500 lbs, most Mountaineer models offer hitch weights below 2300 lbs.



MOR/RYDE™ CRE 3000 SUSPENSION

The MOR/Ryde™ CRE 3000 Suspension increases dynamic axle travel by up to 3 inches! Increased travel means smoother towing, improved towability and better protection from damaging road shock.



16" E-RANGE RADIAL TIRES Every Mountaineer fifth wheel runs on aluminum 8-lug wheels and 16" E-Range radial tires.



DEGREE TESTED

FOUR

LIVING:

ZERO DEGREE

TESTED AND

UNSURPASSED

HOT WEATHER

COMFORT

MAX TURN TECHNOLOGY FRONT CAP

The Max Turn Technology molded fiberglass front cap features a dramatic, aviation style curved shape to dramatically reduce the drag coefficient for maximum fuel economy.



DEXTER

DEXTER NEV-R-ADJUST™ BRAKES

The Dexter Nev-R-Adjust[™] brakes adjust automatically in the forward moving direction, eliminating the need for manual adjustments while maintaining optimum performance and braking power.

MAX TURN TECHNOLOGY FRONT CAP TURNING RADIUS

Max Turn technology features an integrated frame and front cap design to allow for an industry best short bed truck to fifth wheel angle. Because the front rail of the Mountaineer frame is curved to provide more radius, making a 90 degree turn no problem with short bed trucks.



» Radiant technology insulation combined with a layer of fiberglass insulation provide the equivalent of R-38 roof insulation. Unlike conventional fifth wheel roofs that taper down to 2" thick at the sidewall, Mountaineer's arched roof provides consistent 5" thick roof insulation across the entire span from sidewall to sidewall.

» The Mountaineer sidewalls are laminated with R-10 solid block foam insulation.

» The floor is insulated with a layer of heat reflective Astro-Foil plus a layer of fiberglass insulation equaling an R-21 value. Most importantly, the water lines are installed between the floor joists, near the heat duct and above all of the insulation and the heated underbelly.

- » The holding tanks and dump valves are completely enclosed, insulated and heated.
- » The low point drains are enclosed in the heated exterior convenience center.

» Every Mountaineer is wired and framed for a second air conditioner. The optional second air conditioner (13,500 BTU) can be installed at the factory or dealership.

MOUNTAINEER www.keystonerv.com/mountaineer

Visit the Montana Owner's Club web site Independently created and maintained by Montana fifth wheel owners. WWW.MONTANAOWNERS.COM

