



 **STINGRAY**
we make the boat, you make the memories





CSI

The National Marine Manufacturers Association (NMMA) and member companies have developed the Marine Industry Customer Satisfaction Index (CSI) program to support the industry's goal of raising the bar on customer satisfaction.

CSI is an "added value" that you can not put a price tag on! It not only measures the quality of the boat, engine and the dealer, but the quality of the buying experience as well. And, it's not over when you submit the first survey—approximately six months later, when you have had time to put a few hours on your boat, you are able to measure all of us again!

Thanks to you, our products are continually evaluated and our processes enhanced to give you the highest level of customer satisfaction possible!

CE CERTIFICATION

Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe, into Asia and Australia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.



NMMA / USCG CERTIFICATION

All Stingray boats meet or exceed National Marine Manufacturer Association (NMMA) and US Coast Guard (USCG) certification requirements for safety, such as horsepower, load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.



Z-PLANE HULL

The Stingray Z-plane hull is unparalleled in the industry. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.



- 2 CSI / Certifications / Z-Plane Hull
- 3 About Stingray
- 4-21 Bowrider Models
 - 4-5 185LS/LX Bowrider
 - 6-7 195FX Fish & Ski
 - 8-9 195LS/LX Bowrider
 - 10-11 195RX Bowrider
 - 12-13 208LR Sport Deck
 - 14-15 215LR Sport Deck
 - 16-17 225LR Bowrider
 - 18-19 235LR Sport Deck
 - 20-21 250LR Bowrider
- 22-35 Cuddy / Cruiser Models
 - 22-23 195CS/CX Cuddy
 - 24-25 208CR Sport Deck Cuddy
 - 26-27 215CR Sport Deck Cuddy
 - 28-29 225CR Cuddy
 - 30-31 235CR Sport Deck Cuddy
 - 32-33 250CR Cuddy
 - 34-35 250CS Cruiser
- 36-37 Sportboat Model
 - 36-37 225SX Sportboat
- 38-41 Outboard Models
 - 38-39 204LR Outboard
 - 40-41 214LR Outboard
- 42-45 Standards & Options
- 46 Model Specifications
- 47 Hull Graphics / Gelcoat Colors
- 48 Canvas
- 49-51 Performance Comparisons

ABOUT STINGRAY

Based in Hartsville, South Carolina, Stingray occupies over 225,000 square feet of manufacturing facilities and is situated on 46 acres.

INDEPENDENTLY OWNED

Stingray is a privately held, family-owned business, representing one of the longest continual ownerships in the marine industry today! Stingray has been building quality runabouts since 1979 based on some very basic principles: innovation, craftsmanship, and integrity. Because of our "independent" status, Stingray can react to changing market conditions in a much shorter cycle time than the larger corporate entities. This often leads to early recognition of shifts in consumer trends or demographics and thus designing products to meet those needs in a more proactive way.



TECHNOLOGY DRIVEN

For the past three decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.



FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!

VALUE AND QUALITY ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAbots.com), Stingray is in excellent company with Chaparral, Cobalt, Correct Craft, Ebbtide, Formula, Godfrey, Grady-White, Monterey, Pursuit, Regal, Rinker, and S2 Yachts. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.



ENVIRONMENTALLY RESPONSIBLE

Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee.





185L BOWRIDER

Our 185L models are a step up from the typical entry-level boat, featuring a sporty steering wheel, stainless steel bow rails, a pop-up bow cleat, springline cleats, backlit instruments, an aluminum dash panel with a low-profile shroud, and an acrylic bimini top. Compare before you buy...we think you will be pleased.



❖ optional stereo upgrade



KEY FEATURES

- ❑ 32 qt. cooler / storage box with drain
- ❑ marine audio system
- ❑ floor storage with oversize door
- ❑ acrylic bimini top with boot
- ❑ stainless steel bow rails
- ❑ premium 36 oz. stain resistant vinyl
- ❑ three-way adjustable helm seats
- ❑ three-step stainless steel boarding ladder
- ❑ stainless steel cleats, braces, and hardware
- ❑ safety glass windshield with side shields
- ❑ extended swim platform ❖
- ❑ fiberglass cockpit floor liner ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/185L

LENGTH	18 ft, 5 in 5.6 m	MAX CAPACITY	7 ppl, 1070 lbs 485 kg
BEAM	85 in 216 cm	BOW DEPTH (bow to cushion)	14 in 36 cm
BRIDGE CLEARANCE	41 in 104 cm	COCKPIT DEPTH (at helm)	28 in 71 cm
AVG DRY WEIGHT (w/ 3.0L)	2219 lbs	MAX DRAFT (drive down)	29 in 74 cm
FUEL CAPACITY *	21 gal 79 L	DEADRISE ANGLE	19 degrees
ICE CAPACITY	32 qt 30 L	MAX HORSEPOWER	135

* reference page 46

185LS



185LX



18' 5" | 5.6 m

❖ denotes optional feature



195FX FISH & SKI

Enjoy fishing and skiing? The 195FX can be converted quickly from one to the other. In fishing mode, seats are positioned for easy casting. Setup is easy; remove the cushions, retrieve and insert the seats, and you are ready to fish. With such versatility, you can fish in the morning and ski in the afternoon!



Trolling motor shown is an after-market item; the mounting surface will accept an array of aftermarket trolling motors and quick mounts.



KEY FEATURES

- ❑ 32 qt. cooler / storage box with drain
- ❑ marine audio system
- ❑ floor storage with oversize door
- ❑ acrylic bimini top with boot
- ❑ premium 36 oz. stain resistant vinyl
- ❑ bow filler cushion and tackle storage box
- ❑ aerated livewell
- ❑ trolling motor panel with dual battery box
- ❑ twin casting platform with pedestal seating
- ❑ three-way adjustable helm seats
- ❑ three-step stainless steel boarding ladder
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ extended swim platform ❖
- ❑ fiberglass cockpit floor liner ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/195FX

LENGTH	19 ft, 6 in 5.9 m	MAX CAPACITY	8 ppl, 1470 lbs 666 kg
BEAM	91 in 231 cm	BOW DEPTH (bow to cushion)	15 in 38 cm
BRIDGE CLEARANCE	49 in 124 cm	COCKPIT DEPTH (at helm)	29 in 74 cm
AVG DRY WEIGHT (w/ 4.3L)	2672 lbs	MAX DRAFT (drive down)	31 in 79 cm
FUEL CAPACITY *	35 gal 133 L	DEADRISE ANGLE	19 degrees
ICE CAPACITY	32 qt 30 L	MAX HORSEPOWER	225

* reference page 46

195FX - SKI



195FX - FISH



19' 6" | 5.9 m

❖ denotes optional feature



STINGRAY

STINGRAY

195L BOWRIDER

Looking to move up to a 19' bowrider? If so, take a look at our 195LS and 195LX models, which include lots of amenities as standard features. They are fast, too! The 195L reaches 60 mph with only a V-6 for power. That means both speed and fuel economy in the same boat!

LENGTH	19 ft, 6 in 5.9 m	MAX CAPACITY	8 ppl, 1470 lbs 666 kg
BEAM	91 in 231 cm	BOW DEPTH (bow to cushion)	15 in 38 cm
BRIDGE CLEARANCE	47 in 119 cm	COCKPIT DEPTH (at helm)	29 in 74 cm
AVG DRY WEIGHT (w/ 4.3L)	2604 lbs	MAX DRAFT (drive down)	31 in 79 cm
FUEL CAPACITY *	35 gal 133 L	DEADRISE ANGLE	19 degrees
ICE CAPACITY	32 qt 30 L	MAX HORSEPOWER	225

* reference page 46



❖ optional stereo upgrade



KEY FEATURES

- ❑ 32 qt. cooler / storage box with drain
- ❑ stainless steel bow rails
- ❑ marine audio system
- ❑ floor storage with oversize door
- ❑ acrylic bimini top with boot
- ❑ premium 36 oz. stain resistant vinyl
- ❑ three-way adjustable helm seats
- ❑ three-step stainless steel boarding ladder
- ❑ safety glass windshield with side shields
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ extended swim platform ❖
- ❑ fiberglass cockpit floor liner ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/195L

195LS



195LX



19' 6" | 5.9 m

❖ denotes optional feature



195RX BOWRIDER

The 195RX, our entry-level 19-footer, is priced to sell. It is for those who want the highest quality, most fuel efficient, and best performing boat in its class... at the best price. It still has more amenities than the competitions' models of similar size. Compare before you buy, and you will be happy that you did!

LENGTH	19 ft, 6 in 5.9 m
BEAM	91 in 231 cm
BRIDGE CLEARANCE	47 in 119 cm
AVG DRY WEIGHT	2290 lbs
FUEL CAPACITY *	21 gal 79 L
ICE CAPACITY	14 qt 13 L

* reference page 46

MAX CAPACITY	8 ppl, 1470 lbs 666 kg
BOW DEPTH (bow to cushion)	15 in 38 cm
COCKPIT DEPTH (at helm)	29 in 74 cm
MAX DRAFT (drive down)	31 in 79 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	135



19' 6" | 5.9 m

KEY FEATURES

- ☐ bow storage
- ☐ stainless steel cleats
- ☐ floor storage with oversize door
- ☐ indirect LED interior lighting
- ☐ all weather marine carpet
- ☐ marine audio system
- ☐ premium 36 oz. stain resistant vinyl
- ☐ cooler / storage box with drain
- ☐ high output bilge blower
- ☐ three-way adjustable helm seats
- ☐ backlit instruments with circuit breakers
- ☐ ss multi-step boarding ladder
- ☐ power trim and tilt with indicator
- ☐ power steering (engine driven)
- ☐ cockpit and bow cover ❖
- ☐ ss sport trim tabs ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/195RX

❖ denotes optional feature



208LR SPORT DECK

Our entry-level sport deck bowrider offers eight inches of extra cockpit width over the standard-width model it replaced; this translates to extra room inside for your passengers, without adding extra length to trailer. The 208LR is a perfectly sized bowrider for a weekend on the water with family and friends!

LENGTH	20 ft, 8 in 6.3 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	49 in 124 cm
AVG DRY WEIGHT (w/ 4.3L)	2825 lbs
FUEL CAPACITY *	35 gal 132 L
WATER CAPACITY ❖	6 gal 23 L
ICE CAPACITY	32+14 qt 30+13 L

* reference page 46

MAX CAPACITY	9 ppl, 1715 lbs 778 kg
BOW DEPTH (bow to cushion)	16 in 41 cm
COCKPIT DEPTH (at helm)	32 in 81 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	225



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep bow and cockpit
- ❑ oversized cup holders
- ❑ floor storage with oversize door
- ❑ indirect LED interior lighting
- ❑ fiberglass cockpit floor liner
- ❑ 32 qt. and 14 qt. coolers / storage boxes with drain
- ❑ premium 36 oz. stain resistant vinyl
- ❑ marine high power audio system
- ❑ auto / manual 1100 gph bilge pump
- ❑ stand-up bimini top with boot
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ stainless steel bow and stern ladders
- ❑ cockpit table for entertaining ❖
- ❑ LCD bow and transom stereo remotes ❖
- ❑ bow and aft filler cushions ❖
- ❑ pressurized bow and transom showers ❖
- ❑ custom wakeboard tower ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/208LR

❖ denotes optional feature



215LR SPORT DECK

Like our other sport deck models, the 215LR's wide body offers more cockpit space than traditional boats of the same length. With a truly functional head, it's convenient to spend the day, or night, out on the water. The features on this boat are abundant. Stop by a local dealership and have a look for yourself.

LENGTH	21 ft, 11 in 6.7 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	3705 lbs
FUEL CAPACITY *	47 gal 178 L
WATER CAPACITY	13 gal 49 L
ICE CAPACITY	25+17 qt 24+16 L

* reference page 46

MAX CAPACITY	11 ppl, 2167 lbs 983 kg
BOW DEPTH (bow to cushion)	17 in 43 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	270



❖ optional filler cushion



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep bow and cockpit
- ❑ floor storage with oversize door
- ❑ cockpit table for entertaining
- ❑ indirect LED interior lighting
- ❑ self-bailing fiberglass floor liner
- ❑ premium 36 oz. stain resistant vinyl
- ❑ enclosed head with vent window and lighting
- ❑ freshwater sink and refreshment area
- ❑ porta potti and self-contained holding tank
- ❑ stand-up bimini top with boot
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ stainless steel bow and stern ladders
- ❑ pressurized bow and transom showers
- ❑ auto / manual 1100 gph bilge pump
- ❑ LCD bow and transom stereo remotes ❖
- ❑ bow and aft filler cushions ❖
- ❑ custom wakeboard tower ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/215LR

❖ denotes optional feature





225LR BOWRIDER

The 225LR offers sportboat performance and styling with the roominess of a deck boat. A large, integrated swim platform and removable cushions lend way to a convenient step-thru entryway that makes this boat perfect for your favorite watersports activities.

LENGTH	22 ft, 11 in 7.0 m
BEAM	100 in 254 cm
BRIDGE CLEARANCE	52 in 132 cm
AVG DRY WEIGHT (w/ 5.0L)	3364 lbs
FUEL CAPACITY *	57 gal 216 L
WATER CAPACITY ❖	6 gal 23 L
ICE CAPACITY	32+25 qt 30+24 L

* reference page 46

MAX CAPACITY	10 ppl, 2080 lbs 943 kg
BOW DEPTH (bow to cushion)	20 in 51 cm
COCKPIT DEPTH (at helm)	33 in 84 cm
MAX DRAFT (drive down)	33 in 84 cm
DEADRISE ANGLE	20 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ❑ wrap-around seating, step-thru entryway
- ❑ indirect LED interior lighting
- ❑ auto / manual 1100 gph bilge pump
- ❑ floor storage with oversize door
- ❑ 32 qt. cooler / storage box with drain
- ❑ removable 25 qt. cooler
- ❑ premium 36 oz. stain resistant vinyl
- ❑ fiberglass cockpit floor liner
- ❑ marine high power audio system
- ❑ table and pedestal (for bow or cockpit)
- ❑ transom mounted trim and tilt switch
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ oversized cup holders
- ❑ stand-up bimini top with boot
- ❑ LCD transom stereo remote ❖
- ❑ full canvas set ❖
- ❑ snap-in carpet ❖
- ❑ custom wakeboard tower ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/225LR

❖ denotes optional feature



235LR SPORT DECK

The wide, sport deck design creates plenty of interior space, lending way to a convenient side-entry walkway, a large sundeck, and a head compartment large enough to double as a changing room. A standard full fiberglass liner with overboard drains makes for easy cleanup at the end of the day.

LENGTH	23 ft, 11 in 7.3 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	4105 lbs
FUEL CAPACITY *	57 gal 216 L
WATER CAPACITY	13 gal 49 L
ICE CAPACITY	25+32 qt 24+30 L

* reference page 46

MAX CAPACITY	12 ppl, 2535 lbs 1150 kg
BOW DEPTH (bow to cushion)	17 in 43 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep bow and cockpit
- ❑ floor storage with oversize door
- ❑ cockpit table for entertaining
- ❑ indirect LED interior lighting
- ❑ self-bailing fiberglass floor liner
- ❑ premium 36 oz. stain resistant vinyl
- ❑ enclosed head with vent window and lighting
- ❑ freshwater sink and refreshment area
- ❑ porta potti and self-contained holding tank
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ stainless steel bow and stern ladders
- ❑ stand-up bimini top with boot
- ❑ pressurized bow and transom showers
- ❑ auto / manual 1100 gph bilge pump
- ❑ LCD bow and transom stereo remotes ❖
- ❑ bow and aft filler cushions ❖
- ❑ custom wakeboard tower ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/235LR

❖ denotes optional feature





STINGRAY

250LR BOWRIDER

Sleek styling and lots of room for entertaining your friends—just what you would expect from a big bowrider. What might surprise you is that the 250LR reaches speeds in the mid-fifties with 320 horsepower.

LENGTH	25 ft 7.6 m
BEAM	102 in 259 cm
BRIDGE CLEARANCE	65 in 165 cm
AVG DRY WEIGHT (w/ 5.0L)	4340 lbs
FUEL CAPACITY *	68 gal 257 L
WATER CAPACITY	17 gal 64 L
ICE CAPACITY	32+32+25 qt 30+30+24 L

* reference page 46

MAX CAPACITY	10 ppl, 2265 lbs 1027 kg
BOW DEPTH (bow to cushion)	17 in 43 cm
COCKPIT DEPTH (at helm)	36 in 91 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	21 degrees
MAX HORSEPOWER	320



❖ optional filler cushions



KEY FEATURES

- ❑ wrap-around seating
- ❑ deep bow and cockpit
- ❑ bow anchor storage
- ❑ 32 qt. cooler / storage box with drain
- ❑ removable 25 qt. cooler
- ❑ self-bailing fiberglass floor liner
- ❑ refreshment center with freshwater sink
- ❑ premium 36 oz. stain resistant vinyl
- ❑ table and pedestal (for bow or cockpit)
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ enclosed head with window and lighting
- ❑ porta-potti with self-contained holding tank
- ❑ pressurized water with transom shower
- ❑ stand-up bimini top with boot
- ❑ aft walk-thru and sunpad filler cushions
- ❑ marine high power audio system
- ❑ auto / manual 1100 gph bilge pump
- ❑ bow filler cushions ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/250LR

❖ denotes optional feature





195c CUDDY CABIN

Looking for an entry-level cuddy? The 195C is perfect for the young family that is just getting started in boating. An oversized entryway makes cabin access easy, and the cabin includes a molded fiberglass liner, porta potti, V-berth with lots of storage, and a screened aluminum deck hatch. It's great for overnighting!



KEY FEATURES

- ❑ 46 qt. cooler / storage box with drain
- ❑ marine audio system
- ❑ floor storage and cooler compartments
- ❑ convertible sun top with boot
- ❑ molded fiberglass cabin liner
- ❑ three-way adjustable helm seats
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ three-step stainless steel boarding ladder
- ❑ premium 36 oz. stain resistant vinyl
- ❑ extended swim platform ❖
- ❑ snap-in carpeting ❖
- ❑ full canvas set ❖

LENGTH	19 ft, 6 in 5.9 m	MAX CAPACITY	8 ppl, 1470 lbs 666 kg
BEAM	91 in 231 cm	BOW DEPTH (bow to cushion)	25 in 64 cm
BRIDGE CLEARANCE	52 in 132 cm	COCKPIT DEPTH (at helm)	34 in 86 cm
AVG DRY WEIGHT (w/ 4.3L)	2734 lbs	MAX DRAFT (drive down)	31 in 79 cm
FUEL CAPACITY *	35 gal 133 L	DEADRISE ANGLE	19 degrees
ICE CAPACITY	46 qt 44 L	MAX HORSEPOWER	225

* reference page 46

195CS



195CX



19' 6" | 5.9 m

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/195C

❖ denotes optional feature



208_{CR} SPORT DECK

This may be our entry-level sport deck cuddy, but there is nothing small about this boat. Its extra wide stance makes room for a 15" side entryway to provide quick and easy boarding, while giving up little sundeck area. The wide body design continues in the cabin, where two adults can easily stretch out for a nap.

LENGTH	20 ft, 8 in 6.3 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	51 in 130 cm
AVG DRY WEIGHT (w/ 4.3L)	2925 lbs
FUEL CAPACITY *	35 gal 132 L
WATER CAPACITY ♦	6 gal 23 L
ICE CAPACITY	32 qt 30 L

* reference page 46

MAX CAPACITY	9 ppl, 1715 lbs 778 kg
BOW DEPTH (bow to cushion)	27 in 69 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	225



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep cockpit
- ❑ oversized cup holders
- ❑ fiberglass cockpit floor liner
- ❑ premium 36 oz. stain resistant vinyl
- ❑ 32 qt. cooler / storage box with drain
- ❑ marine high power audio system
- ❑ auto / manual 1100 gph bilge pump
- ❑ porta potti with self-contained holding tank
- ❑ stand-up bimini top with boot
- ❑ stainless steel bow and stern ladders
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ full canvas set ♦
- ❑ cockpit table for entertaining ♦
- ❑ LCD bow and transom stereo remotes ♦
- ❑ aft walk-thru filler cushions ♦
- ❑ pressurized bow and transom showers ♦
- ❑ porta potti with dockside pumpout ♦

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/208CR

♦ denotes optional feature



215CR SPORT DECK

Want all of the features of a bigger boat without actually having a bigger boat? Look no further. The 215CR packs in ALL of the same features of our 235CR, with two feet less to trailer. Our designers did an impressive job of conserving space in just the right non-essential areas to bring you this right-sized cuddy.

LENGTH	21 ft, 11 in 6.7 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	3775 lbs
FUEL CAPACITY *	47 gal 178 L
WATER CAPACITY	13 gal 49 L
ICE CAPACITY	25 qt 24 L

* reference page 46

MAX CAPACITY	11 ppl, 2167 lbs 983 kg
BOW DEPTH (bow to cushion)	29 in 74 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	270



KEY FEATURES

- ☐ 15" side-entry walkway
- ☐ deep cockpit area
- ☐ oversized cup holders
- ☐ self-bailing fiberglass floor liner
- ☐ premium 36 oz. stain resistant vinyl
- ☐ marine high power audio system
- ☐ auto / manual 1100 gph bilge pump
- ☐ stand-up bimini top with boot
- ☐ cockpit table for entertaining
- ☐ porta potti with self-contained holding tank
- ☐ stainless steel bow and stern ladders
- ☐ stainless steel pull-up cleats, braces, hardware
- ☐ pressurized transom shower
- ☐ full canvas set ❖
- ☐ LCD bow and transom stereo remotes ❖
- ☐ aft walk-thru filler cushions ❖
- ☐ pressurized bow shower ❖
- ☐ porta potti with dockside pumpout ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/215CR

❖ denotes optional feature



225CR CUDDY CABIN

As a deep boat with ample freeboard for "big" water, the 225CR offers safety and performance. Its spacious cockpit and cabin make for comfortable over-nighting. A recessed cabin step leads to the spacious V-berth and amenities, and the bi-fold doors with smoke inserts and keyed entry lock provide privacy.

LENGTH	22 ft, 11 in 7.0 m
BEAM	100 in 254 cm
BRIDGE CLEARANCE	55 in 140 cm
AVG DRY WEIGHT (w/ 5.0L)	3539 lbs
FUEL CAPACITY *	57 gal 216 L
WATER CAPACITY	6 gal 23 L
ICE CAPACITY	25 qt 24 L

* reference page 46

MAX CAPACITY	10 ppl, 2080 lbs 943 kg
BOW DEPTH (bow to cushion)	28 in 71 cm
COCKPIT DEPTH (at helm)	36 in 91 cm
MAX DRAFT (drive down)	33 in 84 cm
DEADRISE ANGLE	20 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ❑ deep cockpit area
- ❑ oversized cup holders
- ❑ indirect LED cockpit lighting
- ❑ fiberglass cockpit floor liner
- ❑ marine high power audio system
- ❑ removable 25 qt. cooler
- ❑ premium 36 oz. stain resistant vinyl
- ❑ auto / manual 1100 gph bilge pump
- ❑ stand-up bimini top with boot
- ❑ porta potti with self-contained holding tank
- ❑ three-step stainless steel boarding ladder
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ cockpit table for entertaining
- ❑ cabin and aft filler cushions
- ❑ butane stove with SS case and auto light
- ❑ full canvas set ❖
- ❑ pressurized transom shower ❖
- ❑ porta potti with dockside pumpout ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/225CR

❖ denotes optional feature





235CR SPORT DECK

The wide-body design means extra roomy cuddy cabins. Combine this with our convenient side-entry transom walkway, and you have a setup that your family and friends can enjoy for the whole day...or for the entire weekend.

ADDED BONUS: it's affordable and trailerable.

LENGTH	23 ft, 11 in 7.3 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	4175 lbs
FUEL CAPACITY *	57 gal 216 L
WATER CAPACITY	13 gal 49 L
ICE CAPACITY	25 qt 24 L

* reference page 46

MAX CAPACITY	12 ppl, 2535 lbs 1150 kg
BOW DEPTH (bow to cushion)	29 in 74 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep cockpit area
- ❑ oversized cup holders
- ❑ self-bailing fiberglass floor liner
- ❑ marine high power audio system
- ❑ premium 36 oz. stain resistant vinyl
- ❑ auto / manual 1100 gph bilge pump
- ❑ stand-up bimini top with boot
- ❑ cockpit table for entertaining
- ❑ porta potti with self-contained holding tank
- ❑ stainless steel bow and stern ladders
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ pressurized transom shower
- ❑ full canvas set ❖
- ❑ LCD bow and transom stereo remotes ❖
- ❑ aft walk-thru filler cushions ❖
- ❑ pressurized bow shower ❖
- ❑ porta potti with dockside pumpout ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/235CR

❖ denotes optional feature



250_{CR} CUDDY CABIN

Looking for a trailerable cruiser for overnighting with your friends and family? The 250CR offers a spacious V-berth, a built-in storage cabinet, and a porta-potti with pumpout. A keyed, smoked entry door provides privacy. The cockpit area features both the space and amenities for entertaining your passengers.

LENGTH	25 ft 7.6 m
BEAM	102 in 259 cm
BRIDGE CLEARANCE	65 in 165 cm
AVG DRY WEIGHT (w/ 5.0L)	4293 lbs
FUEL CAPACITY *	68 gal 257 L
WATER CAPACITY	17 gal 64 L
ICE CAPACITY	32+25 qt 30+24 L

* reference page 46

MAX CAPACITY	10 ppl, 2265 lbs 1027 kg
BOW DEPTH (bow to cushion)	32 in 81 cm
COCKPIT DEPTH (at helm)	36 in 91 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	21 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ☐ deep cockpit area
- ☐ oversized cup holders
- ☐ indirect LED cockpit lighting
- ☐ self-bailing fiberglass floor liner
- ☐ marine high power audio system
- ☐ freshwater sink
- ☐ premium 36 oz. stain resistant vinyl
- ☐ auto / manual 1100 gph bilge pump
- ☐ stand-up bimini top with boot
- ☐ porta potti with tank and dockside pumpout
- ☐ three-step stainless steel boarding ladder
- ☐ stainless steel pull-up cleats, braces, hardware
- ☐ cockpit table for entertaining
- ☐ pressurized transom shower
- ☐ full canvas set ❖
- ☐ cockpit filler cushions ❖
- ☐ 12-volt windlass harness ❖
- ☐ dual battery system ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/250CR

❖ denotes optional feature



250_{CS} CABIN CRUISER

The dual-cabin 250CS cruiser offers sleeping accommodations for four with two berths—one in the forward bow and another midships—making it ideal for overnight excursions. Lots of space, numerous standard features, many options to choose from, and the 250CS is still easily trailerable to endless destinations.

LENGTH	25 ft 7.6 m
BEAM	102 in 259 cm
BRIDGE CLEARANCE	77 in 196 cm
AVG DRY WEIGHT (w/ 5.0L)	4971 lbs
FUEL CAPACITY *	68 gal 257 L
WATER CAPACITY	25 gal 95 L
ICE CAPACITY	32+25 qt 30+24 L

* reference page 46

MAX CAPACITY	10 ppl, 2265 lbs 1027 kg
BOW DEPTH (bow to cushion)	40 in 102 cm
COCKPIT DEPTH (at helm)	35 in 89 cm
MAX DRAFT (drive down)	35 in 89 cm
DEADRISE ANGLE	21 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ❑ SS stern, bow, and spring line cleats
- ❑ self-bailing fiberglass floor liner
- ❑ freshwater sink
- ❑ built-in stove, refrigerator, and microwave
- ❑ indirect LED cockpit lighting
- ❑ enclosed head with shower
- ❑ marine high power audio system
- ❑ premium 36 oz. stain resistant vinyl
- ❑ auto / manual 1100 gph bilge pump
- ❑ stand-up bimini top with boot
- ❑ cockpit table for entertaining
- ❑ pressurized transom shower
- ❑ porta potti with tank and dockside pumpout
- ❑ three-step stainless steel boarding ladder
- ❑ full canvas set ❖
- ❑ dual battery system ❖
- ❑ remote control windlass ❖
- ❑ 110v or 120v hot water, HVAC, alc./elec. stove ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/250CS

❖ denotes optional feature



225sx SPORTBOAT

When you put the throttle down, the 225SX pops on plane in seconds. Trimmed out at full throttle, only the last few feet of hull make contact with the water as it releases to reach max speed. The hull design ensures that it handles turns with agility. Simply put, this baby corners like it's on rails!

LENGTH	22 ft, 11 in 7.0 m
BEAM	100 in 254 cm
BRIDGE CLEARANCE	45 in 114 cm
AVG DRY WEIGHT (w/ 5.0L)	3225 lbs
FUEL CAPACITY *	57 gal 216 L
ICE CAPACITY	32+25 qt 30+24 L

* reference page 46

MAX CAPACITY	10 ppl, 2080 lbs 943 kg
BOW DEPTH (bow to cushion)	32 in 81 cm
COCKPIT DEPTH (at helm)	32 in 81 cm
MAX DRAFT (drive down)	33 in 84 cm
DEADRISE ANGLE	20 degrees
MAX HORSEPOWER	320



KEY FEATURES

- ☐ marine high power audio system
- ☐ indirect LED cockpit lighting
- ☐ fiberglass cockpit floor liner
- ☐ premium 36 oz. stain resistant vinyl
- ☐ auto / manual 1100 gph bilge pump
- ☐ aft walk-thru filler cushion
- ☐ custom SS (Italian) steering wheel
- ☐ aluminum deck hatch with screen
- ☐ twin sport bucket with bolster
- ☐ magnetic compass
- ☐ porta potti with self-contained holding tank
- ☐ stainless steel pull-up cleats and braces
- ☐ trim tabs with LED indicator ❖
- ☐ stainless steel hardware package ❖
- ☐ snap-in carpet ❖
- ☐ transom mounted trim and tilt switch ❖
- ☐ LCD transom stereo remote ❖
- ☐ solid deck and hull color ❖

❖ denotes optional feature

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/225SX



204LR OUTBOARD

The 204LR is an outboard version of the 208LR entry level sport deck bowrider. It retains the same 15" side entryway for quick and easy boarding. Underneath the sundeck is a large storage area. Aft of the sundeck are two double-tiered swim perches for easy boarding from the water or hanging out on the transom.

LENGTH	20 ft, 5 in 6.2 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	49 in 124 cm
AVG DRY WEIGHT (115 hp)	2490 lbs
FUEL CAPACITY *	35 gal 132 L
WATER CAPACITY ❖	6 gal 23 L
ICE CAPACITY	32+14 qt 30+13 L

* reference page 46

MAX CAPACITY	9 ppl, 1715 lbs 778 kg
BOW DEPTH (bow to cushion)	16 in 41 cm
COCKPIT DEPTH (at helm)	32 in 81 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	150



❖ optional wakeboard tower (board racks not included)



❖ optional stainless steel ski tow



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep bow and cockpit
- ❑ oversized cup holders
- ❑ floor storage with oversize door
- ❑ indirect LED interior lighting
- ❑ fiberglass cockpit floor liner
- ❑ 32 qt. and 14 qt. coolers / storage boxes with drain
- ❑ premium 36 oz. stain resistant vinyl
- ❑ marine high power audio system
- ❑ auto / manual 1100 gph bilge pump
- ❑ stand-up bimini top with boot
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ cockpit table for entertaining ❖
- ❑ LCD bow and transom stereo remotes ❖
- ❑ bow and aft filler cushions ❖
- ❑ pressurized bow and transom showers ❖
- ❑ custom wakeboard tower ❖
- ❑ custom stainless steel ski tow ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/204LR

❖ denotes optional feature



214LR OUTBOARD

The 214LR is the outboard version of our popular 215LR sport deck model, featuring a wide body cockpit for optimal passenger space and a large, functional head compartment for weekend trips. We invite you to compare our model (features, performance, and fuel efficiency) to others on the market.

LENGTH	21 ft, 8 in 6.6 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (150 hp)	3114 lbs
FUEL CAPACITY *	47 gal 178 L
WATER CAPACITY	13 gal 49 L
ICE CAPACITY	25+17 qt 24+16 L

* reference page 46

MAX CAPACITY	11 ppl, 2167 lbs 983 kg
BOW DEPTH (bow to cushion)	17 in 43 cm
COCKPIT DEPTH (at helm)	34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	150



KEY FEATURES

- ❑ 15" side-entry walkway
- ❑ deep bow and cockpit
- ❑ floor storage with oversize door
- ❑ cockpit table for entertaining
- ❑ indirect LED interior lighting
- ❑ self-bailing fiberglass floor liner
- ❑ premium 36 oz. stain resistant vinyl
- ❑ enclosed head with vent window and lighting
- ❑ freshwater sink and refreshment area
- ❑ porta potti and self-contained holding tank
- ❑ stand-up bimini top with boot
- ❑ stainless steel pull-up cleats, braces, hardware
- ❑ pressurized bow and transom showers
- ❑ auto / manual 1100 gph bilge pump
- ❑ LCD bow and transom stereo remotes ❖
- ❑ bow filler cushion ❖
- ❑ custom wakeboard tower ❖
- ❑ custom stainless steel ski tow ❖

FIND MORE INFORMATION AND PHOTOS AT STINGRAYBOATS.COM/214LR

❖ denotes optional feature

STANDARDS & OPTIONS

	OPTION #	185LS/LX	195FX *	195LS/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR
		BOWRIDER										CUDDY CABIN						SPORT	OUTBOARD	
5-Year Hull Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
3-Year Hull Blister Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exclusive Z-plane Hull	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Certifications: NMMA, USCG, IMCI, EC	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Auto / Manual Bilge Pump (1100 gph)	50	95	95	95	95	S	S	S	S	S	95	S	S	S	S	S	S	S	S	S
Cooler / Storage Box w/ Drain	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Floor Storage w/ Oversize Access Door	-	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-	-	S	S
Opening Cabin Windows w/ Screen (ea)	-	-	-	-	-	-	2	-	2	1	-	-	3	3	3	2	5	-	-	2
Performance Notched Transom	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Solid Color Deck and Hull	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1462	-	-
Two-Tone Hull Color Stripe	51	445	445	445	-	468	486	468	577	577	445	468	486	468	577	577	577	468	468	486
CE Certification Package w/ Shipping Cradle	90	835	835	835	835	908	908	908	908	908	835	908	908	908	908	908	908	908	908	908
Electric Trim Tabs w/ LED Indicator	56	-	-	-	-	1046	1046	1046	1046	1046	-	1046	1046	1046	1046	1046	1046	1046	1046	1046
Hydraulic Trim Tabs w/ LED indicator	68	-	-	-	-	977	977	977	977	977	-	977	977	977	977	977	977	977	977	977
Stainless Steel Sport Trim Tabs (fixed)	57	92	92	92	92	92	-	-	-	-	92	92	-	-	-	-	-	-	92	-
Pressurized Bow Shower	59	-	-	-	-	192	S	-	S	-	-	192	192	-	192	-	-	-	192	\$125
Pressurized Water w/ Transom Shower	69	-	-	-	-	422	S	422	S	S	-	422	S	291	S	S	S	-	422	S
Shipping Cradle (for export only)	31	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508
Value Package, includes opt # 40, 50, 65, 67	79	-	-	-	999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Value Package, includes opt # 67, 64, 40, 50	80	275	275	275	-	-	-	-	-	-	275	-	-	-	-	-	-	-	-	-
Bow Anchor Storage	-	-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S
Enclosed Head w/ Vent Window & Lighting	-	-	-	-	-	-	S	-	S	S	-	-	-	-	-	-	S	-	-	S
Lockable Cabin Doors	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	S	-	-
Port Windows with SS Frame	-	-	-	-	-	-	-	-	-	-	S	S	-	-	-	-	-	-	-	-
SS Multi-Step Boarding Ladder	-	S	S	S	S	-	-	S	-	S	S	-	-	S	-	S	S	S	-	-
SS Multi-Step Bow and Stern Ladder	-	-	-	-	-	S	S	-	S	-	-	S	S	-	S	-	-	-	S	S
SS Stern, Bow, and Spring Line Cleats	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Hardware Package	55	-	340	340	-	457	457	457	457	457	340	457	457	457	457	457	457	457	457	457
Stainless Steel Pull-Up Cleats	-	S	S	S	-	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S
Stainless Steel Windshield Supports	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Windshield with Side Vent Windows	-	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S	S	-	S	S
Extended Swim Platform (white only)	81	875	875	875	-	-	-	-	-	-	875	-	-	-	-	-	-	-	-	-
Windshield Wiper (starboard side)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295	-	-	-
Stainless Steel Custom Ski Tow (removable)	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	423	423
Wakeboard Package 1 - 331 Wake Razor	900	-	-	-	-	3677	3677	3677	3677	-	-	-	-	-	-	-	-	-	3677	3677
Wakeboard Package 2 - 332 Wake Splash	901	-	-	-	-	3677	3677	3677	3677	-	-	-	-	-	-	-	-	-	3677	3677
Custom Wakeboard Tower	661	-	-	-	-	2846	2846	2846	2846	-	-	-	-	-	-	-	-	-	2846	2846
25 qt Removable Cockpit Cooler	-	-	-	-	-	-	S	S	S	S	-	-	S	S	S	S	S	-	-	S
Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Dash Accessory Plug 12V	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Electronic Engine Hour Meter	-	S	S	S	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Indirect LED Cockpit Lighting	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Premium 36 oz Foam-Backed Vinyl w/ PreFixx	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Helm Seats with Fore and Aft Adjustors	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Ignition Switch w/ Stereo Accessory Remote	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-
Oversized Cup Holders	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

(ea) Indicates quantity, not dollars.

- Denotes Not Available.

* Fish and Ski includes: twin casting platform with pedestal seating, tackle storage, trolling motor panel with dual battery box, livewell.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options.



Curved Safety Glass Walk-Thru Windshield



Recessed Speakers and Convenient Drink Holders



Two-Tone Hull Color Stripe (Option #51) (shown with optional hull graphic)



Custom Dash with Backlit Instruments, SS Bezels, and Tilt Steering



Stainless Steel Upgrade Package (Option #55)
Items Vary by Model (Cupholders, Steering Wheel, Horn Cover, Rub Rail, and Vent Covers)



Stainless Steel Ski Tow Ring



Adjustable Lounge Seat with Injection Molded Polypropylene Cores



25-quart Removable Cooler
(214LR, 215CR, 215LR, 225LR, 225CR, 235LR, 235CR, 250LR, 250CR, 250CS)



Floor Storage w/ Non-Skid Lid & SS Assist
(195L, 195FX, 204LR, 208LR, 214LR, 215LR, 225LR, 235LR)



Bow Anchor Storage, Translucent Aluminum Deck Hatch, Stainless Steel Pull-up Cleats, Navigation Lights, Stainless Steel Contoured Bow Rails, Bow Ladder



Walk-Thru Removable Filler Cushion (Option #47 or 77)
(204LR, 208CR, 208LR, 214LR, 215CR, 215LR, 235CR, 235LR)



High Low Jump Seats
Insulated Fiberglass Motor Box with Upholstered Pad
(195LS, 195CS)



LX Interior - Twin Bucket Seats, Full-Width, Bench Seat, and Sport Style Sundeck



LS Interior - Bucket Seat, Lounge Seat, Motor Box and Jump Seats



Stainless Steel Port Windows



LR Sport Deck Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck



LR Bowrider Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck

STANDARDS & OPTIONS

	OPTION #	185LS/LX	195FX *	195LS/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR
		BOWRIDER										CUDDY CABIN						SPORT	OUTBOARD	
COCKPIT	Self Bailing Cockpit	-	-	-	-	-	S	-	S	S	-	-	S	-	S	S	S	-	-	S
	Throttle-Trim Control with Safety Switch	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Steel Burl or Graywood Trim Package	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Audio System / MP3 and 100-watt Speakers	23	340	340	340	-	-	-	-	-	340	-	-	-	-	-	-	-	-	-
	Hi-Power Marine Audio System	-	-	-	-	-	S	S	S	S	-	S	S	S	S	S	S	S	S	S
	Marine Audio System with MP3 Port	67	219	219	219	254	-	-	-	-	219	-	-	-	-	-	-	-	-	-
	Standard Audio System	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Stereo, LCD Remote, Transom	21	-	-	-	-	185	185	185	185	-	185	185	185	185	185	185	185	185	185
	Stereo, LCD Remote, Bow and Transom	75	-	-	-	-	323	323	-	323	-	323	323	-	323	-	-	-	323	323
	Adjustable Pedestal for One Bucket Seat	86	-	-	-	-	-	-	-	-	85/-	-	-	-	-	-	85	-	-	-
CABIN	Adjustable Pedestal for Two Bucket Seats	83	-	-	-	-	-	169	-	169	169	-169	-	169	169	169	-	-	-	169
	High Low Jump Seats	-	-	-	S/-	-	-	-	-	-	S/-	-	-	-	-	-	-	-	-	-
	Sport Bucket w/ Bolster	26	215/-	-	215/-	-	-	-	-	-	215/-	-	-	-	-	-	S	-	-	-
	Twin Sport Bucket w/ Bolster	82	-/429	429	-/429	-	429	S	S	S	-/429	429	S	S	S	S	-	S	429	S
	Fiberglass Cockpit Floor Liner	46	542	542	542	-	S	S	S	S	542	S	S	S	S	S	S	S	S	S
	Snap-in Carpet (standard seating)	33	385	385	385	-	446	500	446	500	385	446	446	446	446	446	446	446	446	500
	Cockpit Table with Bow and Cockpit Mounts	76	-	-	-	-	262	S	S	S	-	262	S	S	S	S	S	-	346	S
	Digital Depth Finder with Depth Alarm	48	351	351	351	-	351	351	351	351	351	351	351	351	351	351	351	351	351	351
	Magnetic Compass (for navigation)	49	131	131	131	-	131	S	S	S	131	131	S	S	S	S	S	S	131	S
	Filler Cushion - Aft Walkthru	47	-	-	-	-	-	346	-	346	S	-	-	346	-	346	S	-	-	-
ENGINE	Filler Cushion - Aft Walkthru and Seat	77	-	-	-	-	500	-	S	-	S	-	500	-	S	-	S	-	500	-
	Filler Cushion for Bow / Cabin	84	-	-	-	-	285	285	285	285	-	S	S	S	S	-	-	-	285	285
	Adjustable Cabin Lights	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	S	S	-	-
	Butane Stove w/ Case and Auto Light	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-	-	-	-
	Enclosed Head w/ Shower	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-
	Freshwater Sink	-	-	-	-	-	-	S	-	S	S	-	S	S	S	S	S	-	-	S
	Molded Fiberglass Cabin Liner	-	-	-	-	-	-	S	-	S	S	-	S	S	S	S	S	-	-	S
	Porta-Potti with Level Indicator	-	-	-	-	-	-	S	-	S	S	S	S	S	S	S	-	S	-	S
	Porcelain Head with Holding Tank	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	-
	Porta-Potti with Dockside Pump-out	38	-	-	-	-	-	185	-	185	185	-	185	185	185	185	-	-	-	185
	Porta-Potti Head with Tank / Macerator	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	449	-	-	-
	220V Electrical System (export only) ^	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500	-	-	-
	220V Hot Water System	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763	-	-	-
	Automatic Fire Extinguishing System	19	472	472	472	472	672	672	672	672	472	672	672	672	672	672	672	672	672	672
	Battery Charger (110V)	41	-	-	-	-	208	208	-	208	208	-	208	208	-	208	208	-	-	208
	Battery On / Off Switch with Safety Key	36	105	105	105	-	105	105	105	105	105	105	105	105	105	105	S68	105	105	105
	Dual Battery System with VSR and Switch	30	-	-	-	-	274	274	-	274	274	-	274	274	-	274	274	S178	-	274
	Power Trim and Tilt with Indicator	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Remote Oil Change System	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-
	Transom Mounted Trim and Tilt Switch	40	123	123	123	123	S	S	S	S	123	S	S	S	S	S	S	S	S	S
	Hydraulic Tilt Steering (200 hp - 225 hp)	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1346	1346
	Hydraulic Tilt Steering (up to 175 hp)	401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1346	1346
	Power Steering (engine driven)	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-
	Tilt Steering with Locking Detent	39	183	183	183	-	S	S	S	S	183	S	S	S	S	S	S	S	S	S
	Zero Torque Steering	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S
	MyStingray.com Personal Web Site	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

A Electrical System includes: 25 ft shorepower cable, battery charger, refrigerator, alcohol / electric stove.

- Denotes Not Available

* Fish and Ski includes: twin casting platform with pedestal seating, tackle storage, trolling motor panel with dual battery box, livewell.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options



Full Function Head with Sink, Shower, Storage, and Opening Vent Window (250CS)



Ritchie Compass (Option #49)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (235LR shown)



Integrated Bow Steps (208CR, 215CR, 225CR, 225SX, 235CR (shown), 250CR)



Sport Bucket with Flip-Up Bolster (225LR shown)



Stainless Steel Swing Out Bow Access Step



Notched Transom with Heavy Duty Drain Plug



Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti



Contoured Bow Seats & Integrated Cooler



Bow Filler Cushions (Option #84)



Lockable Cabin Doors with Tinted Lexan Inserts



Bow Storage Areas



17-Gallon Aerated Livewell (195FX)



Passenger Side Glovebox / Stereo (varies by model) (185LS/LX, 195FX/LS/LX, 204LR, 208LR, 225LR, 225SX)



Aft Cabin with Full Size Bed (cover not included) and Opening Vent Window (250CS)



Remote Trim & Tilt Switch (Option #40)



Digital Depth Finder w/ Alarm (Option #48)



32-quart Ice Chest (195LX shown)



Cockpit Table with Floor Mount




Integrated Swim Platform with Thru-Bolted Transom Hardware and Boarding Ladder

MODEL SPECIFICATIONS

	LENGTH OVERALL	BEAM	BRIDGE CLEARANCE	DRY WEIGHT ^A (w/ pop-up engine)	FUEL CAPACITY [*]	WATER CAPACITY	ICE BOX CAPACITY	MAX CAPACITY	FREE BOARD	MOLDED DEPTH (windshield base to keel)	MAX DEPTH (including windshield)	MAX DRAFT (drive down)	MAX DRAFT ^B (drive up)	BOW DEPTH (bow to cushion top)	BOW DEPTH (max depth)	BOW LENGTH (max length)	COCKPIT DEPTH (at helm)	COCKPIT WIDTH (max measured)	COCKPIT LENGTH (max measured)	SLEEPING CAPACITY	DEADRISE ANGLE
	1	8												2	3	4	5	6	7		
185LS/LX	18 ft, 5 in	85 in	41 in	2219 lbs	21 gal		32 qt	7 ppl / 1070 lbs	23 in	42 in	52 in	29 in	18 in	14 in	31 in	56 in	28 in	69 in	102 in	19°	
	5.6 m	216 cm	104 cm	3.0 L	79 L		30 L	7 ppl / 485 kg	58 cm	107 cm	132 cm	74 cm	46 cm	36 cm	79 cm	142 cm	71 cm	175 cm	259 cm	19°	
195FX	19 ft, 6 in	91 in	49 in	2672 lbs	35 gal		32 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in	19°	
	5.9 m	231 cm	124 cm	4.3 L	133 L		30 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm	19°	
195LS/LX	19 ft, 6 in	91 in	47 in	2604 lbs	35 gal		32 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in	19°	
	5.9 m	231 cm	119 cm	4.3 L	133 L		30 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm	19°	
195RX	19 ft, 6 in	91 in	47 in	2290 lbs	21 gal		14 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in	19°	
	5.9 m	231 cm	119 cm	3.0 L	79 L		13 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm	19°	
208LR	20 ft, 8 in	99 in	49 in	2825 lbs	35 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	24 in	48 in	62 in	34 in	18 in	16 in	32 in	55 in	32 in	81 in	101 in	19°	
	6.3 m	250 cm	124 cm	4.3 L	132 L	23 (opt)	30+13 L	9 ppl / 778 kg	61 cm	122 cm	157 cm	86 cm	46 cm	41 cm	80 cm	140 cm	81 cm	206 cm	257 cm	19°	
215LR	21 ft, 11 in	101 in	58 in	3705 lbs	47 gal	13	25+17 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	107 in	19°	
	6.7 m	257 cm	147 cm	5.0 L	178 L	49	24+16 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	272 cm	19°	
225LR	22 ft, 11 in	100 in	52 in	3364 lbs	57 gal	6 (opt)	32+25 qt	10 ppl / 2080 lbs	26 in	51 in	58 in	33 in	18 in	20 in	34 in	59 in	33 in	81 in	103 in	20°	
	7.0 m	254 cm	132 cm	5.0 L	216 L	23 (opt)	30+24 L	10 ppl / 943 kg	66 cm	130 cm	147 cm	84 cm	46 cm	51 cm	86 cm	150 cm	84 cm	206 cm	262 cm	20°	
235LR	23 ft, 11 in	101 in	58 in	4105 lbs	57 gal	13	25+32 qt	12 ppl / 2535 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	120 in	19°	
	7.3 m	257 cm	147 cm	5.0 L	216 L	49	24+30 L	12 ppl / 1150 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	305 cm	19°	
250LR	25 ft	102 in	65 in	4340 lbs	68 gal	17	32+32+25 qt	10 ppl / 2265 lbs	37 in	66 in	77 in	34 in	17 in	17 in	39 in	68 in	36 in	79 in	119 in	21°	
	7.6 m	259 cm	165 cm	5.0 L	257 L	64	30+30+24 L	10 ppl / 1027 kg	94 cm	168 cm	196 cm	86 cm	43 cm	43 cm	99 cm	173 cm	91 cm	201 cm	302 cm	21°	
195CS/CX	19 ft, 6 in	91 in	52 in	2734 lbs	35 gal		46 qt	8 ppl / 1470 lbs	23 in	47 in	60 in	31 in	18 in	25 in	41 in	60 in	34 in	73 in	114 in	2+1	19°
	5.9 m	231 cm	132 cm	4.3 L	133 L		44 L	8 ppl / 666 kg	58 cm	119 cm	152 cm	79 cm	46 cm	64 cm	104 cm	152 cm	86 cm	185 cm	290 cm	2+1	19°
208CR	20 ft, 8 in	99 in	51 in	2925 lbs	35 gal	6 (opt)	32 qt	9 ppl / 1715 lbs	24 in	51 in	64 in	34 in	18 in	27 in	45 in	72 in	34 in	81 in	85 in	2	19°
	6.3 m	250 cm	130 cm	4.3 L	132 L	23 (opt)	30 L	9 ppl / 778 kg	61 cm	128 cm	163 cm	86 cm	46 cm	69 cm	114 cm	183 cm	86 cm	206 cm	216 cm	2	19°
215CR	21 ft, 11 in	101 in	58 in	3775 lbs	47 gal	13	25 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	29 in	49 in	73 in	34 in	81 in	94 in	2+1	19°
	6.7 m	257 cm	147 cm	5.0 L	178 L	49	24 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	74 cm	124 cm	185 cm	86 cm	206 cm	237 cm	2+1	19°
225CR	22 ft, 11 in	100 in	55 in	3539 lbs	57 gal	6	25 qt	10 ppl / 2080 lbs	26 in	54 in	61 in	33 in	18 in	28 in	49 in	81 in	36 in	81 in	94 in	2+1	20°
	7.0 m	254 cm	140 cm	5.0 L	216 L	23	24 L	10 ppl / 943 kg	66 cm	137 cm	155 cm	84 cm	46 cm	71 cm	124 cm	206 cm	91 cm	206 cm	239 cm	2+1	20°
235CR	23 ft, 11 in	101 in	58 in	4175 lbs	57 gal	13	25 qt	12 ppl / 2535 lbs	31 in	58 in	72 in	34 in	17 in	29 in	49 in	87 in	34 in	81 in	103 in	2+1	19°
	7.3 m	257 cm	147 cm	5.0 L	216 L	49	24 L	12 ppl / 1150 kg	79 cm	147 cm	183 cm	86 cm	43 cm	74 cm	124 cm	221 cm	86 cm	206 cm	260 cm	2+1	19°
250CR	25 ft	102 in	65 in	4293 lbs	68 gal	17	32+25 qt	10 ppl / 2265 lbs	37 in	66 in	77 in	34 in	17 in	32 in	58 in	68 in	36 in	79 in	119 in	2+2	21°
	7.6 m	259 cm	165 cm	5.0 L	257 L	64	30+24 L	10 ppl / 1027 kg	94 cm	168 cm	196 cm	86 cm	43 cm	81 cm	147 cm	173 cm	91 cm	201 cm	302 cm	2+2	21°
250CS	25 ft	102 in	77 in	4971 lbs	68 gal	25	32+25 qt	10 ppl / 2265 lbs	45 in	78 in	92 in	35 in	19 in	40 in	72 in	118 in	35 in	78 in	117 in	4+1	21°
	7.6 m	259 cm	196 cm	5.0 L	257 L	95	30+24 L	10 ppl / 1027 kg	114 cm	198 cm	234 cm	89 cm	48 cm	102 cm	183 cm	300 cm	89 cm	198 cm	297 cm	4+1	21°
225SX	22 ft, 11 in	100 in	45 in	3225 lbs	57 gal		32+25 qt	10 ppl / 2080 lbs	26 in	51 in	60 in	33 in	18 in	32 in	46 in	83 in	32 in	81 in	89 in	2	20°
	7.0 m	254 cm	114 cm	5.0 L	216 L		30+24 L	10 ppl / 943 kg	66 cm	130 cm	152 cm	84 cm	46 cm	81 cm	117 cm	211 cm	81 cm	206 cm	226 cm	2	20°
204LR	20 ft, 5 in	99 in	49 in	2490 lbs	35 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	24 in	48 in	62 in	34 in	18 in	16 in	32 in	55 in	32 in	81 in	101 in	19°	
	6.2 m	250 cm	124 cm	115 hp	132 L	23 (opt)	30+13 L	9 ppl / 778 kg	61 cm	122 cm	157 cm	86 cm	46 cm	41 cm	80 cm	140 cm	81 cm	206 cm	257 cm	19°	
214LR	21 ft, 8 in	101 in	58 in	3114 lbs	47 gal	13	25+17 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	107 in	19°	
	6.6 m	257 cm	147 cm	150 hp	178 L	49	24+16 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	272 cm	19°	

Specifications may change at any time. For current information, visit StingrayBoats.com/specifications

^A Weights vary depending on installed options.



- 1 Length Overall
- 2 Bow Depth to Cushion
- 3 Bow Depth to Floor
- 4 Bow Length
- 5 Cockpit Depth
- 6 Cockpit Width
- 7 Cockpit Length
- 8 Beam

^B Drive Up +5" on V3.0 to clear bottom of swim platform.

^{*} To meet new US EPA emissions guidelines, boats that are manufactured for sale in the US after January 2012 will have new fuel tanks with a capacity reduction of approximately 15 percent.

HULL GRAPHICS / GELCOAT COLORS

Blue Graphic - 65-inch - Option #321



Red Graphic - 65-inch - Option #322



Champagne Graphic - 65-inch - Option #323



Titanium Graphic - 65-inch - Option #324



Champagne Graphic - 84-inch - Option #325



Platinum Graphic - 84-inch - Option #326



Chrome Graphic - 85-inch - Option #330



Black Chrome Graphic - 89-inch - Option #327



Platinum Graphic - 89-inch - Option #329



USA Flag Splash Graphic - 96-inch - Option #331



Black Ice Splash Graphic - 96-inch - Option #332



Wake Splash Graphic - 96-inch - Option #333



Wake Razor Graphic - 96-inch - Option #334



Hull graphics are an optional item on every model, with the exception of the 195RX that comes standard with an exclusive graphic (see page 10).

Graphic options vary by model; visit stingrayboats.com/buildboat for details.

NOTE: Due to variances in printing and paper, colors shown may not accurately represent actual colors.

Standard



Platinum



Blue



Red



Crimson



Black



The 225SX sportboat is available with a solid color hull in red (see page 36) or platinum; the 195RX is available only with a standard color hull (see page 10).

CANVAS

CANVAS IS MADE OF HIGH QUALITY ACRYLIC MATERIAL	OPTION #	185L/LX	195FX	195L/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR
		BOWRIDER									CUDDY CABIN							SPORT	OUTBOARD	
Convertible Top	-	S	S	S	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-	-
Stand-up Bimini Top with Boot	65	-	-	-	654	S	S	S	S	S	-	S	S	S	S	S	S	-	S	S
High-Low Bimini Top with Front Filler *	64	492	492	492	-	-	-	-	-	-	492	-	-	-	-	-	-	-	-	-
Bimini Top Stainless Steel Quick Connects	-	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S	S	-	S	S
Cockpit and Bow Cover (acrylic) with Poles	17	649	649	649	692	751	1006	751	1006	1006	-	-	-	-	-	-	-	-	751	1006
Cockpit Cover (acrylic) with Support Pole	13	409	465	465	-	525	702	525	702	702	465	525	702	525	702	702	702	525	525	702
Cockpit Cover for Wake Tower	73	-	-	-	-	569	748	569	748	-	-	-	-	-	-	-	-	-	569	748
Bow Cover (acrylic) with Support Pole	18	185	185	185	-	228	305	228	305	255	-	-	-	-	-	-	-	-	228	305
Camper Canvas (2 tops, 4 sides, and aft)	15	-	-	-	-	-	-	1300	1300	-	-	-	1300	-	1300	-	1500	-	-	-
Full Canvas Set (acrylic)	4	600	649	649	-	742	1062	742	1134	1083	472	529	766	529	829	842	842	-	-	-
Side Curtains (for top enclosure)	16	185	185	185	-	269	269	269	269	269	185	269	269	269	269	269	269	-	269	269
Walk-thru Flap	14	57	74	74	-	105	105	105	105	105	-	-	-	-	-	-	-	-	105	105

* upgrade value



Stand-up Bimini Top with Windshield Connector (not shown) - Option #65



High-Low Bimini - Option #64



Cockpit Cover - Option #13, Bow Cover - Option #18



Camper Canvas (for 215 and 235 models) - Option #15



Camper Canvas (for 250CS) - Option #15



Bow Cover - Option #18, shown in optional black color



Full Canvas - Option #4, shown in optional black color




Walk-Thru Flap - Option #14



Titanium



Black



Blue

Standard canvas color is titanium. Black canvas is optional (option #66). The exception is the 195RX, which comes with blue canvas only.

PERFORMANCE COMPARISONS

STINGRAY BOATS, WITH THE PROVEN Z-PLANE HULL, ARE THE MOST FUEL EFFICIENT BOATS YOU CAN BUY...PERIOD!

USING THE IBOATINFO.COM PERFORMANCE CALCULATOR, YOU CAN:

Get detailed comparisons on up to five different models from thousands of independent tests

Compare speed and fuel economy by make, model, length, hp, displacement, and drive type

Use the category search query to easily change the output results

Compare any one model to all other boat tests in the database



Home	Performance Comparison Tool					Links	What's My Boat Worth?						
Manufacturer		Boat Model	LOA	Drive Type	Size	Engine HP	Make	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source
Stingray	185 LX	18'5"	SD	3.0L	135hp	Volvo	49.40		5.7			\$1,852	Boattest.com 03/2008
Stingray	195 RX	19'6"	SD	3.0L	135hp	Merc Cat	45.40	-4.00	4.8	-16%		\$2,188	Mercury 6/2011
Bayliner	185	18'2"	SD	3.0L	135hp	Merc	42.50	-6.9	4.3	-25%		\$2,465	Trailer Boats 02/2005
Bayliner	175 Bowrider	17'6"	SD	3.0L	135hp	Merc	44.50	-4.9	5.6	-1%		\$1,875	Boating 01/2009
Four Winns	180 Horizon	18'6"	SD	3.0L	135hp	Volvo	41.70	-7.7	4.8	-15%		\$2,188	Go Boating 02/2006
Glastron	MX 175	17'1"	SD	3.0L	135hp	Volvo	44.30	-5.1	5.1	-10%		\$2,059	Boattest.com 03/2007
Glastron	GT 185	18'5"	SD	3.0L	135hp	Volvo	44.30	-5.1	4.9	-14%		\$2,143	Boattest.com 03/2007
Monterey	180FS Montura	18'0"	SD	3.0L	135hp	Volvo	41.70	-7.7	3.4	-40%		\$3,061	Boating 10/2005
Sea Ray	185	18'0"	SD	3.0L	135hp	Merc	42.90	-6.5	3.8	-33%		\$2,749	Boating 08/2004
Sea Ray	185	18'6"	SD	3.0L	135hp	Merc	39.00	-10.4	4.2	-27%		\$2,530	Boattest.com 01/2006
Stingray	195 L	19'5"	SD	4.3L	220hp	Merc	60.90		5.1			\$2,047	Mercury 11/2003
Stingray	195 LX	19'6"	SD	4.3L	190hp	Volvo	56.20	-4.7	4.9	-5%		\$2,156	Boattest.com 12/2008
Regal	1900	19'9"	SD	4.3L	225hp	Volvo	54.70	-6.2	4.6	-10%		\$2,283	Trailer Boats 03/2006
Glastron	GT 205	19'4"	SD	5.0L	220hp	Volvo	52.70	-8.2	4.0	-22%		\$2,625	Boating 01/2007
Four Winns	20	19'6"	SD	5.0L	270hp	Volvo	52.00	-8.9	3.5	-32%		\$3,009	Motorboat 10/2005
Bayliner	204 Ski N Fish	20'0"	SD	5.0L	220hp	Merc	49.50	-11.4	3.4	-34%		\$3,116	Boating 10/2008
Bayliner	195	19'0"	SD	4.3L	220hp	Merc	49.20	-11.7					Boating 04/2010
Larson	Escape 204	20'1"	SD	5.0L	220hp	Volvo	49.10	-11.8	3.2	-38%		\$3,281	Boattest.com 06/2010
Glastron	GLS 195	19'4"	SD	4.3L	190hp	Volvo	47.80	-13.1	3.8	-26%		\$2,763	Boattest.com 09/2008
Tahoe	Q5i Sport	19'5"	SD	4.3L	190hp	Merc	45.80	-15.1	4.6	-10%		\$2,283	Boattest.com 09/2008
Hurricane	Sundeck 195 I/O	18'10"	SD	4.3L	220hp	Merc	45.50	-15.4	4.0	-22%		\$2,625	Go Boating 07/2007
Chaparral	196 SSi Wide Tech	19'6"	SD	4.3L	190hp	Merc	45.20	-15.7					Boating Life 01/2009
Four Winns	H190	18'6"	SD	4.3L	225hp	Volvo	45.10	-15.8	4.3	-17%		\$2,471	Boattest.com 03/2008
Tahoe	Q51	19'5"	SD	4.3L	190hp	Merc	45.00	-15.9					Boating 04/2010

Manufacturers
 Click to add or remove
 All
 Activator (2)
 Active Thunder (3)
 Adrenaline (2)
 Advantage (41)
 Albemarle (2)
 Albury (1)
 Aloha (10)
 Alpha (1)
 Alumacraft (7)

Currently Selected
 Bayliner (7)
 Caravelle (1)
 Chaparral (0)
 Crownline (0)
 Four Winns (2)
 Glastron (5)
 Marum (3)
 Monterey (1)
 Regal (0)
 Rinker (0)
 Sea Ray (4)
 Stingray (9)
 Tahoe (0)
 Wellcraft (0)
 Bryant (0)

Total Records: 33

Drive Type
 Stern Drive

Length ✓ +/- 1'
 19'

Horsepower 120-225

Displacement all

Date Last 5 years

Fuel Test Only

Reset to default

Tests in this database are the property and opinion of the test source shown.
 iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help

Manufacturers

Click to add or remove

All
 Activator (2)
 Active Thunder (3)
 Adrenaline (2)
 Advantage (41)
 Albemarle (2)
 Albay (1)
 Aloha (10)
 Alpha (1)
 Alumacraft (7)

Currently Selected

Bayliner (7)
 Caravelle (1)
 Chaparral (0)
 Crownline (0)
 Four Winns (2)
 Glastron (5)
 Maxum (3)
 Monterey (1)
 Regal (0)
 Rinker (0)
 Sea Ray (4)
 Stingray (9)
 Tahoe (0)
 Wellcraft (0)
 Bryant (0)

Total Records: 33

Drive Type

Stern Drive ▼

Length

20' ▼

+/- 1'

Horsepower

190-300 ▼

Displacement

all ▼

Date

Last 5 years ▼

Fuel Test Only

Reset to default

* Operating costs for each boat as tested; based on 100 hours or 3000 miles at 30 mph, with a fuel cost of \$3.50 per gallon.

Manufacturer	Boat Model	LOA	Drive Type	Size	Engine HP	Make	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source
Stingray	208 LR	20'8"	SD	4.3L	220hp	Merc	55.20		5.0		\$2,100	Mercury 10/2010
Bayliner	Discovery 210	20'9"	SD	4.3L	220hp	Merc	50.60	-4.6	4.5	-10%	\$2,333	Boating 03/2007
Bayliner	205 Bowrider	20'5"	SD	4.3L	220hp	Merc	49.50	-5.7	4.3	-14%	\$2,442	Boatstest.com 11/2009
Bryant	214 WT	21'4"	SD	5.7L	300hp	Merc	53.40	-1.8	3.4	-32%	\$3,097	Trailer Boats 06/2005
Four Winns	203 Fish n Ski	19'6"	SD	5.0L	270hp	Volvo	52.70	-2.5	4.3	-14%	\$2,453	Trailer Boats 04/2006
Four Winns	210 Horizon SS	20'10"	SD	5.7L	320hp	Volvo	52.00	-3.2	4.1	-18%	\$2,561	Go Boating 07/2007
Glastron	GT 205	20'8"	SD	5.0L	220hp	Volvo	53.00	-2.2	3.7	-26%	\$2,823	Boatstest.com 05/2010
Glastron	GXL 205 SF	19'11"	SD	5.0L	220hp	Volvo	54.00	-1.2	4.0	-20%	\$2,625	Boatstest.com 03/2007
Larson	Escape 204	20'1"	SD	5.0L	220hp	Volvo	49.10	-6.1	3.2	-36%	\$3,281	Boatstest.com 06/2010
Monterey	214 FS	21'0"	SD	5.0L	220hp	Merc	46.40	-8.8	3.5	-30%	\$3,000	Boatstest.com 10/2009
Regal	2100 RX	21'0"	SD	5.7L	300hp	Volvo	52.30	-2.9	3.7	-26%	\$2,838	Boatstest.com 08/2009
Sea Ray	210 Select	21'0"	SD	5.7L	300hp	Merc	52.00	-3.2				Go Boating 01/2008
Sea Ray	205 Sport	21'0"	SD	5.0L	260hp	Merc	52.90	-2.3	4.1	-18%	\$2,567	Boating 12/2007
Tahoe	Q7i SF	20'6"	SD	4.3L	190hp	Merc	48.00	-7.2	4.4	-11%	\$2,365	Trailer Boats 09/2007
Tahoe	Q7 SSI	20'6"	SD	5.0L	260hp	Merc	52.80	-2.4	4.2	-17%	\$2,530	Trailer Boats 06/2009
Stingray	215 LR	21'11"	SD	5.0L	260hp	Merc	55.20		4.5		\$2,344	Mercury 10/2010
Stingray	215 CR	21'11"	SD	5.0L	260hp	Merc	54.70	-0.5	4.2	-7%	\$2,512	Mercury 10/2010
Sea Ray	205 Sport	21'0"	SD	5.0L	260hp	Merc	52.90	-2.3	4.1	-9%	\$2,567	Boating 12/2007
Tahoe	Q7 SSI	20'6"	SD	5.0L	260hp	Merc	52.80	-2.4	4.2	-7%	\$2,530	Trailer Boats 06/2009
Bayliner	Discovery 215	20'9"	SD	5.0L	220hp	Merc	52.30	-2.9	3.3	-25%	\$3,144	Trailer Boats 06/2007
Regal	2100 RX	21'0"	SD	5.7L	300hp	Volvo	52.30	-2.9	3.7	-17%	\$2,838	Boatstest.com 08/2009
Sea Ray	210 Sundeck	22'0"	SD	5.7L	300hp	Merc	52.10	-3.1	3.5	-22%	\$3,009	Trailer Boats 02/2009
Glastron	DX 235	22'6"	SD	5.7L	300hp	Merc	51.90	-3.3	3.7	-17%	\$2,838	Boatstest.com 12/2008
Chaparral	226 SSI	22'6"	SD	5.7L	300hp	Merc	51.10	-4.1	3.3	-27%	\$3,201	Boating 03/2009
Crownline	210 LS	21'6"	SD	5.0L	260hp	Merc	50.90	-4.3	3.6	-21%	\$2,949	Trailer Boats 05/2005
Four Winns	220 Horizon SS	22'0"	SD	5.7L	280hp	Volvo	49.30	-5.9	3.4	-24%	\$3,088	Trailer Boats 08/2007
Bayliner	225 Runabout	22'6"	SD	5.0L	260hp	Merc	49.00	-6.2	3.4	-24%	\$3,088	Boatstest.com 12/2008
Glastron	GLS 215	21'4"	SD	5.0L	220hp	Volvo	48.70	-6.5	3.7	-17%	\$2,838	Boatstest.com 10/2008
Larson	218 LXi	21'0"	SD	5.0L	260hp	Merc	48.10	-7.1	3.7	-17%	\$2,838	Boating 04/2009
Monterey	214 FS	21'0"	SD	5.0L	220hp	Merc	46.40	-8.8	3.5	-22%	\$3,000	Boatstest.com 10/2009

Tests in this database are the property and opinion of the test source shown.
iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help

Manufacturers

Click to add or remove

All
Activator (2)
Active Thunder (3)
Adrenaline (2)
Advantage (41)
Albemarle (2)
Albury (1)
Alpha (10)
Alpha (1)
Alumacraft (7)

Currently Selected

Bayliner (7)
Caravelle (1)
Chaparral (0)
Crownline (0)
Four Winns (2)
Glastron (5)
Havens (3)
Monterey (1)
Regal (0)
Rinker (0)
Sea Ray (4)
Stingray (9)
Tahoe (0)
Wellcraft (0)
Bryant (0)

Total Records: 33

Drive Type

▼

Length ☐ +/- 1'

▼

Horsepower 115-320 ▼

Displacement all ▼

Date Last 5 years ▼

Fuel Test Only

Reset to default

* Operating costs for each boat as tested; based on 100 hours or 3000 miles at 30 mph, with a fuel cost of \$3.50 per gallon.

Manufacturer	Boat Model	LOA	Drive Type	Size	Engine HP	Make	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source
Stingray	225 LR	22'11"	SD	5.7L	300hp	Volvo	60.60		4.4		\$2,397	Volvo Penta 10/2008
Stingray	225 SX	22'11"	SD	5.7L	320hp	Volvo	62.50	1.9	4.7	6%	\$2,253	Volvo Penta 10/2010
Regal	2100 RX	21'0"	SD	5.7L	300hp	Volvo	52.30	-8.3	3.7	-16%	\$2,838	Boattest.com 08/2009
Chaparral	226 SSi	22'6"	SD	5.7L	300hp	Merc	51.10	-9.5	3.3	-25%	\$3,201	Boating 03/2009
Cobalt	230	23'0"	SD	5.7L	300hp	Volvo	50.20	-10.4	3.4	-21%	\$3,052	Boating 03/2009
Bayliner	225	22'6"	SD	5.0L	260hp	Merc	49.90	-10.7	3.7	-16%	\$2,838	Boating 09/2008
Four Winns	SL222	22'6"	SD	5.7L	300hp	Volvo	47.80	-12.8	3.4	-22%	\$3,088	Trailer Boats 03/2009
Monterey	220 EX	22'3"	SD	5.0L	260hp	Merc	47.20	-13.4	2.5	-43%	\$4,200	Boating 01/2008
Tahoe	225	22'5"	SD	5.0L	220hp	Merc	43.70	-16.9	2.7	-38%	\$3,889	Go Boating 01/2008
Sea Ray	230 Select	23'0"	SD	5.7L	300hp	Merc	41.80	-18.8	2.8	-36%	\$3,737	Boating 02/2008
Stingray	235LR	23'11"	SD	5.7L	320hp	Volvo	58.30		4.7		\$2,258	Trailer Boats 07/2010
Monterey	234 FSX	24'0"	SD	6.2L	320hp	Merc	53.60	-4.7	3.2	-31%	\$3,281	Trailer Boats 04/2006
Sea Ray	230 Select	23'7"	SD	5.7L	300hp	Merc	52.20	-6.1	3.2	-31%	\$3,281	Trailer Boats 07/2007
Regal	2300	24'0"	SD	5.7L	300hp	Volvo	51.00	-7.3	3.4	-27%	\$3,088	Boating 02/2010
Sea Ray	230 Sundeck	24'1"	SD	5.7L	300hp	Merc	50.40	-7.9	3.0	-35%	\$3,500	Boating 04/2009
Cobalt	230	23'0"	SD	5.7L	300hp	Volvo	50.20	-8.1	3.4	-26%	\$3,052	Boating 03/2009
Sea Ray	240 Sundeck	24'1"	SD	5.7L	300hp	Merc	48.90	-9.4	3.4	-27%	\$3,088	Trailer Boats 07/2010
Glastron	GLS 235'	23'9"	SD	5.7L	320hp	Volvo	47.40	-10.9	2.3	-51%	\$4,626	Boattest.com 11/2008
Larson	Escape 234	23'7"	SD	5.7L	280hp	Volvo	46.50	-11.8	3.2	-31%	\$3,281	Boattest.com 08/2007
Glastron	GT 249	24'0"	SD	5.0L	270hp	Volvo	44.40	-13.9	3.2	-31%	\$3,281	Trailer Boats 06/2008
Stingray	204 LR	20'4"	OB	1.7L	115hp	Yamaha	44.20		5.2		\$2,031	Yamaha 4/2011
Nauticstar	205 DC	20'0"	OB	1.7L	115hp	Yamaha	40.90	-3.30	4.8	-6%	\$2,169	Yamaha 6/2006
Southwind	200 SD	20'6"	OB	1.7L	115hp	Yamaha	36.60	-7.60	4.6	-10%	\$2,263	Yamaha 8/2010
Hurricane	SD Sport 201	20'1"	OB	1.7L	115hp	Yamaha	35.20	-9.00	4.3	-17%	\$2,453	Yamaha 6/2009
Stingray	214 LR	21'8"	OB	2.7L	150hp	Yamaha	48.30		4.6		\$2,293	Yamaha 4/2011
Southwind	212 SD	20'6"	OB	2.7L	150hp	Yamaha	44.00	-4.30	4.4	-4%	\$2,386	Yamaha 8/2010
Nauticstar	210 DC	21'0"	OB	2.7L	150hp	Yamaha	43.10	-5.20	4.1	-12%	\$2,593	Yamaha 7/2010
Hurricane	Sundek 217	20'10"	OB	2.7L	150hp	Yamaha	42.20	-6.10	3.8	-17%	\$2,770	Yamaha 7/2010

Tests in this database are the property and opinion of the test source shown.
iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help



Your Stingray Dealer

STINGRAY BOATS

625 Railroad Avenue, Hartsville SC 29550
Phone: 843-383-4507

Visit StingrayBoats.com for additional and up-to-date information.

WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

ABOUT THIS BROCHURE

Only a partial list of standard equipment is shown; some boats are shown with optional accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.

FIND US ONLINE

stingrayboats.com
mystingray.com
stingrayboats.com/store

facebook.com/stingrayboats
twitter.com/stingrayboats
youtube.com/stingrayboats

