



Hybrid Camping Trailers

*Camping Made Easy*





Presenting the all new 2013 Viking Hybrid Camping Trailer. Rebuilt from the ground up in ways you can see – new aerodynamic styling for ease of towing, full width stone guard to protect your investment, and radial tires for the safety you need and desire. These are but a few of the new features you will enjoy with your new Viking!



## Features You Can't Live Without



Patent No. 7,204,538

Sliding Storage Trunk (SST)



New E-Z One-Hand Swing Level Galley (Legends and V1)



Optional AM/FM/CD/DVD/MP3 Player with Int./Ext. Speakers (Std. on Legends and V-Trec)



Exterior Utility Shelf

◀ **NEW One-Piece Entry Door**  
The one-piece door features a panel that allows finite adjustment for air and sunlight. (N/A LS Series)



E-Z Swing Stepper Door



Optional Dometic® 3-Way Refrigerator




Dual Drive Dual Purpose Winch by Canimex



Scissor Style Stabilizer Jack



Optional Modular Cassette Potti with Electric Flush




Retractable Clothes Bar (Legends and V-Trec)

THE VIKING

# Difference.

Construction & Features Competitors Can't Match



Lined drapes for improved privacy



Standard heated mattress features a Sunbeam® heating element.  
(Opt. on 1906 & 1906ST)  
(N/A on LS Series)



"Glide-N-Lock" bed system is the only cable-supported bed system in the industry. Simply pull out the beds until they lock into place. No more awkward poles to contend with!



**Largest heating capacity of any folding camper.**


- Optional 20M BTU Suburban® Furnace with forced air, electronic ignition and thermostat control.

VRX-14 Supreme Tent with storm cuff and tinted windows (No Stormcuff on LS Series)

Portable in/out dinette table



Polyflex woven moisture barrier laminated to all Clipper floors and bunks.



Goshen Stamping double-wide lifter post with limited lifetime warranty (N/A 1706 LS)



**Wide Trac Suspension**

**Better safety and stability on the road.**

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with powdercoat protection

# Dura Tuff Roof

## A. One Piece Seamless Skin

## B. Dura Tuff Wood Protective Layer


No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

## C. Foam Roof Structure

## D. Steel Reinforced Wood Frame

The roof is framed with steel supports to accept A/C on all models without extra reinforcement.


- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.



Fantastic Fan™ power roof vent is standard on all models (Except LS Models)



Low profile tongue jack




AL-KO® Ultralube axle bearing. Easier maintenance for improved safety

**INDUSTRY BEST**



Aluminum wheels (Standard on Legends & V-Trec)



## Roof Side Z-Rail Channels water away.

1. Roof's Outside Skin
2. Body's Outside Skin
3. Water tight Seal
4. Z-Rail channels water away from wood

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.

## 1-1/4" Laminated Insulated Bunkend

(N/A 1706 LS)

- Double the industry standard thickness
- Solid wood, steel reinforced frame filled with 1" thick high density foam and laminated with wood panel on top and bottom
- Yields a more stable bedend vs. chipboard or spliced plywood used by other brands
- Insulation improves comfort and warmth

## Viking Standard




**Cold Outside Air**

## Competition



**Cold Outside Air**

# LS Series




1706 LS


## Limited Warranty

- Lift System - Lifetime
- Vinyl Tent - 5 years
- Roll Out System - 5 years
- Frame - 5 years
- Roof Assembly - 5 years
- AL-KO® Ultralube Spring Axle - 1 year
- AL-KO® Ultralube Rubber Suspension Axle - 5 years
- Refrigerator - 3 years
- Plumbing System - 10/25 years
- Electronic Converter- 2 years
- Roof Exterior - 2 years


# Epic Series




1906




1906 ST




2107




2108 ST



2308 ST




2406




2407 ST


# Legend Series




1404 GS



1604 GS



1804 GS



2485 SST

# Standard Features

LS | E | L | V

LS | E | L | V

LS | E | L | V

CHASSIS	LS	E	L	V	LS	E	L	V	LS	E	L	V
Tubular Steel Frame	■	■	■	■	■	■	■	■	■	■	■	■
Dual Drive Winch by Canimex	■	■	■	■	■	■	■	■	■	■	■	■
Heavy Duty Dolly Jack with Wheel	■	■	■	■	■	■	■	■	■	■	■	■
Wide Trac UltraLube Spring Suspension	■	■	■	■	■	■	■	■	■	■	■	■
Wide Trac UltraLube Torsion Suspension	■	■	■	■	■	■	■	■	■	■	■	■
Electric Brakes (Optional on LS)	■	■	■	■	■	■	■	■	■	■	■	■
Radial Tires	■	■	■	■	■	■	■	■	■	■	■	■
Aluminum Rims	■	■	■	■	■	■	■	■	■	■	■	■
Scissor Jacks w/Pads (4)	■	■	■	■	■	■	■	■	■	■	■	■
Scissor Jacks w/Pads (2)	■	■	■	■	■	■	■	■	■	■	■	■
Goshen Lift System w/Double Arms (Single arm on 1706 LS)	■	■	■	■	■	■	■	■	■	■	■	■
EXTERIOR												
"Zero Exposure" Floor and Bunk Technology	■	■	■	■	■	■	■	■	■	■	■	■
Laminated Aluminum Skin Walls	■	■	■	■	■	■	■	■	■	■	■	■
Laminated Hi-Gloss Fiberglass Walls	■	■	■	■	■	■	■	■	■	■	■	■
Laminated Hi-Gloss Tan Fiberglass Walls (GS Models)	■	■	■	■	■	■	■	■	■	■	■	■
Laminated Hi-Gloss Gray Fiberglass Walls (V-Trec Models)	■	■	■	■	■	■	■	■	■	■	■	■
Diamond Plate Front Wall Protector (N/A 2485SST)	■	■	■	■	■	■	■	■	■	■	■	■
E-Z Swing Stepper Door	■	■	■	■	■	■	■	■	■	■	■	■
One Piece Screen Door	■	■	■	■	■	■	■	■	■	■	■	■
4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C (3 Layer on LS)	■	■	■	■	■	■	■	■	■	■	■	■
Exterior High Pressure LP Tank Hook-up	■	■	■	■	■	■	■	■	■	■	■	■
VRX Sectionalized Tent with Storm Cuff (Storm Cuff N/A LS Series)	■	■	■	■	■	■	■	■	■	■	■	■
Laminated/Insulated Bed Platforms (N/A LS)	■	■	■	■	■	■	■	■	■	■	■	■
Glide-n-Lock Cable Supported Bed System	■	■	■	■	■	■	■	■	■	■	■	■
Exterior Utility Shelf	■	■	■	■	■	■	■	■	■	■	■	■
Above Floor 16 Gallon Fresh Water Tank (1906, 1906ST, and LS Only)	■	■	■	■	■	■	■	■	■	■	■	■
23 Gallon Below Floor Fresh Water Tank (N/A on 1906, and 1906ST Models)	■	■	■	■	■	■	■	■	■	■	■	■
25 AMP Converter with Battery Charger (12 AMP on LS)	■	■	■	■	■	■	■	■	■	■	■	■
120 Volt GFI Exterior Recept	■	■	■	■	■	■	■	■	■	■	■	■
Amber Patio Light	■	■	■	■	■	■	■	■	■	■	■	■
"SST" Super Sliding Storage Compartment 2485SST (Optional on 1404GS, 1604GS, 1804GS, and V1)	■	■	■	■	■	■	■	■	■	■	■	■
Exterior Storage Access Door(s) (N/A on LS, 1906, 2107, 2406, and V1)	■	■	■	■	■	■	■	■	■	■	■	■
Create a Breeze Power Roof Vent	■	■	■	■	■	■	■	■	■	■	■	■
INTERIOR												
100% Adhesion Residential Grade Linoleum	■	■	■	■	■	■	■	■	■	■	■	■
Deep Maple Cabinetry	■	■	■	■	■	■	■	■	■	■	■	■
Mortise and Tenon Residential Cabinet Doors	■	■	■	■	■	■	■	■	■	■	■	■
Residential Laminated Countertops	■	■	■	■	■	■	■	■	■	■	■	■
Ultra Comfort 4" Heated Mattresses with Sunbeam Element (N/A LS) (Optional 1906, 1906ST)	■	■	■	■	■	■	■	■	■	■	■	■
Ultra Comfort 4" High Density Cushions	■	■	■	■	■	■	■	■	■	■	■	■
Lined Privacy Drapes (Vented on Bed Ends)	■	■	■	■	■	■	■	■	■	■	■	■
E-Z Swing Galley with Drawer	■	■	■	■	■	■	■	■	■	■	■	■
Euro Style Fixed Galley (Legend GS Models)	■	■	■	■	■	■	■	■	■	■	■	■
Deep Bowl Acrylic Sink	■	■	■	■	■	■	■	■	■	■	■	■
3 Burner Range (2 Burner on 1706LS, 1906, 1906ST And GS Models)	■	■	■	■	■	■	■	■	■	■	■	■
12 Volt On Demand Water Pump	■	■	■	■	■	■	■	■	■	■	■	■
Built in Shower (2407ST, 2485SST, 1604GS, 1804GS, and V3)	■	■	■	■	■	■	■	■	■	■	■	■
Thetford Cassette Potti (2485SST, 1604GS, 1804GS, and V3)	■	■	■	■	■	■	■	■	■	■	■	■
DSI 6 Gallon Water Heater 2407ST, 2485SST, 1404GS, 1604GS, 1804GS, V1, and V3	■	■	■	■	■	■	■	■	■	■	■	■
Indoor/Outdoor Dinette Table	■	■	■	■	■	■	■	■	■	■	■	■
12 Volt Interior Lights	■	■	■	■	■	■	■	■	■	■	■	■
120 Volt Interior Outlets	■	■	■	■	■	■	■	■	■	■	■	■
Retractable Clothes Bar	■	■	■	■	■	■	■	■	■	■	■	■
HD Park Cable Hookup	■	■	■	■	■	■	■	■	■	■	■	■
Powdercoated Interior Tent Support Poles	■	■	■	■	■	■	■	■	■	■	■	■

# Popular Options

LS | E | L | V

LS | E | L | V

LS | E | L | V

Essentials Package	LS	E	L	V	LS	E	L	V	LS	E	L	V
✓ 3-Way Dometic® Refrigerator 1.9 Cu. Ft. (2.5 Cu. Ft. on Classic and V3)	■	■	■	■	■	■	■	■	■	■	■	■
✓ 20,000 BTU Furnace	■	■	■	■	■	■	■	■	■	■	■	■
✓ A & E Awning	■	■	■	■	■	■	■	■	■	■	■	■
✓ Spare Tire, Carrier and Cover	■	■	■	■	■	■	■	■	■	■	■	■
✓ 72" High Pressure LP Accessory Hose (N/A LS)	■	■	■	■	■	■	■	■	■	■	■	■
Thetford Modular Cassette Potti with Electric Flush (2107, 2108ST, 2407ST, 1404GS, and V1)	■	■	■	■	■	■	■	■	■	■	■	■
DSI Hot Water System with Hot/Cold Exterior Shower (1906ST, 2107, 2108ST, 2406 and 2308ST ONLY)	■	■	■	■	■	■	■	■	■	■	■	■
Electric Brakes (1706LS Only)	■	■	■	■	■	■	■	■	■	■	■	■
Screenroom with Privacy Flaps	■	■	■	■	■	■	■	■	■	■	■	■
Single LP Bottle Cover (N/A V1 & V3)	■	■	■	■	■	■	■	■	■	■	■	■
Double LP Bottles Rings and Cover (Std. on V1, and V3)	■	■	■	■	■	■	■	■	■	■	■	■
Hanging Storage Cabinet	■	■	■	■	■	■	■	■	■	■	■	■
Bed End Fan Light (1 Std. on Legend and V Trec)	■	■	■	■	■	■	■	■	■	■	■	■
Second Bed End Fan Light (N/A LS, GS Models)	■	■	■	■	■	■	■	■	■	■	■	■
Ultra Comfort 4" Heated Mattresses with Sunbeam Element (1906, 1906ST Only)	■	■	■	■	■	■	■	■	■	■	■	■
A/C Wiring Kit	■	■	■	■	■	■	■	■	■	■	■	■
AM/FM/CD/DVD Player w/Exterior Speakers (Std. on Legend and V-Trec)	■	■	■	■	■	■	■	■	■	■	■	■
Coleman Outdoor Grill and Stand	■	■	■	■	■	■	■	■	■	■	■	■
SSTSuper Sliding Storage Trunk (GS and V1)	■	■	■	■	■	■	■	■	■	■	■	■
Laminated High Gloss Tan Fiberglass Walls (Std. on GS Models)	■	■	■	■	■	■	■	■	■	■	■	■

LS = LS Series    E = Epic    L = Legend    V = V-Trec    ■ = Available    ■ = New Feature    ■ = Standard Run Option

# Specifications

	1706 LS	1906	1906ST	2107	2108ST	2406	2308ST	2407ST	1404GS	1604GS	1804GS	2485SST	V1	V3
	LS Models	Epic							Legend				V-Trec	
Interior Box Size	8'	8.5'	8.5'	10'	10'	12'	12'	12'	9'	10'	12'	12'	10'	12'
Travel Length	12' 2"	12' 8"	14' 10"	14' 2"	16' 4"	16' 2"	18' 3"	18' 3"	15' 9"	16' 9"	18' 5"	18' 5"	16' 9"	21' 4"
Travel Width	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"
Travel Height	54"	56"	56"	58"	58"	58"	58"	58"	55"	55"	55"	55"	65"	65"
Interior Open Length	16' 11"	17' 11"	17' 11"	20' 5"	20' 9"	24' 5"	23' 5"	24' 5"	14'	16'	18'	24' 5"	20' 5"	24' 5"
Interior Open Height	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"	6' 10"
Sleeping Capacity	6	6	6	7	7	7	8	7	4	4	6	6	6	6
Front Sleeping Area	48 X 80	54 X 80	54 X 80	58 X 80	58 X 80	70 X 80	70 X 80	70 X 80	58 X 80	70 X 80	70 X 80	70 X 80	58 X 80	70 X 80
Rear Sleeping Area	48 X 80	48 X 80	48 X 80	54 X 80	58 X 80	70 X 80	58 X 80	70 X 80	N/A	N/A	N/A	70 X 80	58 X 80	70 X 80
Dinette Area	38 X 64	38 X 64	38 X 64	38 X 70	38 X 70	38 X 70	38 X 64	38 X 70	38 X 64	34 X 70	41 X 74	41 X 74	38 X 70	41 X 74
"U" Dinette	N/A	N/A	N/A	N/A	N/A	N/A	42 X 80	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Lounge Area	N/A	N/A	N/A	80"	N/A	80"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sofa Bed	N/A	N/A	N/A	N/A	34 X 76	N/A	N/A	34 X 70	N/A	N/A	40 X 72	N/A	N/A	N/A
Radial Tire Size	4.80 X 12	ST145R12	ST145R12	ST145R12	ST175/80R13	ST175/80R13	ST175/80R13	ST175/80D13	ST175/80R13	ST175/80R13	ST175/80R13	ST175/80R13	LT235/75R15	LT235/75R15
Tire Load Range	4 Bolt C	4 Bolt C	4 Bolt C	4 Bolt C	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt C	5 Bolt C
Hitch Weight (lbs./Kg)*	120/55	116 / 53	184 / 83	171 / 78	187 / 85	243 / 110	191 / 87	245 / 111	241 / 109	271 / 123	260 / 118	282 / 128	252 / 114	420 / 191
Axle Weight (lbs./Kg)*	1138 / 517	1338 / 607	1381 / 627	1448 / 657	1667 / 756	1722 / 781	1859 / 843	1913 / 868	1777 / 806	1874 / 850	2256 / 1023	2403 / 1090	TBD	2700 / 1225
Dry Weight (lbs./Kg)**	1305 / 591	1503 / 682	1651 / 749	1740 / 789	1863 / 845	1982 / 899	2154 / 977	2199 / 997	2018 / 915	2162 / 981	2516 / 1141	2702 / 1226	2233 / 1013	3065 / 1390
Cargo Capacity (lbs./Kg)*	778 / 353	813 / 369	733 / 332	631 / 286	824 / 374	761 / 345	1257 / 570							

# V-Trec

Heavier Duty Than Other Folding Campers!




V1

Specs | V1 V3


Interior Box Size	10'	12'
Travel Length	16'9"	21'4"
Travel Width	85"	85"
Travel Height	65"	65"
Interior Open Length	20'5"	24'5"
Interior Open Height	6'10"	6'10"
Sleeping Capacity	6	6
Front Sleeping Area	58 X 80	70 X 80
Rear Sleeping Area	58 X 80	70 X 80
Dinette Area	38 X 70	45 X 73
"U" Dinette	N/A	N/A
Lounge Area	N/A	N/A
Sofa Bed	N/A	N/A
Radial Tire Size	LT235/75R15	LT235/75R15
Tire Load Range	5 Bolt C	5 Bolt C
Hitch Weight # (approx.), (lbs./Kg)	252/114	420/191
Axle Weight # (approx.), (lbs./Kg)	1981/899	2700/1225
Dry Weight # (approx.), (lbs./Kg)**	2233/1013	3065/1390
Cargo Capacity # (approx.), (lbs./Kg)	1519/689	1325/601
GVWR (lbs./Kg)	3752/1702	4380/1987
Coupler Ball Size	2-5/16"	2-5/16"

- 5" Tube Frame
- 4000 Lb. Torsion Axle for Heavy Cargo Capacity
- Reinforced Diamond Plate Front Deck

## V-Trec Series



V1



V3



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



**Learn More**  
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



See your Viking Dealer for a complete list of parts and accessories.

[www.vikingrv.com](http://www.vikingrv.com)

269.467.6321

**Viking Recreational Vehicles**  
A Forest River Company  
580 West Burr Oak Street  
P.O. Box 549  
Centreville, MI 49032

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Viking reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications, as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Viking dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.