


2013

NOMAD®

Floor Plans

84" Wide Retro Travel Trailers
96" Wide Joey Select Travel Trailers
96" Wide Joey Select Fifth Wheels
96" Wide Joey Select Park Trailers



Your local **NOMAD** dealer is:

SKYLINE
BRINGING AMERICA HOME. BRINGING AMERICA FUN.

Effective 2012

Interior

Cabinets

- High Pressure Laminate Counter Tops

Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Padded Dinette Seat Cushions
- Mini Blinds at All Windows Except Bunks

Kitchen & Living Room

- 3 cu. ft. Gas / Electric Refrigerator
- 2 Burner Range Top
- 0.7 cu. ft. Microwave Oven w/Turntable & Clock
- Acrylic Kitchen Sink w/ Faucet
- 12 Volt Demand Water Pump
- 16,000 Btu Furnace
- 5 MBtu Air Conditioner
- 35 amp 12 Volt Power Convertor w/120 Volt Load Center
- Six Gallon Gas Water Heater
- TV Antenna w/Living Area Jack

Bath

- ABS Tub w/Tub Faucet, Shower Hose & Head
- Shower Curtain
- Hand Flush Thetford Toilet
- Towel Ring & Toilet Paper Holder

Exterior

Roof Construction

- Seamless One-Piece Aluminum Roof
- Awning Drip Rail & Down Spouts

Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Radius Corner / Dark Tint Safety Glass Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

Chassis Construction

- Cambered Tubular Steel Chassis w/Steel Outriggers
- Battery Rack
- Chassis-Mounted Entry Step

- Electric Brakes at All Wheels
- Safety Chains & Breakaway Safety Switch
- Two Stabilizer Jacks
- Sidewinder Tongue Jack w/ Foot

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

Features


- Single 20 lb. LP Propane Tank
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Side Awning

Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

Popular Options


- AM/FM/CD Stereo w/4 Speakers
- Spare Tire Kit
- Power Vent Fan in Bath
- Park Cable Hookup




Model 130




Model 170




Model 131




Model 173




Model 140




Model 183



Model 162



Model 186



Model 163

Model	130	131	140	162	163	170	173	183	186	191
Weights Unloaded Vehicle Weight (see Note 2)	1,925	1,975	2,025	2,175	2,250	2,725	2,625	2,725	2,725	2,550
Dry Hitch Weight	350	325	325	325	325	325	375	325	325	425
Dry Axle Weight	1,575	1,650	1,700	1,850	1,925	2,400	2,250	2,400	2,400	2,125
GVWR (Total Capacity of Trailer)	3,850	3,850	3,850	3,850	3,850	3,850	3,850	3,850	3,850	3,850
Carrying Capacity (see Note 2)	1,825	1,775	1,725	1,575	1,500	1,000	1,125	1,000	1,025	1,200
Accommodations Sleeping (standard / optional)	2	4	3	4	7	3	4	3	5	7
Bed Size	N/A	54" x 74"	N/A	(2) 32" x 75"	54" x 74"	54" x 80"	54" x 80"	60" x 74"	54" x 80"	54" x 74"
Second Bed Size	N/A	N/A	N/A	N/A	54" x 74"	N/A	N/A	N/A	(2) 28" x 76"	54" x 74"
Dinette Size	52" x 80"	44" x 60"	52" x 80"	52" x 80"	52" x 80"	N/A	52" x 80"	30" x 76"	30" x 76"	52" x 80"
Sofa	N/A	N/A	22" x 59"	N/A	22" x 59"	42" x 64"	N/A	N/A	N/A	26" x 80"
Measurements Exterior Length (see Note 3)	13'-9"	13'-9"	15'-10"	17'-2"	17'-5"	18'-4"	20'-1"	20'-4"	20'-6"	20'-6"
Exterior Width (see Note 3)	84"	84"	84"	84"	84"	84"	84"	84"	84"	84"
Exterior Height (see Note 3)	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"
Interior Height	73"	73"	73"	73"	73"	73"	73"	73"	73"	73"
Capacities Fresh Water System (gallons)	17	17	17	17	17	27	17	27	27	17
Gray Water Tank (gallons)	9	9	15	15	15	15	15	15	15	15
Black Water Tank (gallons)	6	6	9	9	9	9	9	9	9	9
Air Conditioner Size (Btu)	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
Awning Size	9'	9'	10'	12'	10'	12'	10'	10'	10'	10'
Convertor Size (amps)	35	35	35	35	35	35	35	35	35	35
Furnace Rating (Btu)	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000	16,000
Propane Gas Capacity (pounds)	20	20	20	20	20	20	20	20	20	20
Tires	ST185/ 80R13-C	ST185/ 80R13-C	ST185/ 80R13-C	ST205/ 75R14-C						
Water Heater (gallons)	6	6	6	6	6	6	6	6	6	6

Notes

(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.

(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

Interior**Cabinets**

- Hardwood Frame Cabinet Doors
- Full Extension Ball Bearing Drawer Guides
- High Pressure Laminate Counter Tops
- Maple Cabinets

Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Carpet & Pad as Shown on Floor Plans
- Extra Padded Dinette Seat Cushions w/Bolsters in Accent Fabric
- Mini Blinds at All Windows Except Bunks
- Decorative Glass Insert Cabinet Doors in Select Areas

Kitchen & Living Area

- Double Door Refrigerator
- 3 Burner Range w/Oven & Piezo
- Radius Counter Tops
- Power Range Hood w/Light
- Large Carousel Microwave Oven w/Clock
- Acrylic Kitchen Sink w/High Rise Faucet
- Decorative Wall Border in Kitchen & Living Area
- Systems Monitor Panel
- 25,000 Btu Ducted Furnace
- 13.5 MBtu Roof Ducted Air Conditioner w/Wall Thermostat
- 120 V to 12 V Power Converter
- TV Antenna w/Booster
- Park Cable Hookup for TV
- 12V AM/FM/DVD/MP3 Stereo

w/Aux. Input, Interior & Exterior Speakers

- Six Gallon Gas/DSI Water Heater

Bedroom & Bath

- Color-Coordinated Quilted Bedspread
- Deluxe Headboard
- Lift-Up Bed Storage w/Gas Piston Struts
- Innerspring Mattress
- ABS Tub w/ABS Wall Surround
- China Foot Flush Toilet
- Deluxe Medicine Cabinet w/Mirror
- Towel Ring & Toilet Paper Holder
- Skylight Over Tub
- Power Bath Vent

Exterior**Roof Construction**

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/Manufacturer's 12-Year Warranty
- Awning Drip Rail w/Extra Long Down Spouts

Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Dark Tint Safety Glass Radius Corner Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

Chassis Construction

- Cambered I-Beam Steel Chassis w/Steel Outriggers
- Battery Rack
- Electric Brakes at All Wheels
- Black Rotocast Wheel Wells (Most Models)
- Safety Chains & Breakaway Safety Switch
- E-Z Lube Hubs on Axles
- Four Stabilizer Jacks

Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

Features












- Two 30 lb. LP Propane Tanks w/Auto Changeover
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Water Heater Bypass


Security & Safety

- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher


Popular Options

- Power Side Awning
- Aluminum Wheels
- Camp Kitchen (Select Models)
- Fireplace (Select Models)
- Night Shades
- Outside Shower
- 26" LCD TV
- Gas/Electric/DSI Water Heater






Model 279




Model 285




Model 287




Option Wardrobe
Model 287




Model 298




Option Camp Kitchen
Model 298







Option Double Bed W/ Bunk
Model 298



Model 307





Option Picture Window
Model 307



Opt. Rear Sofa (Model 310)

Opt. Rear Dinette (Model 310)



Option Camp Kitchen Model 312

Model	196	204	207	236	241	249	250	253	260
Weights Unloaded Vehicle Weight (see Note 2)	3,775	4,050	4,375	4,650	4,700	3,950	4,650	6,225	4,725
Dry Hitch Weight	425	400	500	525	575	475	525	650	600
Dry Axle Weight	3,350	3,650	3,875	4,125	4,125	3,475	4,125	5,575	4,125
GVWR (Total Capacity of Trailer)	5,600	5,600	6,200	6,200	6,200	6,200	6,200	7,750	6,200
Carrying Capacity (see Note 2)	1,650	1,350	1,625	1,350	1,300	2,050	1,350	1,275	1,275
Accommodations Sleeping (standard / optional)	4	4	6	4	6	6	6	6	6
Bed Size (standard)	60" x 74"								
Second Bed Size	N/A	N/A	N/A	N/A	N/A	(2) 32" x 90"	(2) 32" x 90"	N/A	N/A
Dinette Size	40" x 71"	N/A	40" x 71"	44" x 92"	40" x 71"	(1) 28" x 76"	(1) 28" x 76"	48" x 79"	40" x 71"
Sofa	N/A	42" x 64"	42" x 64"	N/A	42" x 64"	N/A	N/A	42" x 64"	42" x 64"
Measurements Exterior Length (see Note 3)	22'-10"	23'-4"	27'-0"	27'-1"	28'-1"	26'-4"	28'-11"	27'-10"	27'-8"
Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Height (see Note 3)	10'-1"	10'-1"	10'-1"	10'-2"	10'-2"	10'-1"	10'-1"	11'-0"	10'-1"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"	78"
Capacities Fresh Water System (gallons)	36	36	36	36	36	36	36	36	36
Gray Water Tank (gallons)	31	31	31	31	31	31	31	56	62
Black Water Tank (gallons)	31	31	31	31	40	32	31	31	31
Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500
Awning Size	12'	12'	14'	14'	14'	14'	14'	14'	14'
Convertor Size (amps)	55	55	55	55	55	55	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60	60	60	60	60	60	60
Tires	ST205/ 75R14-C	ST205/ 75R15-C	ST205/ 75R14-C						
Water Heater (gallons)	6	6	6	6	6	6	6	6	6











Notes


- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

Model	268	272	279	285	287	298	307	309	310	312
Weights										
Unloaded Vehicle Weight (see Note 2)	4,625	6,300	5,625	6,050	6,500	6,575	7,250	8,125	8,175	7,250
Dry Hitch Weight	500	700	750	700	725	875	725	900	850	800
Dry Axle Weight	4,125	5,600	4,875	5,350	5,775	5,700	6,525	7,225	7,325	6,450
GVWR (Total Capacity of Trailer)	6,200	7,750	7,750	7,750	7,750	11,200	11,200	11,200	11,200	11,200
Carrying Capacity (see Note 2)	1,375	1,200	1,900	1,450	1,000	4,350	3,675	2,775	2,725	3,675
Accommodations										
Sleeping (standard / optional)	8	6	8	9	6	9 / 10	6	7	9 / 10	9 / 10
Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"
Second Bed Size	48" x 74" 28" x 76"	N/A	48" x 74" 28" x 76"	48" x 74" 28" x 76"	N/A	(2) 28" x 76" (2) 38" x 74"	N/A	N/A	(2) 28" x 76" (2) 38" x 74"	(2) 28" x 76" (2) 38" x 74"
Dinette Size	40" x 71"	48" x 79"	40" x 71"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"	48" x 79"
Sofa	42" x 64"	44" x 74"	42" x 64"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	(1) 42" x 64 (1) 42" x 74"	44" x 74"	44" x 74"
Measurements										
Exterior Length (see Note 3)	29'-7"	30'-10"	33'-2"	32'-0"	30'-9"	33'-10"	34'-2"	35'-6"	35'-11"	36'-7"
Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Height (see Note 3)	10'-1"	11'-0"	10'-3"	11'-0"	11'-0"	11'-0"	11'-0"	11'-4"	11'-4"	11'-2"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Capacities										
Fresh Water System (gallons)	36	36	36	36	36	36	36	36	36	36
Gray Water Tank (gallons)	31	40	50	40	62	40	40	40	40	40
Black Water Tank (gallons)	31	40	40	40	40	40	40	40	40	40
Air Conditioner Size	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500	13,500
Awning Size	14'	14'	18'	14'	12'	18'	14'	10'	16'	18'
Convertor Size (amps)	55	55	55	55	55	55	55	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60	60	60	60	60	60	60	60
Tires	ST205/ 75R14-C	ST205/ 75R15-C	ST205/ 75R15-C	ST205/ 75R15-C	ST205/ 75R15-C	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D
Water Heater (gallons)	6	6	6	6	6	6	6	6	6	6


Notes

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.







Model 376




OPT. FRONT ENTRY
(Model 376)




Model 377




OPT. FRONT ENTRY
(Model 377)




Option Camp Kitchen
Model 377



Model 383



Option Front Entry
(Model 383)



Option Front Dinette
(Model 383)


Model	327	340	373	376	377	383	
Weights	Unloaded Vehicle Weight (see Note 2)	7,875	7,600	7,600	7,600	8,425	8,875
	Dry Hitch Weight	1,025	1,000	1,000	1,150	1,000	1,075
	Dry Axle Weight	6,850	6,600	6,600	6,450	7,425	7,800
	GVWR (Total Capacity of Trailer)	11,200	11,200	11,200	11,200	11,200	11,200
	Carrying Capacity (see Note 2)	3,050	3,300	3,300	3,300	2,450	2,000
	Accommodations	Sleeping (standard / optional)	6	10	8 / 12	10	8
Bed Size (standard)		74" x 74"	60" x 74"	60" x 74"	60" x 74"	60" x 74"	74" x 74"
Second Bed Size		N/A	(3) 28" x 76"	60" x 74"	(2) 28" x 76"	(2) 28" x 76" (2) 38" x 74"	(2) 28" x 76" (2) 32" x 76"
Dinette Size		48" x 79"	48" x 79" 30" x 72"	48" x 79"	48" x 79" 40" x 71"	48" x 79"	48" x 79"
Sofa		44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"	44" x 74"
Measurements		Exterior Length (see Note 3)	36'-0"	38'-6"	39'-7"	40'-4"	40'-9"
	Exterior Width (see Note 3)	96"	96"	96"	96"	96"	96"
	Exterior Height (see Note 3)	11'-2"	11'-2"	11'-2"	11'-2"	11'-4"	11'-4"
	Interior Height	78"	78"	78"	78"	78"	78"
	Capacities	Fresh Water System (gallons)	46	36	46	36	36
Gray Water Tank (gallons)		50	50	40	40	40	40
Black Water Tank (gallons)		40	40	40	40	40	40
Air Conditioner Size		13,500	13,500	13,500	13,500	13,500	13,500
Awning Size		21'	18'	18'	18'	21'	18'
Convertor Size (amps)		55	55	55	55	55	55
Furnace Rating (Btu)		25,000	25,000	25,000	25,000	25,000	25,000
Propane Gas Capacity (pounds)		60	60	60	60	60	60
Tires		ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D	ST225/ 75R15-D
Water Heater (gallons)		6	6	6	6	6	6

Notes


(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.


(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.



Model 271



Model 286



Model 276

Model	271	276	286
Weights Unloaded Vehicle Weight (see Note 2)	6,900	6,675	7,350
Dry Hitch Weight	1,500	1,450	1,575
Dry Axle Weight	5,400	5,225	5,775
GVWR (Total Capacity of Trailer)	9,600	9,600	9,600
Carrying Capacity (see Note 2)	2,425	2,675	1,975
Accommodations Sleeping (standard / optional)	8	6	6
Bed Size (standard)	60" x 74"	60" x 74"	60" x 74"
Second Bed Size	(2) 28" x 76"	N/A	N/A
Dinette Size	40" x 71"	40" x 71"	40" x 71"
Sofa	48" x 74"	48" x 74"	48" x 74"
Measurements Exterior Length (see Note 3)	29'-3"	29'-3"	30'-11"
Exterior Width (see Note 3)	96"	96"	96"
Exterior Height (see Note 3)	12'-1"	12'-1"	12'-1"
Interior Height	84"	84"	84"
Capacities Fresh Water System (gallons)	46	46	46
Gray Water Tank (gallons)	71	71	71
Black Water Tank (gallons)	40	40	40
Air Conditioner Size	13,500	13,500	13,500
Awning Size	18'	16'	21'
Convertor Size (amps)	55	55	55
Furnace Rating (Btu)	25,000	25,000	25,000
Propane Gas Capacity (pounds)	60	60	60
Tires	225/ 75R15-D	225/ 75R15-D	225/ 75R15-D
Water Heater (gallons)	6	6	6

Notes

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the fenders and tires, which may extend up to 5" on each side of the body.



Skyline Customer Satisfaction

Skyline Customer Satisfaction is more than just a promise. We believe you deserve quality in every aspect of ownership. To ensure your continued satisfaction, we're dedicated to providing you with a quality product along with the very best service available in our industry. Skyline's "Commitment of Excellence" will be a source of pride and satisfaction for you.

Contact your Skyline dealer for details.



NO-NONSENSE WARRANTY

Manufacturing defects reported to Skyline within one year after original retail delivery of your new Travel Trailer or Fifth Wheel by an authorized dealer will be corrected without charge and within reasonable times. Excluded are misuse (including lack of reasonable maintenance), minor imperfections, alterations, and dealer or owner improper transportation, installation, or hookup.

This warranty gives you specific legal rights. You may have other rights which vary from state to state.

Skyline's suppliers often provide additional warranties on their components beyond the Skyline factory bumper-to-bumper warranty. For example — the range, water heater, furnace, convertor, air conditioner, refrigerator, microwave and awning carry two-year supplier warranties. The one-piece roof carries a 12-year warranty. Ask your dealer for full details.

Manufacturer's Notice: All specifications, equipment, and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

Your Retailer, an independent contractor, who is not an agent of Skyline Corporation, is the party responsible for your purchase contract and any additions, deletions, alterations, or attachments made to or in your recreational vehicle.



For the name of your nearest Skyline-built RV dealer, call:
Bristol, IN 1-800-735-7621



Or visit us at our Web Site at www.skylinecorp.com