



CARGO TRAILERS



“ABOVE THE REST”

Standard Features on All Doolittle Cargos

- 16" O.C. 1 1/4" square tube wall construction
- Recessed 3/4" plywood floor, fully undercoated
- 3/8" plywood wall liner
- Deluxe aluminum trim package
- Heavy duty steel rear frame w/ .030" aluminum wrap
- Heavy gauge (.080") aluminum roof cove
- Long wearing aluminum exterior sheathing (.030")
- Drip rails over all doors
- Rounded nose provides extra cargo space
- LED exterior lighting

- Dome light w/ wall switch
- Flow ventilation system
- White spoke wheels
- Long-life coating on fasteners
- Rubber torsion suspension
- Radial tires
- Formed steel rear door header
- E-Z lube hubs
- Primed and painted throughout
- Camlock rear doors
- Flush mount door fasteners
- 1 1/4" square steel wall uprights

- .080 Aluminum roof cove
- Thermo-plastic door hold backs
- 36" Side Door Except 5 x 8'
- 24" Stone Guard



5-wides

Five-Wide Cargo's

Affordable, convenient hauling at its best. Popular among weekend warriors, sports teams and small businesses to name a few. Customizable and available with many popular add on Doolittle features.

- Smooth aluminum "Jeep" fenders
- 16" o.c. Walls
- 24" o.c. Floors
- 3/8" Plywood Walls
- 2,990 lbs. GVW
- 15" Tires

BOX SIZE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT	PLATFORM HEIGHT	HITCH BALL HEIGHT	REAR DOOR HEIGHT	REAR DOOR WIDTH	APPROX. HITCH WT.	APPROX. EMPTY WT.	GROSS VEHICLE WEIGHT RATING
5' x 8'	11' 6"	8' 0"	80 1/2"	8' 5"	56 3/4"	62 1/2"	17"	16"	54 1/2"	49 1/2"	55 Lbs.	880 Lbs.	2,990 Lbs.
5' x 10'	13' 6"	"	80 1/2"	10' 5"	"	62 1/2"	"	54 1/2"	"	70 Lbs.	1,040 Lbs.	2,990 Lbs.	

Specifications and design subject to change without notification or obligation. Options may result in slight changes in specifications.

Doolittle Trailers are manufactured to Missouri's legal specifications. Check with your dealer about trailer laws in your state.

Standard Color Choices:

Special Colors Available

Charcoal
Gray

Coke
Red

Polar
White

Raven
Black



Above The Rest



6'x12' T/A shown with AC,
RV door, window, ramp door



6'X12' S/A shown

6-wides

**Six-Wide Cargos
Single and Tandem Axle**
Many other options available
including GVW's up to 12,000 lbs.

BOX SIZE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT	PLATFORM HEIGHT	HITCH BALL HEIGHT	REAR DOOR HEIGHT	REAR DOOR WIDTH	APPROX. HITCH WT.	APPROX. EMPTY W. SINGLE AXLE*	GROSS VEHICLE WEIGHT T/A	GROSS VEHICLE WEIGHT S/A	TIRE SIZE	WHEEL BOLT PATTERN
6' x 10'	13' 6"	92"	93"	10' 6"	68 3/4"	73 1/2"	17"	16"	"	61 1/2"	95 Lbs.	1,230 Lbs.	7,000 Lbs.	2,990 Lbs.	6-Ply ST205/75R15	5 on 4.5"
6' x 12'	15' 6"	"	"	12' 6"	"	"	"	"	"	"	120 Lbs.	1,350 Lbs.	"	"	"	"
6' x 14'	17' 6"	"	"	14' 6"	"	"	"	"	"	"	160 Lbs.	1,450 Lbs.	"	"	"	"
6' x 16'	19' 6"	"	"	16' 6"	"	"	"	"	"	"	195 Lbs.	1,650 Lbs.	"	"	"	"
6' x 18'	21' 6"	"	"	18' 6"	"	"	"	"	"	"	235 Lbs.	2,320 Lbs.	"	"	"	"
6' x 20'	23' 6"	"	"	20' 6"	"	"	"	"	"	"	265 Lbs.	2,470 Lbs.	"	"	"	"

Specifications and design subject to change without notification or obligation. Options may result in slight changes in specifications.

Doolittle Trailers are manufactured to Missouri's legal specifications. Check with your dealer about trailer laws in your state.

*T/A trailers add approx 230 lbs to empty weight for axle.

7'x12' S/A shown



**Seven-Wide Cargos
Single and Tandem Axle**

Many other options available
including GVW's up to 14,000 lbs.

7-wides



7'X12' T/A Customized



7'X12' T/A shown
with ladder racks

BOX SIZE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT	PLATFORM HEIGHT	HITCH BALL HEIGHT	REAR DOOR HEIGHT	REAR DOOR WIDTH	APPROX. HITCH WT.	APPROX. EMPTY WT.	GROSS VEHICLE WEIGHT RATING T/A	TIRE SIZE	WHEEL BOLT PATTERN
7' x 12'	15' 11"	93"	98 1/2"	12' 6"	80 3/4"	78 1/2"	18"	17"	72 1/2"	73 1/2"	135 Lbs.	2,040 Lbs.	7,000	205-75-15	5 on 4.5"
7' x 14'	17' 11"	"	"	14' 6"	"	"	"	"	"	"	180 Lbs.	2,215 Lbs.	7,000	"	"
7' x 16'	19' 11"	"	"	16' 6"	"	"	"	"	"	"	225 Lbs.	2,390 Lbs.	"	"	"
7' x 18'	21' 11"	"	"	18' 6"	"	"	"	"	"	"	260 Lbs.	2,565 Lbs.	"	"	"
7' x 20'	23' 11"	"	"	20' 6"	"	"	"	"	"	"	300 Lbs.	2,670 Lbs.	"	"	"

Specifications and design subject to change without notification or obligation. Options may result in slight changes in specifications.

Doolittle Trailers are manufactured to Missouri's legal specifications. Check with your dealer about trailer laws in your state. * T/A trailers add approximately 230 lbs to empty weight for axle.



8-wides

Eight-Wide Cargos

Whether you're hauling 4-wheelers or race cars, these rugged trailers are fully customizable and available with any of the popular add on Doolittle features and packages.

BOX SIZE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	INTERIOR LENGTH	INTERIOR WIDTH	INTERIOR HEIGHT	PLATFORM HEIGHT	HITCH BALL HEIGHT	REAR DOOR HEIGHT	REAR DOOR WIDTH	APPROX. HITCH WT.	APPROX. EMPTY WT.	GROSS VEHICLE WEIGHT RATING	TIRE SIZE	WHEEL/BOLT PATTERN
8' x 12'	15' 11"	98"	101"	12' 7"	89 3/4"	78 1/2"	20"	19"	72 1/2"	82 1/2"	145 Lbs.	2,120 Lbs.	7,000 Lbs.	205-75-15	5 on 4.5"
8' x 14'	17' 11"	"	"	14' 7"	"	"	"	"	"	"	190 Lbs.	2,320 Lbs.	"	"	"
8' x 16'	19' 11"	"	"	16' 7"	"	"	"	"	"	"	235 Lbs.	2,520 Lbs.	"	"	"
8' x 18'	21' 11"	"	"	18' 7"	"	"	"	"	"	"	270 Lbs.	2,720 Lbs.	"	"	"
8' x 20'	23' 11"	"	"	20' 7"	"	"	"	"	"	"	310 Lbs.	2,920 Lbs.	"	"	"
8' x 22'	25' 11"	"	"	22' 7"	"	"	"	"	"	"	350 Lbs.	3,120 Lbs.	"	"	"
8' x 24'	27' 11"	"	"	24' 7"	"	"	"	"	"	"	390 Lbs.	3,320 Lbs.	"^	"	"
8' x 26'	29' 11"	"	"	103"	26' 7"	"	"	22"	21"	"	440 Lbs.	3,520 Lbs.	"^	"	"
8' x 28'	31' 11"	"	"	28' 7"	"	"	"	"	"	"	485 Lbs.	3,720 Lbs.	"^	"	"
8' x 30'	33' 11"	"	"	30' 7"	"	"	"	"	"	"	540 Lbs.	3,970 Lbs.	10,000 Lbs.	ST225/75R15	6-hole
8' x 32'	35' 11"	"	"	32' 7"	"	"	"	"	"	"	595 Lbs.	4,220 Lbs.	"	"	"
8' x 34'	37' 11"	"	"	34' 7"	"	"	"	"	"	"	650 Lbs.	4,470 Lbs.	"	"	"
8' x 36'	44' 11"	"	"	44' 7"	"	"	"	33"-44"	"	"	730 Lbs.	5,620 Lbs.	12,000 Lbs.	ST235/85R16	8-hole
8' x 38'	46' 11"	"	"	46' 7"	"	"	"	"	"	"	805 Lbs.	5,920 Lbs.	"	"	"
8' x 40'	48' 11"	"	"	48' 7"	"	"	"	"	"	"	880 Lbs.	6,220 Lbs.	"	"	"
*8' 4" x 40'	102"	"		96 3/4"	"	"	"	"							

Specifications and design subject to change without notification or obligation. Options may result in slight changes in specifications.

Doolittle Trailers are manufactured to Missouri's legal specifications. Check with your dealer about trailer laws in your state.

* Wide Body Option is available on any 8' wide trailer equipped with wide track axles.

[^]While not required, Doolittle recommends 24', 26', and 28' trailers be upgraded to 10,000 lb. GVWR. A lower GVWR voids the factory warranty.

Goosenecks



Concession Trailers Customized with rear mounted BBQ.

In addition to all the other fine features found on every Doolittle trailer, Gooseneck Trailers are easier to maneuver, offer better weight distribution, are gusseted for maximum strength, provide extra cargo space, and can be combined with many other options.

Square Bodys



***We'll customize your transport
to fit your unique needs.***

Options Checklist

- Extension Flaps
- Concession Door
- Camping & Concession Options
- Side Door Accessory Options
 - Built-In Step
 - RV Style Step
 - RV Door Locks
 - RV Door with Window
- Generator Door, 24" X 36" or 30" X 40"
- Ramp Doors with Spring Assist
- Vinyl Flooring
- Steel or Aluminum Tread Plate Floor
- Electric or Hydraulic Brakes
- Wireless Electric Brakes
- Extra Height
- Aluminum Wheels
- Stabilizer Jacks
- Back-Up Lights
- Sliding Windows
- E-Track, Sidewall and/or Floor, with Clips
- Flush Mount Heavy Duty D-Ring Tie Downs (Wall or Floor)
- White Ceiling and/or Wall Liner
- Insulation, Ceiling and/or Wall
- Fold-Up Front Jack
- Spare Tire Carrier (Three types)
- Roof Vents
- Aluminum Side Wall Vents
- Break-Away Switch (On Single Axle)
- Metal Cabinets
- Generations
- Air Conditioning
- Ladder Racks
- Ladders
- Anodized Corners/Sides
- Deluxe Aluminum Tread Plate (Walls/Floors)
- ATP Runner
- Extension Flap



MAXX AIR Vent Cover




Sliding Window



Generator



110 Wiring
Packages



12 Volt Roof Vent




Popout
Aluminum
Vent



RV Door with
Screens/Window
Option



ETRAC with adjustable clips (wall or floor)



Ladder Rack




Concession Door



Ladders



Fully undercoated, recessed 3/4" Sturdi-Floor
provides one-level rear access for ease in loading



500 Watt Quartz Light



Rear Loading Light



Anodized Corners



“ABOVE THE REST”

CARGO TRAILERS

www.doolittletrailers.com

800.654.4948

Dealer Contact Information

