

KEY FEATURES

RIDE AND DRIVE

- 475 horsepower, 1700 lbs/ft torque MaxxForce 13 engine with aluminum side mount radiator.
- Custom built for Navistar RVs Roadmaster chassis. 10 airbag Cushion Air Glide suspension system with liftable tag axle.
- Decorative LED lights in signature front chevron design.
- Ergonomically designed cockpit for unmatched visibility, reach and leg room. Lighted VIP Smart wheel multiplexed steering wheel.
- In-Dash 7" LCD Touch screen AM/FM/CD Stereo Radio, Sirius Ready. GPS Garmin Navigation System with Dock Station.

INTERIOR

- 40" or 46" Sony LCD living room TV and BLU Ray home theater system. 32" Sony LCD bedroom TV with optional DVD player.
- Central Vac with toe kick inlet.
- Multiplex house wiring with optional iPad controller for lighting and entertainment system.
- Stainless steel appliances, residential refrigerator, 2-burner electric induction cooktop. Optional dishwasher drawer.
- Solid surface countertops with LED accent lighting.
- Traditional or Modern theme decors available.
- 1 or 1.5 bath available floorplans with handcrafted tile backsplash. Spacious glass-enclosed shower with domed skylight and decorative tile accents.
- King bed standard with optional air mattress.
- Optional stackable washer and dryer.
- Navistar RV's Quiet Cool AC system using three 15M BTU air conditioners and heat pumps.
- Aquahot® 450 hydronic heating system.

EXTERIOR

- RV Sanicon tank drainage system, powered water hose reel, exterior tank level gauge, hot and cold exterior shower, holding tank rinsing system.
- Insulated side hinged aluminum baggage doors with power locks, full pass-through storage and slide out tray.
- Full body 5-color paint with Durashield front mask.
- Triple head power-controlled heated chrome exterior mirrors with cameras.
- Air sealed entry door with illuminated handle and key pad.
- Optional exterior entertainment center with 40" Sony LCD TV and DVD player.
- Pre-wired for optional 2 or 4 95-watt solar panels with controller and remote display.



SUMATRAN SUNSE

Black Tank

Fresh Tank

Fuel Tank

LP Tank* (gal.)







40

100

150

39

40

100

150

39

Weights (LBS) *	44PDQ	44RFT
Gross Vehicle Weight Rating	44,600	44,600
Gross Combined Weight Rating	53,000	53,000
Front Gross Axle Weight Rating	14,600	14,600
Rear Gross Axle Weight Rating	20,000	20,000
MEASUREMENTS		
Wheelbase	273"	273"
Overall Length	44'-3"	44'-3"
Overall Height, Including A/C	12'-7"	12'-7"
Interior Height	84"	84"
Interior Width	94.5"	94.5"
Exterior Width	100.5"	100.5"
TANK CAPACITIES (GAL) **		
Grey Tank	62	62
	1	


*Towing capacity is limited by GCWR; your vehicle's towing capacity is the difference between the GCWR and the actual vehicle weight, including all water, fuel, passengers and cargo. Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed vehicle exceeds 1,000 lbs. Consult your owner's manual for further towing information.

**All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks.

***Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

44PDQ

ABODE



SUMATRAN SUNSET



EVENING LILY



































GLAZED ITALIAN SIENNA

AQUA OASIS

GLAZED DARK CHERRY









44RFT

ABCD



FURNITURE OPTIONS






PARIS AT MIDNIGHT




















ESPRESSO CHERRY



Due to continuous product improvements, please visit us online at monacocoach.com for the latest in standards, options, specifications and technical data.



For more information on standards and options, please go to www.monacocoach.com 606 Nelson's Parkway, Wakarusa IN 46573 • 877 252 4666