

# 2013

# NOMAD®

## Floor Plans

**84" Wide Retro Travel Trailers**  
**96" Wide Joey Select Travel Trailers**  
**96" Wide Joey Select Fifth Wheels**  
**96" Wide Joey Select Park Trailers**



Your local **NOMAD** dealer is:

**SKYLINE**  
BRINGING AMERICA HOME. BRINGING AMERICA FUN.

Effective 2012

## Interior

### Cabinets

- High Pressure Laminate Counter Tops

### Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Padded Dinette Seat Cushions
- Mini Blinds at All Windows Except Bunks

## Kitchen & Living Room

- 3 cu. ft. Gas / Electric Refrigerator
- 2 Burner Range Top
- 0.7 cu. ft. Microwave Oven w/Turntable & Clock
- Acrylic Kitchen Sink w/ Faucet
- 12 Volt Demand Water Pump
- 16,000 Btu Furnace
- 5 MBtu Air Conditioner
- 35 amp 12 Volt Power Convertor w/120 Volt Load Center
- Six Gallon Gas Water Heater
- TV Antenna w/Living Area Jack

## Bath

- ABS Tub w/Tub Faucet, Shower Hose & Head
- Shower Curtain
- Hand Flush Thetford Toilet
- Towel Ring & Toilet Paper Holder

## Exterior

### Roof Construction

- Seamless One-Piece Aluminum Roof
- Awning Drip Rail & Down Spouts

### Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Radius Corner / Dark Tint Safety Glass Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

## Chassis Construction

- Cambered Tubular Steel Chassis w/Steel Outriggers
- Battery Rack
- Chassis-Mounted Entry Step
- Electric Brakes at All Wheels
- Safety Chains & Breakaway Safety Switch
- Two Stabilizer Jacks
- Sidewinder Tongue Jack w/ Foot

## Floor Construction

- 5/8" Tongue & Groove Floor Decking
- Tightly Sealed Woven Polyethylene Underbelly

## Features


- Single 20 lb. LP Propane Tank
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Side Awning

## Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

## Popular Options


- AM/FM/CD Stereo w/4 Speakers
- Spare Tire Kit
- Power Vent Fan in Bath
- Park Cable Hookup
- Four Stabilizer Jacks (Replacing Two)
- Aluminum Wheels
- Bunk Fan/Light Combo (Expandables Only)
- 48x22 Front Window w/ Integral Rock Guard (Select Models)
- 6 Gallon DSI Water Heater (Replacing Pilot Light)
- Laminated Sidewall Construction w/Welded Aluminum Frame




Model 130




Model 173




Model 131




Model 183




Model 140




Opt. Double Bed  
Model 140




Model 186




Model 162




Model 188



Model 163



Model 191



Model 170

| <b>Model</b>   | <b>130</b>        | <b>131</b>        | <b>140</b>        | <b>162</b>        | <b>163</b>        | <b>170</b>        | <b>173</b>        | <b>183</b>        | <b>186</b>        | <b>188</b>        | <b>191</b>        |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| <b>Weights</b> Unloaded Vehicle Weight (see Note 2)  | 1,925             | 1,975             | 2,025             | 2,175             | 2,250             | 2,725             | 2,450             | 2,450             | 2,475             | 2,975             | 2,550             |
| Dry Hitch Weight                                     | 350               | 325               | 300               | 325               | 325               | 325               | 400               | 325               | 325               | 400               | 425               |
| Dry Axle Weight                                      | 1,575             | 1,650             | 1,725             | 1,850             | 1,925             | 2,400             | 2,050             | 2,125             | 2,150             | 2,575             | 2,125             |
| GVWR (Total Capacity of Trailer)                     | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             | 3,850             |
| Carrying Capacity (see Note 2)                       | 1,825             | 1,775             | 1,725             | 1,575             | 1,500             | 1,000             | 1,300             | 1,300             | 1,275             | 775               | 1,200             |
| <b>Accommodations</b> Sleeping (standard / optional) | 2                 | 4                 | 3                 | 4                 | 7                 | 3                 | 4                 | 3                 | 5                 | 3                 | 7                 |
| Bed Size   | N/A               | 54" x 74"         | N/A               | (2) 32" x 75"     | 54" x 74"         | 54" x 80"         | 54" x 80"         | 60" x 74"         | 54" x 80"         | 60" x 74"         | 54" x 74"         |
| Second Bed Size                                      | N/A               | N/A               | N/A               | N/A               | 54" x 74"         | N/A               | N/A               | N/A               | (2) 28" x 76"     | N/A               | 54" x 74"         |
| Dinette Size   | 52" x 80"         | 44" x 80"         | 52" x 80"         | 52" x 80"         | 52" x 80"         | N/A               | 52" x 80"         | 30" x 76"         | 30" x 76"         | N/A               | 52" x 80"         |
| Sofa   | N/A               | N/A               | 22" x 59"         | N/A               | 22" x 59"         | 42" x 64"         | N/A               | N/A               | N/A               | 42" x 64"         | 26" x 80"         |
| <b>Measurements</b> Exterior Length (see Note 3)     | 14'-2"            | 14'-4"            | 16'-4"            | 17'-8"            | 18'-0"            | 18'-9"            | 20'-6"            | 20'-9"            | 21'-1"            | 20'-9"            | 21'-1"            |
| Exterior Width (see Note 3)                          | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               | 84"               |
| Exterior Height (see Note 3)                         | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             | 9'-1"             |
| Interior Height                                      | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               | 73"               |
| <b>Capacities</b> Fresh Water System (gallons)       | 17                | 17                | 17                | 17                | 17                | 27                | 17                | 27                | 27                | 27                | 17                |
| Gray Water Tank (gallons)                            | 9                 | 9                 | 15                | 15                | 15                | 15                | 15                | 15                | 15                | 15                | 15                |
| Black Water Tank (gallons)                           | 6                 | 6                 | 9                 | 9                 | 9                 | 9                 | 9                 | 9                 | 9                 | 9                 | 9                 |
| Air Conditioner Size (Btu)                           | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             | 5,000             |
| Awning Size  | 9'                | 9'                | 10'               | 12'               | 10'               | 12'               | 10'               | 10'               | 10'               | 12'               | 10'               |
| Convertor Size (amps)                                | 35                | 35                | 35                | 35                | 35                | 35                | 35                | 35                | 35                | 35                | 35                |
| Furnace Rating (Btu)                                 | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            | 16,000            |
| Propane Gas Capacity (pounds)                        | 20                | 20                | 20                | 20                | 20                | 20                | 20                | 20                | 20                | 20                | 20                |
| Tires  | ST205/<br>75R14-C |
| Water Heater (gallons)                               | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 |

**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

## Interior

### Cabinets

- Hardwood Frame Cabinet Doors
- Full Extension Ball Bearing Drawer Guides
- High Pressure Laminate Counter Tops
- Maple Cabinets

### Decor

- Color-Coordinated Designer Interiors
- Embossed Vinyl Flooring
- Carpet & Pad as Shown on Floor Plans
- Extra Padded Dinette Seat Cushions w/Bolsters in Accent Fabric
- Mini Blinds at All Windows Except Bunks
- Decorative Glass Insert Cabinet Doors in Select Areas

### Kitchen & Living Area

- Double Door Refrigerator
- 3 Burner Range w/Oven & Piezo
- Radius Counter Tops
- Power Range Hood w/Light
- Large Carousel Microwave Oven w/Clock
- Acrylic Kitchen Sink w/High Rise Faucet
- Decorative Wall Border in Kitchen & Living Area
- Systems Monitor Panel
- 25,000 Btu Ducted Furnace
- 13.5 MBtu Roof Ducted Air Conditioner w/Wall Thermostat
- 120 V to 12 V Power Converter
- TV Antenna w/Booster
- Park Cable Hookup for TV
- 12V AM/FM/DVD/MP3 Stereo w/Aux. Input, Interior & Exterior Speakers
- Six Gallon Gas/DSI Water Heater

### Bedroom & Bath

- Color-Coordinated Quilted Bedspread

- Deluxe Headboard
- Lift-Up Bed Storage w/Gas Piston Struts
- Innerspring Mattress
- ABS Tub w/ABS Wall Surround
- Foot Flush Toilet
- Deluxe Medicine Cabinet w/Mirror
- Towel Ring & Toilet Paper Holder
- Skylight Over Tub
- Power Bath Vent

## Exterior

### Roof Construction

- Tapered Roof Construction to Promote Water Runoff
- Seamless One-Piece Roof w/Manufacturer's 12-Year Warranty
- Awning Drip Rail w/Extra Long Down Spouts

### Wall Construction

- Wall Studs on 16" Centers (Maximum)
- Steel Strap Reinforcement on Walls for Superior Durability
- R-7 Settle-Resistant Insulation
- Twist Locks on All Storage Doors
- Clamp Ring Dark Tint Safety Glass Radius Corner Windows
- Patio Convenience Light
- Radius Entry Door w/Screen
- Assist Handle at Entry Door

### Chassis Construction

- Cambered I-Beam Steel Chassis w/Steel Outriggers
- Battery Rack
- Electric Brakes at All Wheels
- Black Rotocast Wheel Wells (Most Models)
- Safety Chains & Breakaway Safety Switch
- E-Z Lube Hubs on Axles
- Four Stabilizer Jacks

### Floor Construction

- 5/8" Tongue & Groove Floor Decking

- Tightly Sealed Woven Polyethylene Underbelly

## Features


- Two 30 lb. LP Propane Tanks w/Auto Changeover
- Holding Tanks w/Drain Outlet
- Rear Bumper w/Sewer Hose Carrier
- Water Heater Bypass

## Security & Safety


- Smoke Detector
- Propane Leak Detectors
- Carbon Monoxide Alarm
- Flush Door Latch w/Integral Dead Bolt Lock
- Fire Extinguisher

## Popular Options


- Power Side Awning
- Aluminum Wheels
- Camp Kitchen (Select Models)
- Fireplace (Select Models)
- Night Shades
- Outside Shower
- 26" LCD TV
- Gas/Electric/DSI Water Heater
- Free-Standing Dinette w/4 Chairs (Replaces Fixed) (Select Models)
- Exterior Ladder
- Euro Chair (Select Models)
- 10 Gallon GE DSI Water Heater (Replaces Standard 6 Gallon Gas DSI) (Park Trailers)
- 15 Btu A/C (Replaces Standard 13.5 Btu) (Park Trailers)
- 20" Free-Standing Range (Replaces Standard) (Park Trailers)
- Detachable Hitch (Park Trailers)
- RV Entry Door (Replaces Standard Patio Door) (Park Trailers)
- Laminated Sidewall Construction w/Welded Aluminum Frame & Enclosed Underbelly




Model 196




Model 250




Model 204



Model 260




Model 207




Model 268




Opt. Value Camp Kitchen  
Model 268




Model 236




Model 272




Model 241










Model 285




Opt. Value Camp Kitchen  
Model 285




6 Model 249







Model 309



Model 312



Option Camp Kitchen Model 312



Model 314

| <b>Model</b>   | <b>196</b>        | <b>204</b>        | <b>207</b>        | <b>236</b>        | <b>241</b>        | <b>249</b>        | <b>250</b>        | <b>260</b>        |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| <b>Weights</b> Unloaded Vehicle Weight (see Note 2)  | 3,775             | 4,050             | 4,375             | 4,650             | 4,700             | 3,950             | 4,650             | 4,275             |
| Dry Hitch Weight                                     | 425               | 400               | 500               | 525               | 575               | 475               | 525               | 600               |
| Dry Axle Weight                                      | 3,350             | 3,650             | 3,875             | 4,125             | 4,125             | 3,475             | 4,125             | 4,125             |
| GVWR (Total Capacity of Trailer)                     | 5,600             | 5,600             | 6,200             | 6,200             | 6,200             | 6,200             | 6,200             | 6,200             |
| Carrying Capacity (see Note 2)                       | 1,650             | 1,350             | 1,625             | 1,350             | 1,300             | 2,050             | 1,350             | 1,275             |
| <b>Accommodations</b> Sleeping (standard / optional) | 4                 | 4                 | 6                 | 4                 | 6                 | 6                 | 6                 | 6                 |
| Bed Size (standard)                                  | 60" x 74"         |
| Second Bed Size                                      | N/A               | N/A               | N/A               | N/A               | N/A               | (2)<br>32" x 90"  | (2)<br>32" x 90"  | N/A               |
| Dinette Size   | 40" x 71"         | N/A               | 40" x 71"         | 44" x 92"         | 40" x 71"         | (1)<br>28" x 76"  | (1)<br>28" x 76"  | 40" x 71"         |
| Sofa   | N/A               | 42" x 64"         | 42" x 64"         | N/A               | 42" x 64"         | N/A               | N/A               | 42" x 64"         |
| <b>Measurements</b> Exterior Length (see Note 3)     | 22'-10"           | 23'-4"            | 27'-0"            | 27'-1"            | 28'-1"            | 26'-4"            | 28'-11"           | 27'-8"            |
| Exterior Width (see Note 3)                          | 96"               | 96"               | 96"               | 96"               | 96"               | 96"               | 96"               | 96"               |
| Exterior Height (see Note 3)                         | 10'-1"            | 10'-1"            | 10'-1"            | 10'-2"            | 10'-2"            | 10'-1"            | 10'-1"            | 10'-1"            |
| Interior Height                                      | 78"               | 78"               | 78"               | 78"               | 78"               | 78"               | 78"               | 78"               |
| <b>Capacities</b> Fresh Water System (gallons)       | 36                | 36                | 36                | 36                | 36                | 36                | 36                | 36                |
| Gray Water Tank (gallons)                            | 31                | 31                | 31                | 31                | 31                | 31                | 31                | 62                |
| Black Water Tank (gallons)                           | 31                | 31                | 31                | 31                | 40                | 32                | 31                | 31                |
| Air Conditioner Size                                 | 13,500            | 13,500            | 13,500            | 13,500            | 13,500            | 13,500            | 13,500            | 13,500            |
| Awning Size  | 12'               | 12'               | 14'               | 14'               | 14'               | 14'               | 16'               | 14'               |
| Convertor Size (amps)                                | 55                | 55                | 55                | 55                | 55                | 55                | 55                | 55                |
| Furnace Rating (Btu)                                 | 25,000            | 25,000            | 25,000            | 25,000            | 25,000            | 25,000            | 25,000            | 25,000            |
| Propane Gas Capacity (pounds)                        | 60                | 60                | 60                | 60                | 60                | 60                | 60                | 60                |
| Tires  | ST205/<br>75R14-C |
| Water Heater (gallons)                               | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 | 6                 |



**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.

| <b>Model</b>                         | <b>268</b>             | <b>272</b>        | <b>285</b>             | <b>287</b>        | <b>296</b>        | <b>298</b>                           | <b>307</b>        | <b>309</b>                           | <b>312</b>                           | <b>314</b>        |
|--------------------------------------|------------------------|-------------------|------------------------|-------------------|-------------------|--------------------------------------|-------------------|--------------------------------------|--------------------------------------|-------------------|
| <b>Weights</b>                       |                        |                   |                        |                   |                   |                                      |                   |                                      |                                      |                   |
| Unloaded Vehicle Weight (see Note 2) | 4,625                  | 6,300             | 6,050                  | 6,500             | 6,950             | 6,575                                | 7,250             | 8,125                                | 7,250                                | 7,950             |
| Dry Hitch Weight                     | 500                    | 700               | 700                    | 725               | 900               | 875                                  | 725               | 900                                  | 800                                  | 950               |
| Dry Axle Weight                      | 4,125                  | 5,600             | 5,350                  | 5,775             | 6,050             | 5,700                                | 6,525             | 7,225                                | 6,450                                | 7,000             |
| GVWR (Total Capacity of Trailer)     | 6,200                  | 7,750             | 7,750                  | 7,750             | 11,200            | 11,200                               | 11,200            | 11,200                               | 11,200                               | 11,200            |
| Carrying Capacity (see Note 2)       | 1,375                  | 1,200             | 1,450                  | 1,000             | 3,975             | 4,350                                | 3,675             | 2,775                                | 3,675                                | 2,950             |
| <b>Accommodations</b>                |                        |                   |                        |                   |                   |                                      |                   |                                      |                                      |                   |
| Sleeping (standard / optional)       | 8                      | 6                 | 9                      | 6                 | 9                 | 9 / 10                               | 6                 | 7                                    | 9 / 10                               | 6                 |
| Bed Size (standard)                  | 60" x 74"              | 60" x 74"         | 60" x 74"              | 60" x 74"         | 60" x 74"         | 60" x 74"                            | 60" x 74"         | 60" x 74"                            | 60" x 74"                            | 60" x 74"         |
| Second Bed Size                      | 48" x 74"<br>28" x 76" | N/A               | 48" x 74"<br>28" x 76" | N/A               | (2)<br>50" x 76"  | (2)<br>28" x 76"<br>(2)<br>38" x 74" | N/A               | N/A                                  | (2)<br>28" x 76"<br>(2)<br>38" x 74" | N/A               |
| Dinette Size                         | 40" x 71"              | 48" x 79"         | 48" x 79"              | 48" x 79"         | 48" x 79"         | 48" x 79"                            | 48" x 79"         | 48" x 79"                            | 48" x 79"                            | 48" x 79"         |
| Sofa                                 | 42" x 64"              | 44" x 74"         | 44" x 74"              | 44" x 74"         | 44" x 74"         | 44" x 74"                            | 44" x 74"         | (1)<br>42" x 64"<br>(1)<br>44" x 74" | 44" x 74"                            | 44" x 74"         |
| <b>Measurements</b>                  |                        |                   |                        |                   |                   |                                      |                   |                                      |                                      |                   |
| Exterior Length (see Note 3)         | 29'-7"                 | 30'-10"           | 32'-0"                 | 30'-9"            | 33'-10"           | 33'-10"                              | 34'-2"            | 35'-6"                               | 36'-7"                               | 34'-9"            |
| Exterior Width (see Note 3)          | 96"                    | 96"               | 96"                    | 96"               | 96"               | 96"                                  | 96"               | 96"                                  | 96"                                  | 96"               |
| Exterior Height (see Note 3)         | 10'-1"                 | 11'-0"            | 11'-0"                 | 11'-0"            | 11'-0"            | 11'-0"                               | 11'-0"            | 11'-4"                               | 11'-2"                               | 11'-2"            |
| Interior Height                      | 78"                    | 78"               | 78"                    | 78"               | 78"               | 78"                                  | 78"               | 78"                                  | 78"                                  | 78"               |
| <b>Capacities</b>                    |                        |                   |                        |                   |                   |                                      |                   |                                      |                                      |                   |
| Fresh Water System (gallons)         | 36                     | 36                | 36                     | 36                | 36                | 36                                   | 36                | 36                                   | 36                                   | 36                |
| Gray Water Tank (gallons)            | 31                     | 40                | 40                     | 62                | 71                | 40                                   | 40                | 40                                   | 40                                   | 50                |
| Black Water Tank (gallons)           | 31                     | 40                | 40                     | 40                | 40                | 40                                   | 40                | 40                                   | 40                                   | 40                |
| Air Conditioner Size                 | 13,500                 | 13,500            | 13,500                 | 13,500            | 13,500            | 13,500                               | 13,500            | 13,500                               | 13,500                               | 13,500            |
| Awning Size                          | 18'                    | 14'               | 20'                    | 12'               | 21'               | 18'                                  | 14'               | 10'                                  | 18'                                  | 20'               |
| Convertor Size (amps)                | 55                     | 55                | 55                     | 55                | 55                | 55                                   | 55                | 55                                   | 55                                   | 55                |
| Furnace Rating (Btu)                 | 25,000                 | 25,000            | 25,000                 | 25,000            | 25,000            | 25,000                               | 25,000            | 25,000                               | 25,000                               | 25,000            |
| Propane Gas Capacity (pounds)        | 60                     | 60                | 60                     | 60                | 60                | 60                                   | 60                | 60                                   | 60                                   | 60                |
| Tires                                | ST205/<br>75R14-C      | ST205/<br>75R15-C | ST205/<br>75R15-C      | ST205/<br>75R15-C | ST225/<br>75R15-D | ST225/<br>75R15-D                    | ST225/<br>75R15-D | ST225/<br>75R15-D                    | ST225/<br>75R15-D                    | ST225/<br>75R15-D |
| Water Heater (gallons)               | 6                      | 6                 | 6                      | 6                 | 6                 | 6                                    | 6                 | 6                                    | 6                                    | 6                 |



**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.






Model 327

OPT. FRONT ENTRY (Model 327)



Model 340




OPT. FRONT ENTRY (Model 340)



Model 373

Option Front Den (Model 373)


Option Front Twin Beds W/ Bunks (Model 373)




Option Front Dinette (Model 373)

Option Front Entry Ddoor (Model 373)


Alternate Bath (Model 373)




Model 376




OPT. FRONT ENTRY (Model 376)




Model 377




OPT. FRONT ENTRY (Model 377)




Option Camp Kitchen Model 377



Option Rear Bunks Model 377



Model 381



12 Model 387


| <b>Model</b>           | <b>327</b>                           | <b>340</b>        | <b>373</b>             | <b>376</b>        | <b>377</b>             | <b>381</b>                           | <b>387</b>             |                   |
|------------------------|--------------------------------------|-------------------|------------------------|-------------------|------------------------|--------------------------------------|------------------------|-------------------|
| <b>Weights</b>         | Unloaded Vehicle Weight (see Note 2) | 7,875             | 7,600                  | 7,600             | 7,600                  | 8,425                                | 9,425                  | 8,425             |
|                        | Dry Hitch Weight                     | 1,025             | 1,000                  | 1,000             | 1,150                  | 1,000                                | 1,125                  | 1,000             |
|                        | Dry Axle Weight                      | 6,850             | 6,600                  | 6,600             | 6,450                  | 7,425                                | 8,300                  | 7,425             |
|                        | GVWR (Total Capacity of Trailer)     | 11,200            | 11,200                 | 11,200            | 11,200                 | 11,200                               | 11,200                 | 11,200            |
|                        | Carrying Capacity (see Note 2)       | 3,050             | 3,300                  | 3,300             | 3,300                  | 2,450                                | 1,425                  | 2,450             |
| <b>Accommodations</b>  | Sleeping (standard / optional)       | 6                 | 10                     | 8 / 12            | 10                     | 8                                    | 8                      | 10                |
|                        | Bed Size (standard)                  | 74" x 74"         | 60" x 74"              | 60" x 74"         | 60" x 74"              | 60" x 74"                            | 60" x 74"              | 60" x 74"         |
|                        | Second Bed Size                      | N/A               | (3)<br>28" x 76"       | 60" x 74"         | (2)<br>28" x 76"       | (2)<br>28" x 76"<br>(2)<br>38" x 74" | 28" x 76"              | (4)<br>28" x 76"  |
|                        | Dinette Size                         | 48" x 79"         | 48" x 79"<br>30" x 72" | 48" x 79"         | 48" x 79"<br>40" x 71" | 48" x 79"                            | 48" x 79"              | 48" x 79"         |
|                        | Sofa                                 | 44" x 74"         | 44" x 74"              | 44" x 74"         | 44" x 74"              | 44" x 74"                            | 42" x 74"<br>44" x 74" | 44" x 74"         |
| <b>Measurements</b>    | Exterior Length (see Note 3)         | 36'-0"            | 38'-6"                 | 39'-7"            | 40'-4"                 | 40'-9"                               | 41'-6"                 | 42'-1"            |
|                        | Exterior Width (see Note 3)          | 96"               | 96"                    | 96"               | 96"                    | 96"                                  | 96"                    | 96"               |
|                        | Exterior Height (see Note 3)         | 11'-2"            | 11'-2"                 | 11'-2"            | 11'-2"                 | 11'-4"                               | 11'-2"                 | 11'-4"            |
|                        | Interior Height                      | 78"               | 78"                    | 78"               | 78"                    | 78"                                  | 78"                    | 78"               |
| <b>Capacities</b>      | Fresh Water System (gallons)         | 46                | 36                     | 46                | 36                     | 36                                   | 36                     | 46                |
|                        | Gray Water Tank (gallons)            | 50                | 50                     | 40                | 40                     | 40                                   | 80                     | 80                |
|                        | Black Water Tank (gallons)           | 40                | 40                     | 40                | 40                     | 40                                   | 64                     | 72                |
|                        | Air Conditioner Size                 | 13,500            | 13,500                 | 13,500            | 13,500                 | 13,500                               | 13,500                 | 13,500            |
|                        | Awning Size                          | 21'               | 18'                    | 18'               | 18'                    | 21'                                  | 21'                    | 21'               |
|                        | Convertor Size (amps)                | 55                | 55                     | 55                | 55                     | 55                                   | 55                     | 55                |
|                        | Furnace Rating (Btu)                 | 25,000            | 25,000                 | 25,000            | 25,000                 | 25,000                               | 25,000                 | 25,000            |
|                        | Propane Gas Capacity (pounds)        | 60                | 60                     | 60                | 60                     | 60                                   | 60                     | 60                |
|                        | Tires                                | ST225/<br>75R15-D | ST225/<br>75R15-D      | ST225/<br>75R15-D | ST225/<br>75R15-D      | ST225/<br>75R15-D                    | ST225/<br>75R15-D      | ST225/<br>75R15-D |
| Water Heater (gallons) | 6                                    | 6                 | 6                      | 6                 | 6                      | 6                                    | 6                      |                   |

**Notes**


(1) All weights, dimensions, and capacities shown are approximate values.

(2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.


(3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the awning, if installed.




Model 271



Opt. Value Camp Kitchen  
Model 271



Model 276



Model 286

| <b>Model</b>   | <b>271</b>       | <b>276</b>      | <b>286</b>      |
|--|------------------|-----------------|-----------------|
| <b>Weights</b> Unloaded Vehicle Weight (see Note 2)  | 6,900            | 6,675           | 7,350           |
| Dry Hitch Weight                                     | 1,500            | 1,450           | 1,575           |
| Dry Axle Weight                                      | 5,400            | 5,225           | 5,775           |
| GVWR (Total Capacity of Trailer)                     | 9,600            | 9,600           | 9,600           |
| Carrying Capacity (see Note 2)                       | 2,425            | 2,675           | 1,975           |
| <b>Accommodations</b> Sleeping (standard / optional) | 8                | 6               | 6               |
| Bed Size (standard)                                  | 60" x 74"        | 60" x 74"       | 60" x 74"       |
| Second Bed Size                                      | (2)<br>28" x 76" | N/A             | N/A             |
| Dinette Size   | 40" x 71"        | 40" x 71"       | 40" x 71"       |
| Sofa   | 48" x 74"        | 48" x 74"       | 48" x 74"       |
| <b>Measurements</b> Exterior Length (see Note 3)     | 29'-3"           | 29'-3"          | 30'-11"         |
| Exterior Width (see Note 3)                          | 96"              | 96"             | 96"             |
| Exterior Height (see Note 3)                         | 12'-1"           | 12'-1"          | 12'-1"          |
| Interior Height                                      | 84"              | 84"             | 84"             |
| <b>Capacities</b> Fresh Water System (gallons)       | 46               | 46              | 46              |
| Gray Water Tank (gallons)                            | 71               | 71              | 71              |
| Black Water Tank (gallons)                           | 40               | 40              | 40              |
| Air Conditioner Size                                 | 13,500           | 13,500          | 13,500          |
| Awning Size  | 20'              | 16'             | 21'             |
| Convertor Size (amps)                                | 55               | 55              | 55              |
| Furnace Rating (Btu)                                 | 25,000           | 25,000          | 25,000          |
| Propane Gas Capacity (pounds)                        | 60               | 60              | 60              |
| Tires  | 225/<br>75R15-D  | 225/<br>75R15-D | 225/<br>75R15-D |
| Water Heater (gallons)                               | 6                | 6               | 6               |

**Notes**

- (1) All weights, dimensions, and capacities shown are approximate values.
- (2) Unloaded vehicle weight and carrying capacity will vary depending upon optional equipment. Full propane tanks are factored into carrying capacity. Skyline weighs every unit at the factory. See trailer weight information label located inside the front entry door for specific unloaded vehicle weight and cargo carrying capacity.
- (3) Dimensions stated to industry standards. Exterior length includes approximately a four foot hitch on travel trailers. Exterior height includes air conditioner, if installed. Exterior width does not include the width of the fenders and tires, which may extend up to 5" on each side of the body.



## Skyline Customer Satisfaction

Skyline Customer Satisfaction is more than just a promise. We believe you deserve quality in every aspect of ownership. To ensure your continued satisfaction, we're dedicated to providing you with a quality product along with the very best service available in our industry. Skyline's "Commitment of Excellence" will be a source of pride and satisfaction for you.

Contact your Skyline dealer for details.



## NO-NONSENSE WARRANTY

Manufacturing defects reported to Skyline within one year after original retail delivery of your new Travel Trailer or Fifth Wheel by an authorized dealer will be corrected without charge and within reasonable times. Excluded are misuse (including lack of reasonable maintenance), minor imperfections, alterations, and dealer or owner improper transportation, installation, or hookup.

This warranty gives you specific legal rights. You may have other rights which vary from state to state.

*Skyline's suppliers often provide additional warranties on their components beyond the Skyline factory bumper-to-bumper warranty. For example — the range, water heater, furnace, convertor, air conditioner, refrigerator, microwave and awning carry two-year supplier warranties. The one-piece roof carries a 12-year warranty. Ask your dealer for full details.*

**Manufacturer's Notice:** All specifications, equipment, and prices are subject to change without prior notice. Production of all models subject to seasonal scheduling. Skyline Corporation reserves the right to improve a model without incorporating these changes in similar models produced at an earlier date.

Consult your automobile dealer and your recreational vehicle dealer to assure the proper match between tow vehicle and trailer. Tow vehicle and recreational unit must be properly equalized for efficient product performance and safety. Before you purchase your recreational vehicle, carefully consider the number of people it will accommodate and its end use. Manufacturer's load capacity restrictions and recommendations must be followed for safe and efficient product performance.

Your Retailer, an independent contractor, who is not an agent of Skyline Corporation, is the party responsible for your purchase contract and any additions, deletions, alterations, or attachments made to or in your recreational vehicle.



For the name of your nearest Skyline-built RV dealer, call:  
Bristol, IN 1-800-735-7621

Or visit us at our Web Site at [www.skylinecorp.com](http://www.skylinecorp.com)

Go RVing.