

SUNDANCE

DSI
Annual RVDA DEALER
SATISFACTION INDEX
AWARD WINNER



XLT

Visit HEARTLAND on:




SUNDANCE

BY HEARTLAND




SUNDANCE FIFTH WHEELS



SD 2880RLT

Length: 32' 3"
Height: 12' 4"
Dry: 9,750
GVWR: 13,800
Hitch: 2,220
Tanks: 53^F 80^G 40^B




SD 3000CK

Length: 32' 8"
Height: 12' 4"
Dry: 9,245
GVWR: 13,800
Hitch: 1,960
Tanks: 53^F 80^G 40^B



SD 3270RES

Length: 36' 11"
Height: 12' 4"
Dry: 10,715
GVWR: 13,800
Hitch: 2,265
Tanks: 53^F 80^G 40^B



SD 3280RES

NEW

Length: 36' 11"
Height: 12' 4"
Dry: 10,740
GVWR: 13,800
Hitch: 2,270
Tanks: 53^F 80^G 40^B




SD 3300CK

Length: 36' 10"
Height: 12' 4"
Dry: 10,700
GVWR: 13,920
Hitch: 2,165
Tanks: 53^F 80^G 40^B




SD 3310MKS

Length: 37' 3"
Dry: 10,10600
GVWR: 13,800
Height: 12' 4"
Hitch: 1,945
Tanks: 53^F 80^G 40^B



SD 3380RL

Length: 37' 6"
Dry: 10,996
GVWR: 13,800
Height: 12' 4"
Hitch: 2,115
Tanks: 53^F 80^G 40^B



SD 3400QB

Length: 38' 3"
Dry: 11,232
GVWR: 13,800
Height: 12' 4"
Hitch: 1,745
Tanks: 53^F 80^G 80^B



SD 3600QB

Length: 41' 7"
Dry: TBD
GVWR: 13,850
Height: 12' 6"
Hitch: TBD
Tanks: 53^F 80^G 80^B


Note: Length defined as tow point (Ball coupler for travel trailers / King pin for 5th wheel trailers) to rear bumper. It does not include the rear ladder. Add 9" w/ Extended Pin Box

TRAVEL TRAILERS




SD 255 MK

Length: 28' 11"
Height: TBD
Dry: TBD
GVWR: 8,900
Hitch: TBD
Tanks: 53^F 40^G 40^B



SD 288RLS

Length: 31' 11"
Height: 11'5"
Dry: 7,470
GVWR: 10,500
Hitch: 1,028
Tanks: 53^F 80^G 40^B



SD 290 BHS

Length: 32' 2"
Height: 11'5"
Dry: 7,270
GVWR: 9,500
Hitch: 940
Tanks: 53^F 40^G 40^B



SD 310BHCK

Length: 35' 6"
Height: 11'5"
Dry: 7,875
GVWR: 10,500
Hitch: 755
Tanks: 53^F 40^G 40^B



SD 322RES

Length: 35' 5"
Height: 11'7"
Dry: 8,750
GVWR: 10,500
Hitch: 950
Tanks: 53^F 40^G 40^B

STANDARD FEATURES

EXTERIOR

- 5" Curvilinear Galvanized Roof Trusses
- Universal Docking Center
- Floor Joists 12" on Center
- E-Z Lube Hubs
- Equa-Flex Suspension
- Rain Gutters w/Extended Downspouts
- Electric Patio Awning with LED Light
- Rear Ladder (Most Models)
- Electric Outlet for Awning Lights
- Exterior Stereo Speakers
- Cable TV Jack - Doorside
- 1-Piece ABS Underbelly
- FLEXFOIL Insulation in Underbelly
- FLEXFOIL Insulation on Bath/Bed Deck
- 1-Piece Rubber Roofing Material
- Scarelight - Porch Light
- Sewer Hose Storage in Bumper
- Large Assist Entry Handle
- Dual 30 lb. LP Tanks
- Exterior Propane Quick Connect
- 10" I-Beam Frame - (FW Only)
- Radius Entry Step w/ Light & Switch
- 30" Radius Entry Door w/Dead Bolt at Main Entry
- Water Heater Bypass
- 50 Amp Electrical Service (FW Only)
- Security Light
- Forced Air Heated & Enclosed Holding Tanks and Valves
- Painted Aerodynamic Fiberglass Front Cap with LED marker lighting
- High-End Graphics Package
- Triple Entry Step (FW Only)
- Break Away Switch
- Electric Powered Front Jacks (FW Only)
- Spare Tire
- Outside Shower
- 15" Aluminum Wheels w/5,200# Dexter axles (TT Only)
- 16" Aluminum Wheels w/6,000# Dexter axles (FW Only)
- Correct Track Alignment System
- Frameless Windows

PREMIER KITCHEN

- Solid Surface Countertops
- Glazed Walnut Cabinetry
- Larger Overhead Cabinets
- Large Stainless Steel Kitchen Sink

- Full Extension Ball-Bearing Drawer Guides
- Trash Can Space in Cabinet (some models)
- Pull-out Kitchen Faucet
- Beauflor Residential Flooring
- Power Range Hood w/Light
- 22" Oven with igniter (FW Only)
- 8 Cu. Ft. Refrigerator

BATH

- Large Bathtub (3270RES, 3310MKS)
- Neo-Angle Shower
- Medicine Cab. w/Mirror & Lights
- Porcelain Toilet

BEDROOM

- Up to 6'-4" Bedroom Ceiling Height
- Flush Floor Bed and Bath Upper Deck
- Lift-Up, Finished Bed Storage
- Shoe Rack in Closet Bed Slide Models
- Second A/C Prep
- Decorative Bedding
- Washer Dryer Prep (Most Models)

LIVING AREA

- Multiple Electrical Outlets in Living Area
- Enclosed Control Panel at Entry
- 18 gal. Per Hour W/H Gas/Electric DSI
- Residential Style Light Switches
- High-End Push Back Recliners (some models)
- Decorative Window Valances
- Plush Carpet with Padding
- Coat Closet (most models)
- Flush Floor Slide-Outs
- Smoke Detector
- Carbon Monoxide Detector
- Adjustable A/C Vents for Improved Air Flow
- Tri-Fold Sofa Bed
- Over the Slide Room 9"x36" Window (FW Only)

POPULAR FEATURES:

- LED Interior Lighting
- Black Tank Flush System
- 12V AM/FM CD/DVD & MP3 Player w/Bluetooth
- 60" x 80" Queen Bed / 70" x 80" King Bed (3270RES, 3310MKS)
- Spring Loaded Hidden Hinges
- Night Shades

- Snap Jack Pins for Landing Gear
- 35,000 BTU Furnace
- Dark Tinted Safety Glass Windows
- Storage in the Dinette Chairs

Travel Trailer FEATURES

- High Gloss Fiberglass
- Painted Front Cap
- Solid Surface Countertops
- 60x74" Queen Bed
- 4 Electric Stabilizer Jacks
- 4 Point Hydraulic Level-Up Opt.
- Hydraulic Slides (N/A 255MK, 290BHS)

OPTIONS:

- ABS Hitch Cover
- Solid Surface Countertop extension (where avail)
- Electric Rear Jacks (FW Only)
- Fireplace (where available)
- Free Standing Dinette Chairs and Table with Storage in Both (N/A 290BHS, 255MK)
- U-Shape Dinette (3400QB & 3600QB Only)
- Swivel Glider Recliners
- 15,000 BTU A/C
- Dual Pane Windows
- 32" TV Option
- 39" TV Option (Most Models)
- 2nd AC in Bedroom
- 12 cu. ft. Refrigerator (3000MK, 3000CK, 3380RL)
- Theater Seating (3380RL, 3280RES)
- 50 Amp w/ 2nd A/C option (TT Only)
- Fantastic Fan in Living Room


PLATINUM PACKAGES

Fifth Wheel PLATINUM PACKAGE:

- High Gloss Taupe Colored Fiberglass
- Fully Painted Metallic Front Cap
- LED Lights Throughout Interior
- Solid Surface on Rear Entertainment Center
- Electric Rear Jacks
- ABS Hitch Cover


Travel Trailer PLATINUM PACKAGE:

- High Gloss Taupe Colored Fiberglass
- Fully Painted Metallic Front Cap



SD XLT 245 RL

Length: 26' 4"
Height: 11' 10"
Dry: 6,354
GVWR: 9,900
Hitch: 1,135
Tanks: 53^F 40^G 40^B



SD XLT 265 RK

Length: 28' 5"
Height: 11' 10"
Dry: 6,778
GVWR: 9,900
Hitch: 1,270
Tanks: 53^F 80^G 40^B




SD XLT 278 TS

Length: 31' 4"
Height: 11' 10"
Dry: 8,616
GVWR: 9,900
Hitch: 1,640
Tanks: 53^F 40^G 40^B



SD XLT 277 RL

Length: 29' 10"
Height: 11' 10"
Dry: 7,925
GVWR: 9,900
Hitch: 1,625
Tanks: 53^F 40^G 40^B



SD XLT 285 TS

Length: 31' 4"
Height: 11' 10"
Dry: 7,770
GVWR: 9,900
Hitch: 1,660
Tanks: 53^F 40^G 40^B



SD XLT 298BH

Length: 33' 11"
Height: 11' 10"
Dry: TBD
GVWR: TBD
Hitch: TBD
Tanks: 53^F 80^G 40^B

XLT FIFTH WHEELS

STANDARDS

INTERIOR

- Solid Surface Residential Counter Tops
- Smoke Detector
- LP Detector
- Fire Extinguisher
- 8 ft. Wide-Body Design
- 78" Interior Height
- Monitor Panel
- Cable TV
- Ducted 13.5 A/C
- 12V, AM/FM CD/DVD/MP3 Player with Bluetooth
- Glazed Walnut Cabinets
- TV Antenna w/Booster
- Tri-Fold Sofa Bed (N/A 245RL)

KITCHEN

- Steel Ball-Bearing Drawer Guides -Full Extension
- Pull-out Kitchen Faucet
- Oven and Microwave
- Residential Quality Beauflor
- Power Range Hood w/Light
- Double Door Refrigerator
- 8 cu. ft. Refrigerator (Standard on 278TS, 285TS)
- Large Dual Basin Sink

BATH AREA

- Shower Skylight
- Tub Surround with Built-in Shelves
- Hardwood Medicine Cabinet
- Power Vent in Bathroom
- Porcelain Foot Flush Toilet

BEDROOM

- 60" x 80" Queen Bed Mattress
- Bedroom Night Stands
- Cable TV Hook-Up

EXTERIOR

- 1-Piece ABS Underbelly
- Dexter Axles
- E-Z Lube Hubs
- Stab Jacks
- 15" Tires and Aluminum Wheels
- Outside Speakers
- Outside Shower
- Electric Patio Awning w/ LED Light
- Spare Tire with Cover
- Exterior 120V Outlet
- Entry Grab Handle
- One Piece Rubber Roofing Material
- Fiberglass Front Cap

FEATURES

- 30,000 BTU Furnace
- The First UDC (Universal Docking Center) in a Lightweight, Mid-Pro 5th Wheel!
- 18 Gal Per Hour Gas/Electric DSI Water Heater
- Heated and Enclosed Underbelly
- Electric Slide Outs
- Black Tank Flush System
- Slam Baggage Doors
- XLT KITCHEN PACKAGE:
- Upgraded Brushed Satin Nickel Hardware
- Upgraded Decorative Glass Inserts

- Removable Dinette Table (inside/outside) (245RL Only)

OPTIONS


- 15K BTU A/C
- 50 Amp w/ 2nd A/C
- 32" TV
- Two Chairs IPO Sofa (245 RL)
- Freestanding Dinette Table & Chairs (Forced 285TS)

LITE-WEIGHT STRENGTH PKG.

- Strong Laminated Crowned Roof
- Block Foam Brick Insulation
- Aluminum Construction (front, back and side walls, floor, roof)
- Enclosed Underbelly
- Triple Entry Step
- Tinted Safety Glass Windows
- 2" Thick Sidewall Construction
- 2 Rear Stabilizer Jacks
- HD Leaf Spring Suspension
- Two 30 lb. Dual LP Tanks

PLATINUM PACKAGE

- Fully Painted Metallic Front Cap
- High Gloss Taupe Colored Fiberglass
- ABS Hitch Cover



SD XLT 32 BHTS



SD XLT TT2



SD XLT TT1

Product information is as accurate as possible as of the date of publication of this brochure. Due to Heartland's commitment to continuous product improvement - floorplans, materials, components, features, specifications, options, etc. are subject to change without notice or obligation to Heartland Recreational Vehicles. Product information and specifications apply to coaches beginning with serial number 291923

Tow Vehicle Caution: Owners of Heartland recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Heartland products. Heartland disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. Heartland's limited warranty does not cover damage to the recreational vehicle or the tow vehicle as a result of the selection of the tow vehicle.

See your nearest Heartland dealer to review a current model.