


# STRYKER



LIGHTWEIGHT TOY HAULER FOR SOME EXTREME FUN



Stryker is a 102" wide-body constructed toy hauler featuring the most user-inspired features in the lightweight market. The 102" construction can accommodate all types of cargo including Side By Sides, ATV's, motorcycles and more. Stryker features abound—see our website for more details!

Well appointed kitchen space with large 8 cu-ft fridge for all your beverage needs. High vaulted ceilings make hot days more comfortable. Designed by motorsports enthusiasts who play hard and rest well!




**Standard Features**

- High capacity floor D-ring tie downs
- Beaver-tail floor at ramp
- Vaulted ceiling
- 12V decorative ceiling fan with wall switch
- Dual ducted 15k A/C
- Touch screen FM CD/DVD player with bluetooth
- Kicker interior and exterior speakers
- Hardwood raised panel cabinet doors (uppers and lowers)
- Removable shaw carpet with R2X stain-resistance treatment
- Roll-up rear screen/window
- Steel ball bearing, full extension drawer guides
- High rise kitchen faucet
- Double door refer
- Power vent in bathroom
- RV King or Queen (model specific)
- Charging center with 12V and USB
- 102" wide-body construction
- Retractable ladder
- HD axles with 12" brakes and E-Z lube axles
- 16" radial tires with aluminum wheels and radial spare tire
- LED under-glow lighting package
- Electric awning with integrated speakers
- 100+ gallon fresh water capacity
- 30 gallon fuel station
- LED cargo lights that double as reverse lights
- 10 gallon DSI gas/electric water heater
- Heated and enclosed underbelly
- 2" heat duct from furnace into underbelly
- Power tongue jack




**Options**


- Onan RV 4000 EVAP Generator
- Onan RV 5500 Generator with 50 amp service and 2nd A/C Prep
- 2nd 13.5 BTU A/C (requires 50 amp)
- 50 amp service with 2nd A/C prep
- Ultra-lite electric stabilizing system
- 18 gal fuel tank for generator




ST 2512




ST 2812




ST 2912




STG 3010



STG 3112



STG 3212



ST 3316



# STRYKER

Model	Length	Dry	Hitch	Height	Awning	Tanks
ST 2512	30' 4"	6,223	740	12' 8"	17'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
ST 2812	32' 9"	7,675	885	12' 8"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
ST 2912	34' 0"	7,768	1,130	12' 8"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
STG 3010	34' 5"	8,100	1,075	12' 8"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
STG 3112	34' 8"	9,120	1,380	12' 10"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
STG 3212	37' 9"	9,840	1,370	13' 2"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>
ST 3316	38' 0"	8,555	1,130	12' 10"	19'	98 <sup>F</sup> 63 <sup>G</sup> 63 <sup>B</sup>

Your Local Cruiser RV Dealer:



MADE IN THE U.S.A.

Product information is as accurate as possible as of the date of publication of this brochure. Due to Cruiser RV's commitment to continuous product improvement - floorplans, materials, components, features, measurements, specifications, options, etc. are subject to change at any time without notice or obligation. In certain conditions some additional equipment may be needed. Photos may show optional equipment or props used for photography purposes only.

Cruiser RV has listed the approximate base weight of the trailer without the option equipment included. Option equipment will impact the weight of the trailer. Please locate the weight sticker attached to the trailer you are considering for the most accurate trailer weight.

Tow Vehicle Caution: Owners of Cruiser recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Cruiser RV products. Cruiser RV disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. Cruiser RV's limited warranty does not cover damage to the recreational vehicle or the tow vehicle as a result of the selection of the tow vehicle.